

IP STORAGE TEMPERATURE LOG

Storage Subject	Description	Medical Freezer	Storage Space	냉동고3 (대여)
	Manufacturer	Global Cooling Inc.	Storage Period	2024.7
	Model Name	ULT-25NEU	Investigational Product	AMG133
	Serial Number	20050-00642	Temperature Range	-85~-30°C
	Date of Performance Qualification	2024.2.27	Setting Point	-38.0°C
	Date of PQ Due	2025.2.27	Note	>-24.4°C or <-85.5°C 즉시 이탈 보고
	PQ Certificate No.	FC24-0104-001		
Calibration Subject	Description	온라인데이터로거	Min/Max Record	기기로 Min/Max 확인방법 없으며, 온도이탈시 알람, 지난 온도기록 이후 알람 없음을 확인 후 진행(월별 Min/Max : 다운로드 기록지 2페이지에 표기)
	Manufacturer	TESTO		
	Model Name	Saveris2-T3		
	Serial Number	54704396		
	Sensor Channel	CH1	Alarm Range	<-39.5°C, >-30.0°C, 즉시
	Date of Calibration	2023.11.9	Alarm Method	Mail,SMS to Pharmacist
	Date of Calibration Due	2024.11.9	Alarm Clear	NA
	Certificate No.	SS-231108-0169		

Date	Time	Temperature(°C)			Verified by	Comment
		Min	Max	Current		
2024.07.01	P:30			-36.5	anl	
2024.07.02	P:30			-36.4	anl	
2024.07.03	P:30			-36.5	anl	
2024.07.04	P:30			-36.5	anl	
2024.07.05	P:30			-36.5	anl	
2024.07.06						
2024.07.07						
2024.07.08	P:30			-36.5	anl	
2024.07.09	P:30			-36.4	anl	
2024.07.10	P:30			-36.4	anl	
2024.07.11	P:30			-36.5	anl	
2024.07.12	P:30			-36.4	anl	
2024.07.13						
2024.07.14						
2024.07.15	P:30			-36.4	anl	
2024.07.16	P:30			-36.4	anl	
2024.07.17	P:30			-36.3	anl	
2024.07.18	P:30			-36.4	anl	
2024.07.19	P:30			-36.4	anl	
2024.07.20						
2024.07.21						
2024.07.22	P:30			-36.4	anl	
2024.07.23	P:30			-36.4	anl	
2024.07.24	P:30			-36.4	anl	
2024.07.25	P:30			-36.5	anl	
2024.07.26	P:30			-36.5	anl	
2024.07.27						
2024.07.28						
2024.07.29	P:30			-36.5	anl	
2024.07.30	P:30			-36.4	anl	
2024.07.31	P:30			-36.5	anl	

date of copying

sign

동국대학교일산병원 임상시험센터 약국




임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner





임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

측정된 값

위치 측정 포인트 그룹 지역	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]	
하한 값		-39.5
상한 값		-30.0
평균 값		-36.4
최소 값		-36.7
최대 값		-36.1
01/07/24	00:00:00	-36.5
01/07/24	00:30:00	-36.5
01/07/24	01:00:00	-36.4
01/07/24	01:30:00	-36.5
01/07/24	02:00:00	-36.5
01/07/24	02:30:00	-36.5
01/07/24	03:00:00	-36.5
01/07/24	03:30:00	-36.5
01/07/24	04:00:00	-36.4
01/07/24	04:30:00	-36.5
01/07/24	05:00:00	-36.6
01/07/24	05:30:00	-36.5
01/07/24	06:00:00	-36.4
01/07/24	06:30:00	-36.5
01/07/24	07:00:00	-36.5
01/07/24	07:30:00	-36.4
01/07/24	08:00:00	-36.5
01/07/24	08:30:00	-36.4
01/07/24	09:00:00	-36.5
01/07/24	09:30:00	-36.5
01/07/24	10:00:00	-36.4
01/07/24	10:30:00	-36.4
01/07/24	11:00:00	-36.4
01/07/24	11:30:00	-36.4
01/07/24	12:00:00	-36.4
01/07/24	12:30:00	-36.5
01/07/24	13:00:00	-36.5
01/07/24	13:30:00	-36.4
01/07/24	14:00:00	-36.5
01/07/24	14:30:00	-36.5
01/07/24	15:00:00	-36.5
01/07/24	15:30:00	-36.5
01/07/24	16:00:00	-36.5
01/07/24	16:30:00	-36.4
01/07/24	17:00:00	-36.4
01/07/24	17:30:00	-36.4
01/07/24	18:00:00	-36.5
01/07/24	18:30:00	-36.4



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
01/07/24 19:00:00	-36.4
01/07/24 19:30:00	-36.4
01/07/24 20:00:00	-36.4
01/07/24 20:30:00	-36.5
01/07/24 21:00:00	-36.5
01/07/24 21:30:00	-36.4
01/07/24 22:00:00	-36.5
01/07/24 22:30:00	-36.4
01/07/24 23:00:00	-36.5
01/07/24 23:30:00	-36.5
02/07/24 00:00:00	-36.5
02/07/24 00:30:00	-36.5
02/07/24 01:00:00	-36.5
02/07/24 01:30:00	-36.5
02/07/24 02:00:00	-36.5
02/07/24 02:30:00	-36.5
02/07/24 03:00:00	-36.5
02/07/24 03:30:00	-36.5
02/07/24 04:00:00	-36.4
02/07/24 04:30:00	-36.5
02/07/24 05:00:00	-36.4
02/07/24 05:30:00	-36.5
02/07/24 06:00:00	-36.5
02/07/24 06:30:00	-36.5
02/07/24 07:00:00	-36.5
02/07/24 07:30:00	-36.5
02/07/24 08:00:00	-36.5
02/07/24 08:30:00	-36.4
02/07/24 09:00:00	-36.4
02/07/24 09:30:00	-36.4
02/07/24 10:00:00	-36.4
02/07/24 10:30:00	-36.4
02/07/24 11:00:00	-36.4
02/07/24 11:30:00	-36.5
02/07/24 12:00:00	-36.4
02/07/24 12:30:00	-36.4
02/07/24 13:00:00	-36.4
02/07/24 13:30:00	-36.4
02/07/24 14:00:00	-36.4
02/07/24 14:30:00	-36.5
02/07/24 15:00:00	-36.4
02/07/24 15:30:00	-36.5
02/07/24 16:00:00	-36.4
02/07/24 16:30:00	-36.4
02/07/24 17:00:00	-36.4
02/07/24 17:30:00	-36.4
02/07/24 18:00:00	-36.4
02/07/24 18:30:00	-36.5
02/07/24 19:00:00	-36.5
02/07/24 19:30:00	-36.4



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
02/07/24 20:00:00	-36.5
02/07/24 20:30:00	-36.4
02/07/24 21:00:00	-36.5
02/07/24 21:30:00	-36.5
02/07/24 22:00:00	-36.5
02/07/24 22:30:00	-36.4
02/07/24 23:00:00	-36.4
02/07/24 23:30:00	-36.4
03/07/24 00:00:00	-36.4
03/07/24 00:30:00	-36.5
03/07/24 01:00:00	-36.4
03/07/24 01:30:00	-36.4
03/07/24 02:00:00	-36.5
03/07/24 02:30:00	-36.5
03/07/24 03:00:00	-36.4
03/07/24 03:30:00	-36.5
03/07/24 04:00:00	-36.4
03/07/24 04:30:00	-36.5
03/07/24 05:00:00	-36.5
03/07/24 05:30:00	-36.4
03/07/24 06:00:00	-36.5
03/07/24 06:30:00	-36.4
03/07/24 07:00:00	-36.5
03/07/24 07:30:00	-36.5
03/07/24 08:00:00	-36.5
03/07/24 08:30:00	-36.4
03/07/24 09:00:00	-36.5
03/07/24 09:30:00	-36.4
03/07/24 10:00:00	-36.5
03/07/24 10:30:00	-36.4
03/07/24 11:00:00	-36.4
03/07/24 11:30:00	-36.5
03/07/24 12:00:00	-36.4
03/07/24 12:30:00	-36.4
03/07/24 13:00:00	-36.5
03/07/24 13:30:00	-36.4
03/07/24 14:00:00	-36.3
03/07/24 14:30:00	-36.5
03/07/24 15:00:00	-36.4
03/07/24 15:30:00	-36.5
03/07/24 16:00:00	-36.5
03/07/24 16:30:00	-36.4
03/07/24 17:00:00	-36.4
03/07/24 17:30:00	-36.5
03/07/24 18:00:00	-36.5
03/07/24 18:30:00	-36.6
03/07/24 19:00:00	-36.5
03/07/24 19:30:00	-36.5
03/07/24 20:00:00	-36.5
03/07/24 20:30:00	-36.5



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
03/07/24	21:00:00 -36.4
03/07/24	21:30:00 -36.4
03/07/24	22:00:00 -36.5
03/07/24	22:30:00 -36.4
03/07/24	23:00:00 -36.5
03/07/24	23:30:00 -36.6
04/07/24	00:00:00 -36.5
04/07/24	00:30:00 -36.6
04/07/24	01:00:00 -36.6
04/07/24	01:30:00 -36.5
04/07/24	02:00:00 -36.4
04/07/24	02:30:00 -36.5
04/07/24	03:00:00 -36.5
04/07/24	03:30:00 -36.6
04/07/24	04:00:00 -36.5
04/07/24	04:30:00 -36.5
04/07/24	05:00:00 -36.5
04/07/24	05:30:00 -36.4
04/07/24	06:00:00 -36.6
04/07/24	06:30:00 -36.6
04/07/24	07:00:00 -36.5
04/07/24	07:30:00 -36.6
04/07/24	08:00:00 -36.5
04/07/24	08:30:00 -36.5
04/07/24	09:00:00 -36.5
04/07/24	09:30:00 -36.5
04/07/24	10:00:00 -36.4
04/07/24	10:30:00 -36.5
04/07/24	11:00:00 -36.4
04/07/24	11:30:00 -36.4
04/07/24	12:00:00 -36.4
04/07/24	12:30:00 -36.4
04/07/24	13:00:00 -36.5
04/07/24	13:30:00 -36.5
04/07/24	14:00:00 -36.5
04/07/24	14:30:00 -36.4
04/07/24	15:00:00 -36.5
04/07/24	15:30:00 -36.5
04/07/24	16:00:00 -36.4
04/07/24	16:30:00 -36.4
04/07/24	17:00:00 -36.5
04/07/24	17:30:00 -36.5
04/07/24	18:00:00 -36.4
04/07/24	18:30:00 -36.4
04/07/24	19:00:00 -36.4
04/07/24	19:30:00 -36.5
04/07/24	20:00:00 -36.5
04/07/24	20:30:00 -36.4
04/07/24	21:00:00 -36.4
04/07/24	21:30:00 -36.5



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
04/07/24	22:00:00 -36.6
04/07/24	22:30:00 -36.6
04/07/24	23:00:00 -36.5
04/07/24	23:30:00 -36.5
05/07/24	00:00:00 -36.4
05/07/24	00:30:00 -36.5
05/07/24	01:00:00 -36.6
05/07/24	01:30:00 -36.5
05/07/24	02:00:00 -36.4
05/07/24	02:30:00 -36.4
05/07/24	03:00:00 -36.5
05/07/24	03:30:00 -36.4
05/07/24	04:00:00 -36.5
05/07/24	04:30:00 -36.5
05/07/24	05:00:00 -36.5
05/07/24	05:30:00 -36.5
05/07/24	06:00:00 -36.6
05/07/24	06:30:00 -36.4
05/07/24	07:00:00 -36.5
05/07/24	07:30:00 -36.4
05/07/24	08:00:00 -36.4
05/07/24	08:30:00 -36.5
05/07/24	09:00:00 -36.5
05/07/24	09:30:00 -36.5
05/07/24	10:00:00 -36.4
05/07/24	10:30:00 -36.4
05/07/24	11:00:00 -36.4
05/07/24	11:30:00 -36.5
05/07/24	12:00:00 -36.4
05/07/24	12:30:00 -36.5
05/07/24	13:00:00 -36.5
05/07/24	13:30:00 -36.5
05/07/24	14:00:00 -36.5
05/07/24	14:30:00 -36.5
05/07/24	15:00:00 -36.5
05/07/24	15:30:00 -36.6
05/07/24	16:00:00 -36.4
05/07/24	16:30:00 -36.5
05/07/24	17:00:00 -36.5
05/07/24	17:30:00 -36.5
05/07/24	18:00:00 -36.5
05/07/24	18:30:00 -36.5
05/07/24	19:00:00 -36.5
05/07/24	19:30:00 -36.5
05/07/24	20:00:00 -36.6
05/07/24	20:30:00 -36.5
05/07/24	21:00:00 -36.5
05/07/24	21:30:00 -36.6
05/07/24	22:00:00 -36.5
05/07/24	22:30:00 -36.6



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
05/07/24	23:00:00 -36.4
05/07/24	23:30:00 -36.5
06/07/24	00:00:00 -36.4
06/07/24	00:30:00 -36.6
06/07/24	01:00:00 -36.5
06/07/24	01:30:00 -36.5
06/07/24	02:00:00 -36.5
06/07/24	02:30:00 -36.5
06/07/24	03:00:00 -36.5
06/07/24	03:30:00 -36.5
06/07/24	04:00:00 -36.5
06/07/24	04:30:00 -36.5
06/07/24	05:00:00 -36.5
06/07/24	05:30:00 -36.6
06/07/24	06:00:00 -36.5
06/07/24	06:30:00 -36.4
06/07/24	07:00:00 -36.4
06/07/24	07:30:00 -36.5
06/07/24	08:00:00 -36.5
06/07/24	08:30:00 -36.5
06/07/24	09:00:00 -36.5
06/07/24	09:30:00 -36.5
06/07/24	10:00:00 -36.5
06/07/24	10:30:00 -36.5
06/07/24	11:00:00 -36.5
06/07/24	11:30:00 -36.5
06/07/24	12:00:00 -36.5
06/07/24	12:30:00 -36.6
06/07/24	13:00:00 -36.5
06/07/24	13:30:00 -36.5
06/07/24	14:00:00 -36.6
06/07/24	14:30:00 -36.6
06/07/24	15:00:00 -36.5
06/07/24	15:30:00 -36.5
06/07/24	16:00:00 -36.5
06/07/24	16:30:00 -36.6
06/07/24	17:00:00 -36.4
06/07/24	17:30:00 -36.4
06/07/24	18:00:00 -36.5
06/07/24	18:30:00 -36.5
06/07/24	19:00:00 -36.5
06/07/24	19:30:00 -36.4
06/07/24	20:00:00 -36.5
06/07/24	20:30:00 -36.5
06/07/24	21:00:00 -36.4
06/07/24	21:30:00 -36.5
06/07/24	22:00:00 -36.6
06/07/24	22:30:00 -36.6
06/07/24	23:00:00 -36.5
06/07/24	23:30:00 -36.5



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
07/07/24 00:00:00	-36.5
07/07/24 00:30:00	-36.5
07/07/24 01:00:00	-36.6
07/07/24 01:30:00	-36.6
07/07/24 02:00:00	-36.5
07/07/24 02:30:00	-36.5
07/07/24 03:00:00	-36.5
07/07/24 03:30:00	-36.5
07/07/24 04:00:00	-36.5
07/07/24 04:30:00	-36.5
07/07/24 05:00:00	-36.5
07/07/24 05:30:00	-36.5
07/07/24 06:00:00	-36.4
07/07/24 06:30:00	-36.5
07/07/24 07:00:00	-36.5
07/07/24 07:30:00	-36.5
07/07/24 08:00:00	-36.6
07/07/24 08:30:00	-36.5
07/07/24 09:00:00	-36.4
07/07/24 09:30:00	-36.5
07/07/24 10:00:00	-36.5
07/07/24 10:30:00	-36.5
07/07/24 11:00:00	-36.5
07/07/24 11:30:00	-36.4
07/07/24 12:00:00	-36.5
07/07/24 12:30:00	-36.4
07/07/24 13:00:00	-36.5
07/07/24 13:30:00	-36.4
07/07/24 14:00:00	-36.6
07/07/24 14:30:00	-36.5
07/07/24 15:00:00	-36.5
07/07/24 15:30:00	-36.5
07/07/24 16:00:00	-36.5
07/07/24 16:30:00	-36.5
07/07/24 17:00:00	-36.4
07/07/24 17:30:00	-36.6
07/07/24 18:00:00	-36.4
07/07/24 18:30:00	-36.5
07/07/24 19:00:00	-36.5
07/07/24 19:30:00	-36.5
07/07/24 20:00:00	-36.5
07/07/24 20:30:00	-36.5
07/07/24 21:00:00	-36.6
07/07/24 21:30:00	-36.6
07/07/24 22:00:00	-36.5
07/07/24 22:30:00	-36.4
07/07/24 23:00:00	-36.5
07/07/24 23:30:00	-36.4
08/07/24 00:00:00	-36.4
08/07/24 00:30:00	-36.5



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
08/07/24 01:00:00	-36.5
08/07/24 01:30:00	-36.5
08/07/24 02:00:00	-36.6
08/07/24 02:30:00	-36.5
08/07/24 03:00:00	-36.5
08/07/24 03:30:00	-36.5
08/07/24 04:00:00	-36.5
08/07/24 04:30:00	-36.4
08/07/24 05:00:00	-36.5
08/07/24 05:30:00	-36.5
08/07/24 06:00:00	-36.4
08/07/24 06:30:00	-36.5
08/07/24 07:00:00	-36.5
08/07/24 07:30:00	-36.4
08/07/24 08:00:00	-36.4
08/07/24 08:30:00	-36.5
08/07/24 09:00:00	-36.5
08/07/24 09:30:00	-36.5
08/07/24 10:00:00	-36.5
08/07/24 10:30:00	-36.5
08/07/24 11:00:00	-36.5
08/07/24 11:30:00	-36.5
08/07/24 12:00:00	-36.5
08/07/24 12:30:00	-36.5
08/07/24 13:00:00	-36.5
08/07/24 13:30:00	-36.5
08/07/24 14:00:00	-36.5
08/07/24 14:30:00	-36.6
08/07/24 15:00:00	-36.4
08/07/24 15:30:00	-36.4
08/07/24 16:00:00	-36.5
08/07/24 16:30:00	-36.6
08/07/24 17:00:00	-36.4
08/07/24 17:30:00	-36.4
08/07/24 18:00:00	-36.4
08/07/24 18:30:00	-36.5
08/07/24 19:00:00	-36.4
08/07/24 19:30:00	-36.4
08/07/24 20:00:00	-36.5
08/07/24 20:30:00	-36.4
08/07/24 21:00:00	-36.5
08/07/24 21:30:00	-36.5
08/07/24 22:00:00	-36.5
08/07/24 22:30:00	-36.5
08/07/24 23:00:00	-36.5
08/07/24 23:30:00	-36.5
09/07/24 00:00:00	-36.5
09/07/24 00:30:00	-36.5
09/07/24 01:00:00	-36.5
09/07/24 01:30:00	-36.4



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
09/07/24 02:00:00	-36.5
09/07/24 02:30:00	-36.5
09/07/24 03:00:00	-36.4
09/07/24 03:30:00	-36.5
09/07/24 04:00:00	-36.5
09/07/24 04:30:00	-36.5
09/07/24 05:00:00	-36.5
09/07/24 05:30:00	-36.5
09/07/24 06:00:00	-36.5
09/07/24 06:30:00	-36.5
09/07/24 07:00:00	-36.4
09/07/24 07:30:00	-36.6
09/07/24 08:00:00	-36.5
09/07/24 08:30:00	-36.5
09/07/24 09:00:00	-36.5
09/07/24 09:30:00	-36.4
09/07/24 10:00:00	-36.4
09/07/24 10:30:00	-36.5
09/07/24 11:00:00	-36.5
09/07/24 11:30:00	-36.5
09/07/24 12:00:00	-36.4
09/07/24 12:30:00	-36.5
09/07/24 13:00:00	-36.4
09/07/24 13:30:00	-36.5
09/07/24 14:00:00	-36.5
09/07/24 14:30:00	-36.5
09/07/24 15:00:00	-36.4
09/07/24 15:30:00	-36.5
09/07/24 16:00:00	-36.5
09/07/24 16:30:00	-36.4
09/07/24 17:00:00	-36.5
09/07/24 17:30:00	-36.5
09/07/24 18:00:00	-36.5
09/07/24 18:30:00	-36.5
09/07/24 19:00:00	-36.5
09/07/24 19:30:00	-36.5
09/07/24 20:00:00	-36.5
09/07/24 20:30:00	-36.5
09/07/24 21:00:00	-36.5
09/07/24 21:30:00	-36.4
09/07/24 22:00:00	-36.5
09/07/24 22:30:00	-36.5
09/07/24 23:00:00	-36.5
09/07/24 23:30:00	-36.6
10/07/24 00:00:00	-36.4
10/07/24 00:30:00	-36.5
10/07/24 01:00:00	-36.5
10/07/24 01:30:00	-36.5
10/07/24 02:00:00	-36.4
10/07/24 02:30:00	-36.5



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
10/07/24 03:00:00	-36.5
10/07/24 03:30:00	-36.5
10/07/24 04:00:00	-36.4
10/07/24 04:30:00	-36.5
10/07/24 05:00:00	-36.4
10/07/24 05:30:00	-36.4
10/07/24 06:00:00	-36.5
10/07/24 06:30:00	-36.5
10/07/24 07:00:00	-36.5
10/07/24 07:30:00	-36.5
10/07/24 08:00:00	-36.5
10/07/24 08:30:00	-36.4
10/07/24 09:00:00	-36.4
10/07/24 09:30:00	-36.5
10/07/24 10:00:00	-36.4
10/07/24 10:30:00	-36.4
10/07/24 11:00:00	-36.4
10/07/24 11:30:00	-36.4
10/07/24 12:00:00	-36.5
10/07/24 12:30:00	-36.4
10/07/24 13:00:00	-36.4
10/07/24 13:30:00	-36.4
10/07/24 14:00:00	-36.5
10/07/24 14:30:00	-36.4
10/07/24 15:00:00	-36.4
10/07/24 15:30:00	-36.5
10/07/24 16:00:00	-36.5
10/07/24 16:30:00	-36.5
10/07/24 17:00:00	-36.5
10/07/24 17:30:00	-36.5
10/07/24 18:00:00	-36.5
10/07/24 18:30:00	-36.4
10/07/24 19:00:00	-36.5
10/07/24 19:30:00	-36.4
10/07/24 20:00:00	-36.4
10/07/24 20:30:00	-36.5
10/07/24 21:00:00	-36.5
10/07/24 21:30:00	-36.5
10/07/24 22:00:00	-36.5
10/07/24 22:30:00	-36.5
10/07/24 23:00:00	-36.5
10/07/24 23:30:00	-36.4
11/07/24 00:00:00	-36.5
11/07/24 00:30:00	-36.5
11/07/24 01:00:00	-36.5
11/07/24 01:30:00	-36.5
11/07/24 02:00:00	-36.5
11/07/24 02:30:00	-36.4
11/07/24 03:00:00	-36.5
11/07/24 03:30:00	-36.6



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
11/07/24 04:00:00	-36.4
11/07/24 04:30:00	-36.5
11/07/24 05:00:00	-36.5
11/07/24 05:30:00	-36.4
11/07/24 06:00:00	-36.4
11/07/24 06:30:00	-36.5
11/07/24 07:00:00	-36.4
11/07/24 07:30:00	-36.4
11/07/24 08:00:00	-36.5
11/07/24 08:30:00	-36.5
11/07/24 09:00:00	-36.5
11/07/24 09:30:00	-36.4
11/07/24 10:00:00	-36.5
11/07/24 10:30:00	-36.5
11/07/24 11:00:00	-36.4
11/07/24 11:30:00	-36.4
11/07/24 12:00:00	-36.4
11/07/24 12:30:00	-36.4
11/07/24 13:00:00	-36.5
11/07/24 13:30:00	-36.4
11/07/24 14:00:00	-36.4
11/07/24 14:30:00	-36.4
11/07/24 15:00:00	-36.4
11/07/24 15:30:00	-36.4
11/07/24 16:00:00	-36.3
11/07/24 16:30:00	-36.4
11/07/24 17:00:00	-36.5
11/07/24 17:30:00	-36.5
11/07/24 18:00:00	-36.5
11/07/24 18:30:00	-36.5
11/07/24 19:00:00	-36.4
11/07/24 19:30:00	-36.5
11/07/24 20:00:00	-36.5
11/07/24 20:30:00	-36.4
11/07/24 21:00:00	-36.4
11/07/24 21:30:00	-36.5
11/07/24 22:00:00	-36.5
11/07/24 22:30:00	-36.5
11/07/24 23:00:00	-36.4
11/07/24 23:30:00	-36.5
12/07/24 00:00:00	-36.4
12/07/24 00:30:00	-36.5
12/07/24 01:00:00	-36.5
12/07/24 01:30:00	-36.4
12/07/24 02:00:00	-36.4
12/07/24 02:30:00	-36.5
12/07/24 03:00:00	-36.4
12/07/24 03:30:00	-36.4
12/07/24 04:00:00	-36.5
12/07/24 04:30:00	-36.5



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
12/07/24 05:00:00	-36.5
12/07/24 05:30:00	-36.4
12/07/24 06:00:00	-36.4
12/07/24 06:30:00	-36.4
12/07/24 07:00:00	-36.4
12/07/24 07:30:00	-36.4
12/07/24 08:00:00	-36.4
12/07/24 08:30:00	-36.5
12/07/24 09:00:00	-36.4
12/07/24 09:30:00	-36.5
12/07/24 10:00:00	-36.5
12/07/24 10:30:00	-36.4
12/07/24 11:00:00	-36.3
12/07/24 11:30:00	-36.4
12/07/24 12:00:00	-36.4
12/07/24 12:30:00	-36.4
12/07/24 13:00:00	-36.5
12/07/24 13:30:00	-36.4
12/07/24 14:00:00	-36.4
12/07/24 14:30:00	-36.4
12/07/24 15:00:00	-36.4
12/07/24 15:30:00	-36.4
12/07/24 16:00:00	-36.3
12/07/24 16:30:00	-36.4
12/07/24 17:00:00	-36.4
12/07/24 17:30:00	-36.5
12/07/24 18:00:00	-36.3
12/07/24 18:30:00	-36.4
12/07/24 19:00:00	-36.4
12/07/24 19:30:00	-36.4
12/07/24 20:00:00	-36.4
12/07/24 20:30:00	-36.4
12/07/24 21:00:00	-36.5
12/07/24 21:30:00	-36.3
12/07/24 22:00:00	-36.4
12/07/24 22:30:00	-36.4
12/07/24 23:00:00	-36.4
12/07/24 23:30:00	-36.4
13/07/24 00:00:00	-36.4
13/07/24 00:30:00	-36.4
13/07/24 01:00:00	-36.4
13/07/24 01:30:00	-36.4
13/07/24 02:00:00	-36.4
13/07/24 02:30:00	-36.5
13/07/24 03:00:00	-36.4
13/07/24 03:30:00	-36.4
13/07/24 04:00:00	-36.4
13/07/24 04:30:00	-36.4
13/07/24 05:00:00	-36.4
13/07/24 05:30:00	-36.3



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
13/07/24 06:00:00	-36.4
13/07/24 06:30:00	-36.4
13/07/24 07:00:00	-36.4
13/07/24 07:30:00	-36.4
13/07/24 08:00:00	-36.3
13/07/24 08:30:00	-36.4
13/07/24 09:00:00	-36.5
13/07/24 09:30:00	-36.5
13/07/24 10:00:00	-36.5
13/07/24 10:30:00	-36.5
13/07/24 11:00:00	-36.4
13/07/24 11:30:00	-36.5
13/07/24 12:00:00	-36.5
13/07/24 12:30:00	-36.5
13/07/24 13:00:00	-36.4
13/07/24 13:30:00	-36.3
13/07/24 14:00:00	-36.5
13/07/24 14:30:00	-36.4
13/07/24 15:00:00	-36.4
13/07/24 15:30:00	-36.4
13/07/24 16:00:00	-36.4
13/07/24 16:30:00	-36.4
13/07/24 17:00:00	-36.4
13/07/24 17:30:00	-36.4
13/07/24 18:00:00	-36.3
13/07/24 18:30:00	-36.4
13/07/24 19:00:00	-36.4
13/07/24 19:30:00	-36.4
13/07/24 20:00:00	-36.4
13/07/24 20:30:00	-36.4
13/07/24 21:00:00	-36.4
13/07/24 21:30:00	-36.4
13/07/24 22:00:00	-36.4
13/07/24 22:30:00	-36.4
13/07/24 23:00:00	-36.4
13/07/24 23:30:00	-36.4
14/07/24 00:00:00	-36.3
14/07/24 00:30:00	-36.4
14/07/24 01:00:00	-36.4
14/07/24 01:30:00	-36.3
14/07/24 02:00:00	-36.4
14/07/24 02:30:00	-36.4
14/07/24 03:00:00	-36.4
14/07/24 03:30:00	-36.4
14/07/24 04:00:00	-36.4
14/07/24 04:30:00	-36.3
14/07/24 05:00:00	-36.4
14/07/24 05:30:00	-36.4
14/07/24 06:00:00	-36.4
14/07/24 06:30:00	-36.4



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
14/07/24 07:00:00	-36.3
14/07/24 07:30:00	-36.4
14/07/24 08:00:00	-36.4
14/07/24 08:30:00	-36.4
14/07/24 09:00:00	-36.4
14/07/24 09:30:00	-36.4
14/07/24 10:00:00	-36.4
14/07/24 10:30:00	-36.4
14/07/24 11:00:00	-36.4
14/07/24 11:30:00	-36.4
14/07/24 12:00:00	-36.5
14/07/24 12:30:00	-36.4
14/07/24 13:00:00	-36.4
14/07/24 13:30:00	-36.4
14/07/24 14:00:00	-36.4
14/07/24 14:30:00	-36.4
14/07/24 15:00:00	-36.3
14/07/24 15:30:00	-36.4
14/07/24 16:00:00	-36.5
14/07/24 16:30:00	-36.5
14/07/24 17:00:00	-36.4
14/07/24 17:30:00	-36.4
14/07/24 18:00:00	-36.5
14/07/24 18:30:00	-36.4
14/07/24 19:00:00	-36.4
14/07/24 19:30:00	-36.4
14/07/24 20:00:00	-36.4
14/07/24 20:30:00	-36.4
14/07/24 21:00:00	-36.3
14/07/24 21:30:00	-36.4
14/07/24 22:00:00	-36.4
14/07/24 22:30:00	-36.3
14/07/24 23:00:00	-36.5
14/07/24 23:30:00	-36.4
15/07/24 00:00:00	-36.4
15/07/24 00:30:00	-36.4
15/07/24 01:00:00	-36.4
15/07/24 01:30:00	-36.4
15/07/24 02:00:00	-36.4
15/07/24 02:30:00	-36.5
15/07/24 03:00:00	-36.4
15/07/24 03:30:00	-36.4
15/07/24 04:00:00	-36.3
15/07/24 04:30:00	-36.4
15/07/24 05:00:00	-36.3
15/07/24 05:30:00	-36.5
15/07/24 06:00:00	-36.4
15/07/24 06:30:00	-36.4
15/07/24 07:00:00	-36.4
15/07/24 07:30:00	-36.4



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
15/07/24 08:00:00	-36.5
15/07/24 08:30:00	-36.5
15/07/24 09:00:00	-36.4
15/07/24 09:30:00	-36.4
15/07/24 10:00:00	-36.4
15/07/24 10:30:00	-36.3
15/07/24 11:00:00	-36.4
15/07/24 11:30:00	-36.4
15/07/24 12:00:00	-36.3
15/07/24 12:30:00	-36.3
15/07/24 13:00:00	-36.3
15/07/24 13:30:00	-36.4
15/07/24 14:00:00	-36.4
15/07/24 14:30:00	-36.3
15/07/24 15:00:00	-36.3
15/07/24 15:30:00	-36.3
15/07/24 16:00:00	-36.4
15/07/24 16:30:00	-36.4
15/07/24 17:00:00	-36.3
15/07/24 17:30:00	-36.3
15/07/24 18:00:00	-36.4
15/07/24 18:30:00	-36.5
15/07/24 19:00:00	-36.3
15/07/24 19:30:00	-36.4
15/07/24 20:00:00	-36.3
15/07/24 20:30:00	-36.4
15/07/24 21:00:00	-36.4
15/07/24 21:30:00	-36.5
15/07/24 22:00:00	-36.4
15/07/24 22:30:00	-36.5
15/07/24 23:00:00	-36.4
15/07/24 23:30:00	-36.3
16/07/24 00:00:00	-36.4
16/07/24 00:30:00	-36.4
16/07/24 01:00:00	-36.3
16/07/24 01:30:00	-36.5
16/07/24 02:00:00	-36.4
16/07/24 02:30:00	-36.5
16/07/24 03:00:00	-36.5
16/07/24 03:30:00	-36.4
16/07/24 04:00:00	-36.4
16/07/24 04:30:00	-36.3
16/07/24 05:00:00	-36.5
16/07/24 05:30:00	-36.4
16/07/24 06:00:00	-36.4
16/07/24 06:30:00	-36.4
16/07/24 07:00:00	-36.4
16/07/24 07:30:00	-36.4
16/07/24 08:00:00	-36.4
16/07/24 08:30:00	-36.5



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
16/07/24 09:00:00	-36.4
16/07/24 09:30:00	-36.4
16/07/24 10:00:00	-36.3
16/07/24 10:30:00	-36.4
16/07/24 11:00:00	-36.4
16/07/24 11:30:00	-36.4
16/07/24 12:00:00	-36.3
16/07/24 12:30:00	-36.4
16/07/24 13:00:00	-36.3
16/07/24 13:30:00	-36.4
16/07/24 14:00:00	-36.4
16/07/24 14:30:00	-36.3
16/07/24 15:00:00	-36.4
16/07/24 15:30:00	-36.3
16/07/24 16:00:00	-36.3
16/07/24 16:30:00	-36.4
16/07/24 17:00:00	-36.4
16/07/24 17:30:00	-36.4
16/07/24 18:00:00	-36.4
16/07/24 18:30:00	-36.4
16/07/24 19:00:00	-36.4
16/07/24 19:30:00	-36.3
16/07/24 20:00:00	-36.4
16/07/24 20:30:00	-36.3
16/07/24 21:00:00	-36.4
16/07/24 21:30:00	-36.4
16/07/24 22:00:00	-36.4
16/07/24 22:30:00	-36.5
16/07/24 23:00:00	-36.3
16/07/24 23:30:00	-36.3
17/07/24 00:00:00	-36.4
17/07/24 00:30:00	-36.4
17/07/24 01:00:00	-36.3
17/07/24 01:30:00	-36.4
17/07/24 02:00:00	-36.4
17/07/24 02:30:00	-36.4
17/07/24 03:00:00	-36.4
17/07/24 03:30:00	-36.4
17/07/24 04:00:00	-36.4
17/07/24 04:30:00	-36.4
17/07/24 05:00:00	-36.4
17/07/24 05:30:00	-36.4
17/07/24 06:00:00	-36.4
17/07/24 06:30:00	-36.4
17/07/24 07:00:00	-36.4
17/07/24 07:30:00	-36.4
17/07/24 08:00:00	-36.4
17/07/24 08:30:00	-36.4
17/07/24 09:00:00	-36.3
17/07/24 09:30:00	-36.4



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
17/07/24 10:00:00	-36.3
17/07/24 10:30:00	-36.3
17/07/24 11:00:00	-36.3
17/07/24 11:30:00	-36.4
17/07/24 12:00:00	-36.3
17/07/24 12:30:00	-36.4
17/07/24 13:00:00	-36.4
17/07/24 13:30:00	-36.4
17/07/24 14:00:00	-36.4
17/07/24 14:30:00	-36.3
17/07/24 15:00:00	-36.3
17/07/24 15:30:00	-36.4
17/07/24 16:00:00	-36.3
17/07/24 16:30:00	-36.4
17/07/24 17:00:00	-36.4
17/07/24 17:30:00	-36.5
17/07/24 18:00:00	-36.4
17/07/24 18:30:00	-36.4
17/07/24 19:00:00	-36.4
17/07/24 19:30:00	-36.3
17/07/24 20:00:00	-36.5
17/07/24 20:30:00	-36.4
17/07/24 21:00:00	-36.3
17/07/24 21:30:00	-36.4
17/07/24 22:00:00	-36.4
17/07/24 22:30:00	-36.3
17/07/24 23:00:00	-36.3
17/07/24 23:30:00	-36.5
18/07/24 00:00:00	-36.5
18/07/24 00:30:00	-36.4
18/07/24 01:00:00	-36.4
18/07/24 01:30:00	-36.3
18/07/24 02:00:00	-36.4
18/07/24 02:30:00	-36.4
18/07/24 03:00:00	-36.4
18/07/24 03:30:00	-36.3
18/07/24 04:00:00	-36.4
18/07/24 04:30:00	-36.4
18/07/24 05:00:00	-36.4
18/07/24 05:30:00	-36.3
18/07/24 06:00:00	-36.3
18/07/24 06:30:00	-36.4
18/07/24 07:00:00	-36.4
18/07/24 07:30:00	-36.4
18/07/24 08:00:00	-36.4
18/07/24 08:30:00	-36.4
18/07/24 09:00:00	-36.3
18/07/24 09:30:00	-36.4
18/07/24 10:00:00	-36.3
18/07/24 10:30:00	-36.4



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
18/07/24	11:00:00 -36.3
18/07/24	11:30:00 -36.4
18/07/24	12:00:00 -36.3
18/07/24	12:30:00 -36.3
18/07/24	13:00:00 -36.4
18/07/24	13:30:00 -36.4
18/07/24	14:00:00 -36.4
18/07/24	14:30:00 -36.4
18/07/24	15:00:00 -36.3
18/07/24	15:30:00 -36.4
18/07/24	16:00:00 -36.3
18/07/24	16:30:00 -36.4
18/07/24	17:00:00 -36.4
18/07/24	17:30:00 -36.4
18/07/24	18:00:00 -36.3
18/07/24	18:30:00 -36.4
18/07/24	19:00:00 -36.4
18/07/24	19:30:00 -36.3
18/07/24	20:00:00 -36.4
18/07/24	20:30:00 -36.4
18/07/24	21:00:00 -36.4
18/07/24	21:30:00 -36.3
18/07/24	22:00:00 -36.3
18/07/24	22:30:00 -36.3
18/07/24	23:00:00 -36.3
18/07/24	23:30:00 -36.4
19/07/24	00:00:00 -36.4
19/07/24	00:30:00 -36.4
19/07/24	01:00:00 -36.4
19/07/24	01:30:00 -36.4
19/07/24	02:00:00 -36.4
19/07/24	02:30:00 -36.4
19/07/24	03:00:00 -36.4
19/07/24	03:30:00 -36.4
19/07/24	04:00:00 -36.3
19/07/24	04:30:00 -36.4
19/07/24	05:00:00 -36.4
19/07/24	05:30:00 -36.4
19/07/24	06:00:00 -36.4
19/07/24	06:30:00 -36.4
19/07/24	07:00:00 -36.4
19/07/24	07:30:00 -36.4
19/07/24	08:00:00 -36.4
19/07/24	08:30:00 -36.4
19/07/24	09:00:00 -36.4
19/07/24	09:30:00 -36.4
19/07/24	10:00:00 -36.3
19/07/24	10:30:00 -36.4
19/07/24	11:00:00 -36.3
19/07/24	11:30:00 -36.3



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
19/07/24 12:00:00	-36.4
19/07/24 12:30:00	-36.4
19/07/24 13:00:00	-36.3
19/07/24 13:30:00	-36.4
19/07/24 14:00:00	-36.4
19/07/24 14:30:00	-36.3
19/07/24 15:00:00	-36.3
19/07/24 15:30:00	-36.3
19/07/24 16:00:00	-36.3
19/07/24 16:30:00	-36.4
19/07/24 17:00:00	-36.4
19/07/24 17:30:00	-36.4
19/07/24 18:00:00	-36.4
19/07/24 18:30:00	-36.3
19/07/24 19:00:00	-36.4
19/07/24 19:30:00	-36.3
19/07/24 20:00:00	-36.4
19/07/24 20:30:00	-36.5
19/07/24 21:00:00	-36.3
19/07/24 21:30:00	-36.5
19/07/24 22:00:00	-36.5
19/07/24 22:30:00	-36.3
19/07/24 23:00:00	-36.5
19/07/24 23:30:00	-36.5
20/07/24 00:00:00	-36.5
20/07/24 00:30:00	-36.5
20/07/24 01:00:00	-36.4
20/07/24 01:30:00	-36.4
20/07/24 02:00:00	-36.5
20/07/24 02:30:00	-36.5
20/07/24 03:00:00	-36.5
20/07/24 03:30:00	-36.5
20/07/24 04:00:00	-36.4
20/07/24 04:30:00	-36.4
20/07/24 05:00:00	-36.4
20/07/24 05:30:00	-36.6
20/07/24 06:00:00	-36.5
20/07/24 06:30:00	-36.5
20/07/24 07:00:00	-36.5
20/07/24 07:30:00	-36.4
20/07/24 08:00:00	-36.5
20/07/24 08:30:00	-36.4
20/07/24 09:00:00	-36.4
20/07/24 09:30:00	-36.4
20/07/24 10:00:00	-36.4
20/07/24 10:30:00	-36.4
20/07/24 11:00:00	-36.4
20/07/24 11:30:00	-36.5
20/07/24 12:00:00	-36.5
20/07/24 12:30:00	-36.4



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
20/07/24	13:00:00 -36.4
20/07/24	13:30:00 -36.3
20/07/24	14:00:00 -36.4
20/07/24	14:30:00 -36.4
20/07/24	15:00:00 -36.4
20/07/24	15:30:00 -36.5
20/07/24	16:00:00 -36.5
20/07/24	16:30:00 -36.4
20/07/24	17:00:00 -36.4
20/07/24	17:30:00 -36.4
20/07/24	18:00:00 -36.3
20/07/24	18:30:00 -36.4
20/07/24	19:00:00 -36.4
20/07/24	19:30:00 -36.5
20/07/24	20:00:00 -36.5
20/07/24	20:30:00 -36.4
20/07/24	21:00:00 -36.4
20/07/24	21:30:00 -36.4
20/07/24	22:00:00 -36.4
20/07/24	22:30:00 -36.5
20/07/24	23:00:00 -36.5
20/07/24	23:30:00 -36.4
21/07/24	00:00:00 -36.3
21/07/24	00:30:00 -36.4
21/07/24	01:00:00 -36.5
21/07/24	01:30:00 -36.4
21/07/24	02:00:00 -36.5
21/07/24	02:30:00 -36.4
21/07/24	03:00:00 -36.4
21/07/24	03:30:00 -36.4
21/07/24	04:00:00 -36.4
21/07/24	04:30:00 -36.5
21/07/24	05:00:00 -36.4
21/07/24	05:30:00 -36.5
21/07/24	06:00:00 -36.5
21/07/24	06:30:00 -36.4
21/07/24	07:00:00 -36.5
21/07/24	07:30:00 -36.4
21/07/24	08:00:00 -36.4
21/07/24	08:30:00 -36.4
21/07/24	09:00:00 -36.5
21/07/24	09:30:00 -36.5
21/07/24	10:00:00 -36.5
21/07/24	10:30:00 -36.4
21/07/24	11:00:00 -36.4
21/07/24	11:30:00 -36.4
21/07/24	12:00:00 -36.5
21/07/24	12:30:00 -36.4
21/07/24	13:00:00 -36.4
21/07/24	13:30:00 -36.4



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
21/07/24 14:00:00	-36.5
21/07/24 14:30:00	-36.4
21/07/24 15:00:00	-36.4
21/07/24 15:30:00	-36.4
21/07/24 16:00:00	-36.4
21/07/24 16:30:00	-36.4
21/07/24 17:00:00	-36.4
21/07/24 17:30:00	-36.4
21/07/24 18:00:00	-36.4
21/07/24 18:30:00	-36.4
21/07/24 19:00:00	-36.5
21/07/24 19:30:00	-36.5
21/07/24 20:00:00	-36.4
21/07/24 20:30:00	-36.5
21/07/24 21:00:00	-36.5
21/07/24 21:30:00	-36.4
21/07/24 22:00:00	-36.5
21/07/24 22:30:00	-36.4
21/07/24 23:00:00	-36.5
21/07/24 23:30:00	-36.4
22/07/24 00:00:00	-36.4
22/07/24 00:30:00	-36.5
22/07/24 01:00:00	-36.4
22/07/24 01:30:00	-36.5
22/07/24 02:00:00	-36.3
22/07/24 02:30:00	-36.4
22/07/24 03:00:00	-36.4
22/07/24 03:30:00	-36.4
22/07/24 04:00:00	-36.4
22/07/24 04:30:00	-36.4
22/07/24 05:00:00	-36.4
22/07/24 05:30:00	-36.4
22/07/24 06:00:00	-36.4
22/07/24 06:30:00	-36.4
22/07/24 07:00:00	-36.4
22/07/24 07:30:00	-36.4
22/07/24 08:00:00	-36.4
22/07/24 08:30:00	-36.4
22/07/24 09:00:00	-36.4
22/07/24 09:30:00	-36.4
22/07/24 10:00:00	-36.4
22/07/24 10:30:00	-36.4
22/07/24 11:00:00	-36.3
22/07/24 11:30:00	-36.3
22/07/24 12:00:00	-36.3
22/07/24 12:30:00	-36.3
22/07/24 13:00:00	-36.4
22/07/24 13:30:00	-36.4
22/07/24 14:00:00	-36.4
22/07/24 14:30:00	-36.4



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
22/07/24 15:00:00	-36.4
22/07/24 15:30:00	-36.3
22/07/24 16:00:00	-36.2
22/07/24 16:30:00	-36.3
22/07/24 17:00:00	-36.4
22/07/24 17:30:00	-36.4
22/07/24 18:00:00	-36.5
22/07/24 18:30:00	-36.4
22/07/24 19:00:00	-36.4
22/07/24 19:30:00	-36.5
22/07/24 20:00:00	-36.3
22/07/24 20:30:00	-36.4
22/07/24 21:00:00	-36.4
22/07/24 21:30:00	-36.4
22/07/24 22:00:00	-36.3
22/07/24 22:30:00	-36.4
22/07/24 23:00:00	-36.4
22/07/24 23:30:00	-36.4
23/07/24 00:00:00	-36.4
23/07/24 00:30:00	-36.4
23/07/24 01:00:00	-36.4
23/07/24 01:30:00	-36.4
23/07/24 02:00:00	-36.4
23/07/24 02:30:00	-36.5
23/07/24 03:00:00	-36.4
23/07/24 03:30:00	-36.4
23/07/24 04:00:00	-36.4
23/07/24 04:30:00	-36.4
23/07/24 05:00:00	-36.4
23/07/24 05:30:00	-36.4
23/07/24 06:00:00	-36.4
23/07/24 06:30:00	-36.4
23/07/24 07:00:00	-36.4
23/07/24 07:30:00	-36.4
23/07/24 08:00:00	-36.4
23/07/24 08:30:00	-36.5
23/07/24 09:00:00	-36.3
23/07/24 09:30:00	-36.4
23/07/24 10:00:00	-36.4
23/07/24 10:30:00	-36.3
23/07/24 11:00:00	-36.4
23/07/24 11:30:00	-36.3
23/07/24 12:00:00	-36.3
23/07/24 12:30:00	-36.4
23/07/24 13:00:00	-36.4
23/07/24 13:30:00	-36.4
23/07/24 14:00:00	-36.4
23/07/24 14:30:00	-36.3
23/07/24 15:00:00	-36.3
23/07/24 15:30:00	-36.4



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
23/07/24 16:00:00	-36.4
23/07/24 16:30:00	-36.3
23/07/24 17:00:00	-36.3
23/07/24 17:30:00	-36.4
23/07/24 18:00:00	-36.3
23/07/24 18:30:00	-36.5
23/07/24 19:00:00	-36.4
23/07/24 19:30:00	-36.4
23/07/24 20:00:00	-36.4
23/07/24 20:30:00	-36.4
23/07/24 21:00:00	-36.4
23/07/24 21:30:00	-36.4
23/07/24 22:00:00	-36.5
23/07/24 22:30:00	-36.4
23/07/24 23:00:00	-36.4
23/07/24 23:30:00	-36.4
24/07/24 00:00:00	-36.4
24/07/24 00:30:00	-36.4
24/07/24 01:00:00	-36.4
24/07/24 01:30:00	-36.4
24/07/24 02:00:00	-36.5
24/07/24 02:30:00	-36.4
24/07/24 03:00:00	-36.4
24/07/24 03:30:00	-36.4
24/07/24 04:00:00	-36.4
24/07/24 04:30:00	-36.5
24/07/24 05:00:00	-36.4
24/07/24 05:30:00	-36.3
24/07/24 06:00:00	-36.4
24/07/24 06:30:00	-36.4
24/07/24 07:00:00	-36.4
24/07/24 07:30:00	-36.5
24/07/24 08:00:00	-36.4
24/07/24 08:30:00	-36.5
24/07/24 09:00:00	-36.4
24/07/24 09:30:00	-36.4
24/07/24 10:00:00	-36.4
24/07/24 10:30:00	-36.4
24/07/24 11:00:00	-36.4
24/07/24 11:30:00	-36.4
24/07/24 12:00:00	-36.4
24/07/24 12:30:00	-36.4
24/07/24 13:00:00	-36.4
24/07/24 13:30:00	-36.3
24/07/24 14:00:00	-36.5
24/07/24 14:30:00	-36.4
24/07/24 15:00:00	-36.4
24/07/24 15:30:00	-36.4
24/07/24 16:00:00	-36.4
24/07/24 16:30:00	-36.4



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
24/07/24 17:00:00	-36.4
24/07/24 17:30:00	-36.4
24/07/24 18:00:00	-36.4
24/07/24 18:30:00	-36.4
24/07/24 19:00:00	-36.4
24/07/24 19:30:00	-36.4
24/07/24 20:00:00	-36.4
24/07/24 20:30:00	-36.4
24/07/24 21:00:00	-36.4
24/07/24 21:30:00	-36.5
24/07/24 22:00:00	-36.4
24/07/24 22:30:00	-36.4
24/07/24 23:00:00	-36.4
24/07/24 23:30:00	-36.5
25/07/24 00:00:00	-36.5
25/07/24 00:30:00	-36.4
25/07/24 01:00:00	-36.4
25/07/24 01:30:00	-36.4
25/07/24 02:00:00	-36.4
25/07/24 02:30:00	-36.4
25/07/24 03:00:00	-36.4
25/07/24 03:30:00	-36.4
25/07/24 04:00:00	-36.4
25/07/24 04:30:00	-36.5
25/07/24 05:00:00	-36.4
25/07/24 05:30:00	-36.5
25/07/24 06:00:00	-36.5
25/07/24 06:30:00	-36.4
25/07/24 07:00:00	-36.5
25/07/24 07:30:00	-36.4
25/07/24 08:00:00	-36.4
25/07/24 08:30:00	-36.5
25/07/24 09:00:00	-36.5
25/07/24 09:30:00	-36.5
25/07/24 10:00:00	-36.4
25/07/24 10:30:00	-36.5
25/07/24 11:00:00	-36.4
25/07/24 11:30:00	-36.4
25/07/24 12:00:00	-36.4
25/07/24 12:30:00	-36.4
25/07/24 13:00:00	-36.4
25/07/24 13:30:00	-36.3
25/07/24 14:00:00	-36.3
25/07/24 14:30:00	-36.4
25/07/24 15:00:00	-36.4
25/07/24 15:30:00	-36.4
25/07/24 16:00:00	-36.4
25/07/24 16:30:00	-36.3
25/07/24 17:00:00	-36.3
25/07/24 17:30:00	-36.4



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
25/07/24 18:00:00	-36.4
25/07/24 18:30:00	-36.4
25/07/24 19:00:00	-36.4
25/07/24 19:30:00	-36.4
25/07/24 20:00:00	-36.5
25/07/24 20:30:00	-36.4
25/07/24 21:00:00	-36.4
25/07/24 21:30:00	-36.4
25/07/24 22:00:00	-36.5
25/07/24 22:30:00	-36.4
25/07/24 23:00:00	-36.5
25/07/24 23:30:00	-36.4
26/07/24 00:00:00	-36.4
26/07/24 00:30:00	-36.4
26/07/24 01:00:00	-36.4
26/07/24 01:30:00	-36.3
26/07/24 02:00:00	-36.3
26/07/24 02:30:00	-36.5
26/07/24 03:00:00	-36.6
26/07/24 03:30:00	-36.4
26/07/24 04:00:00	-36.4
26/07/24 04:30:00	-36.4
26/07/24 05:00:00	-36.4
26/07/24 05:30:00	-36.4
26/07/24 06:00:00	-36.4
26/07/24 06:30:00	-36.5
26/07/24 07:00:00	-36.4
26/07/24 07:30:00	-36.4
26/07/24 08:00:00	-36.4
26/07/24 08:30:00	-36.4
26/07/24 09:00:00	-36.5
26/07/24 09:30:00	-36.5
26/07/24 10:00:00	-36.4
26/07/24 10:30:00	-36.4
26/07/24 11:00:00	-36.3
26/07/24 11:30:00	-36.4
26/07/24 12:00:00	-36.3
26/07/24 12:30:00	-36.4
26/07/24 13:00:00	-36.4
26/07/24 13:30:00	-36.4
26/07/24 14:00:00	-36.4
26/07/24 14:30:00	-36.5
26/07/24 15:00:00	-36.4
26/07/24 15:30:00	-36.4
26/07/24 16:00:00	-36.5
26/07/24 16:30:00	-36.4
26/07/24 17:00:00	-36.4
26/07/24 17:30:00	-36.5
26/07/24 18:00:00	-36.3
26/07/24 18:30:00	-36.5



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
26/07/24	19:00:00 -36.4
26/07/24	19:30:00 -36.5
26/07/24	20:00:00 -36.4
26/07/24	20:30:00 -36.5
26/07/24	21:00:00 -36.4
26/07/24	21:30:00 -36.4
26/07/24	22:00:00 -36.5
26/07/24	22:30:00 -36.3
26/07/24	23:00:00 -36.4
26/07/24	23:30:00 -36.5
27/07/24	00:00:00 -36.4
27/07/24	00:30:00 -36.4
27/07/24	01:00:00 -36.5
27/07/24	01:30:00 -36.4
27/07/24	02:00:00 -36.5
27/07/24	02:30:00 -36.5
27/07/24	03:00:00 -36.5
27/07/24	03:30:00 -36.4
27/07/24	04:00:00 -36.4
27/07/24	04:30:00 -36.3
27/07/24	05:00:00 -36.4
27/07/24	05:30:00 -36.4
27/07/24	06:00:00 -36.4
27/07/24	06:30:00 -36.5
27/07/24	07:00:00 -36.4
27/07/24	07:30:00 -36.5
27/07/24	08:00:00 -36.4
27/07/24	08:30:00 -36.5
27/07/24	09:00:00 -36.4
27/07/24	09:30:00 -36.5
27/07/24	10:00:00 -36.5
27/07/24	10:30:00 -36.5
27/07/24	11:00:00 -36.4
27/07/24	11:30:00 -36.4
27/07/24	12:00:00 -36.5
27/07/24	12:30:00 -36.4
27/07/24	13:00:00 -36.4
27/07/24	13:30:00 -36.4
27/07/24	14:00:00 -36.4
27/07/24	14:30:00 -36.4
27/07/24	15:00:00 -36.4
27/07/24	15:30:00 -36.5
27/07/24	16:00:00 -36.5
27/07/24	16:30:00 -36.4
27/07/24	17:00:00 -36.4
27/07/24	17:30:00 -36.4
27/07/24	18:00:00 -36.5
27/07/24	18:30:00 -36.4
27/07/24	19:00:00 -36.4
27/07/24	19:30:00 -36.5



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
27/07/24 20:00:00	-36.4
27/07/24 20:30:00	-36.4
27/07/24 21:00:00	-36.4
27/07/24 21:30:00	-36.5
27/07/24 22:00:00	-36.4
27/07/24 22:30:00	-36.4
27/07/24 23:00:00	-36.3
27/07/24 23:30:00	-36.3
28/07/24 00:00:00	-36.4
28/07/24 00:30:00	-36.4
28/07/24 01:00:00	-36.4
28/07/24 01:30:00	-36.3
28/07/24 02:00:00	-36.3
28/07/24 02:30:00	-36.4
28/07/24 03:00:00	-36.3
28/07/24 03:30:00	-36.4
28/07/24 04:00:00	-36.3
28/07/24 04:30:00	-36.3
28/07/24 05:00:00	-36.3
28/07/24 05:30:00	-36.3
28/07/24 06:00:00	-36.4
28/07/24 06:30:00	-36.2
28/07/24 07:00:00	-36.3
28/07/24 07:30:00	-36.4
28/07/24 08:00:00	-36.2
28/07/24 08:30:00	-36.3
28/07/24 09:00:00	-36.3
28/07/24 09:30:00	-36.3
28/07/24 10:00:00	-36.2
28/07/24 10:30:00	-36.3
28/07/24 11:00:00	-36.2
28/07/24 11:30:00	-36.4
28/07/24 12:00:00	-36.3
28/07/24 12:30:00	-36.3
28/07/24 13:00:00	-36.3
28/07/24 13:30:00	-36.2
28/07/24 14:00:00	-36.3
28/07/24 14:30:00	-36.3
28/07/24 15:00:00	-36.3
28/07/24 15:30:00	-36.2
28/07/24 16:00:00	-36.2
28/07/24 16:30:00	-36.3
28/07/24 17:00:00	-36.3
28/07/24 17:30:00	-36.3
28/07/24 18:00:00	-36.2
28/07/24 18:30:00	-36.3
28/07/24 19:00:00	-36.3
28/07/24 19:30:00	-36.2
28/07/24 20:00:00	-36.1
28/07/24 20:30:00	-36.2



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
28/07/24	21:00:00 -36.4
28/07/24	21:30:00 -36.6
28/07/24	22:00:00 -36.5
28/07/24	22:30:00 -36.6
28/07/24	23:00:00 -36.6
28/07/24	23:30:00 -36.6
29/07/24	00:00:00 -36.6
29/07/24	00:30:00 -36.7
29/07/24	01:00:00 -36.5
29/07/24	01:30:00 -36.7
29/07/24	02:00:00 -36.6
29/07/24	02:30:00 -36.7
29/07/24	03:00:00 -36.6
29/07/24	03:30:00 -36.6
29/07/24	04:00:00 -36.6
29/07/24	04:30:00 -36.6
29/07/24	05:00:00 -36.6
29/07/24	05:30:00 -36.6
29/07/24	06:00:00 -36.6
29/07/24	06:30:00 -36.7
29/07/24	07:00:00 -36.7
29/07/24	07:30:00 -36.6
29/07/24	08:00:00 -36.5
29/07/24	08:30:00 -36.6
29/07/24	09:00:00 -36.5
29/07/24	09:30:00 -36.6
29/07/24	10:00:00 -36.5
29/07/24	10:30:00 -36.5
29/07/24	11:00:00 -36.5
29/07/24	11:30:00 -36.3
29/07/24	12:00:00 -36.3
29/07/24	12:30:00 -36.5
29/07/24	13:00:00 -36.5
29/07/24	13:30:00 -36.4
29/07/24	14:00:00 -36.4
29/07/24	14:30:00 -36.4
29/07/24	15:00:00 -36.5
29/07/24	15:30:00 -36.5
29/07/24	16:00:00 -36.4
29/07/24	16:30:00 -36.5
29/07/24	17:00:00 -36.5
29/07/24	17:30:00 -36.5
29/07/24	18:00:00 -36.5
29/07/24	18:30:00 -36.5
29/07/24	19:00:00 -36.6
29/07/24	19:30:00 -36.5
29/07/24	20:00:00 -36.6
29/07/24	20:30:00 -36.6
29/07/24	21:00:00 -36.6
29/07/24	21:30:00 -36.6



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
29/07/24 22:00:00	-36.5
29/07/24 22:30:00	-36.5
29/07/24 23:00:00	-36.4
29/07/24 23:30:00	-36.5
30/07/24 00:00:00	-36.5
30/07/24 00:30:00	-36.5
30/07/24 01:00:00	-36.5
30/07/24 01:30:00	-36.5
30/07/24 02:00:00	-36.4
30/07/24 02:30:00	-36.5
30/07/24 03:00:00	-36.4
30/07/24 03:30:00	-36.5
30/07/24 04:00:00	-36.5
30/07/24 04:30:00	-36.5
30/07/24 05:00:00	-36.5
30/07/24 05:30:00	-36.5
30/07/24 06:00:00	-36.6
30/07/24 06:30:00	-36.6
30/07/24 07:00:00	-36.5
30/07/24 07:30:00	-36.5
30/07/24 08:00:00	-36.5
30/07/24 08:30:00	-36.5
30/07/24 09:00:00	-36.4
30/07/24 09:30:00	-36.4
30/07/24 10:00:00	-36.5
30/07/24 10:30:00	-36.5
30/07/24 11:00:00	-36.4
30/07/24 11:30:00	-36.4
30/07/24 12:00:00	-36.5
30/07/24 12:30:00	-36.4
30/07/24 13:00:00	-36.5
30/07/24 13:30:00	-36.5
30/07/24 14:00:00	-36.4
30/07/24 14:30:00	-36.4
30/07/24 15:00:00	-36.6
30/07/24 15:30:00	-36.5
30/07/24 16:00:00	-36.5
30/07/24 16:30:00	-36.4
30/07/24 17:00:00	-36.5
30/07/24 17:30:00	-36.5
30/07/24 18:00:00	-36.5
30/07/24 18:30:00	-36.4
30/07/24 19:00:00	-36.5
30/07/24 19:30:00	-36.6
30/07/24 20:00:00	-36.5
30/07/24 20:30:00	-36.4
30/07/24 21:00:00	-36.5
30/07/24 21:30:00	-36.5
30/07/24 22:00:00	-36.5
30/07/24 22:30:00	-36.3



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
30/07/24	23:00:00 -36.4
30/07/24	23:30:00 -36.5
31/07/24	00:00:00 -36.5
31/07/24	00:30:00 -36.5
31/07/24	01:00:00 -36.4
31/07/24	01:30:00 -36.4
31/07/24	02:00:00 -36.5
31/07/24	02:30:00 -36.4
31/07/24	03:00:00 -36.5
31/07/24	03:30:00 -36.4
31/07/24	04:00:00 -36.5
31/07/24	04:30:00 -36.5
31/07/24	05:00:00 -36.5
31/07/24	05:30:00 -36.5
31/07/24	06:00:00 -36.5
31/07/24	06:30:00 -36.5
31/07/24	07:00:00 -36.5
31/07/24	07:30:00 -36.5
31/07/24	08:00:00 -36.5
31/07/24	08:30:00 -36.5
31/07/24	09:00:00 -36.5
31/07/24	09:30:00 -36.5
31/07/24	10:00:00 -36.5
31/07/24	10:30:00 -36.4
31/07/24	11:00:00 -36.5
31/07/24	11:30:00 -36.1
31/07/24	12:00:00 -36.2
31/07/24	12:30:00 -36.3
31/07/24	13:00:00 -36.3
31/07/24	13:30:00 -36.2
31/07/24	14:00:00 -36.2
31/07/24	14:30:00 -36.2
31/07/24	15:00:00 -36.3
31/07/24	15:30:00 -36.2
31/07/24	16:00:00 -36.3
31/07/24	16:30:00 -36.3
31/07/24	17:00:00 -36.2
31/07/24	17:30:00 -36.3
31/07/24	18:00:00 -36.3
31/07/24	18:30:00 -36.3
31/07/24	19:00:00 -36.3
31/07/24	19:30:00 -36.3
31/07/24	20:00:00 -36.4
31/07/24	20:30:00 -36.3
31/07/24	21:00:00 -36.3
31/07/24	21:30:00 -36.4
31/07/24	22:00:00 -36.3
31/07/24	22:30:00 -36.3
31/07/24	23:00:00 -36.3
31/07/24	23:30:00 -36.4



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/07/24 00:00:00 - 01/08/24 00:00:00

Date created 01/08/24 06:05:45

Created by Account Owner

위치		임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
01/08/24	00:00:00	-36.3