

IP STORAGE TEMPERATURE LOG

Storage Subject	Description	Medical Freezer	Storage Space	냉동고3 (대여)
	Manufacturer	Global Cooling Inc.	Storage Period	2024.12
	Model Name	ULT-25NEU	Investigational Product	AMG133
	Serial Number	20050-00642	Temperature Range	-85~-30℃
	Date of Performance Qualification	2024.2.27	Setting Point	-38.0℃
	Date of PQ Due	2025.2.27	Note	>-24.4℃ or <-85.5℃ 즉시 이탈 보고
	PQ Certificate No.	FC24-0104-001		
Calibration Subject	Description	온라인데이터로거	Min/Max Record	기기로 Min/Max 확인방법 없으며, 온도이탈시 알람, 지난 온도기록 이후 알람 없음을 확인 후 진행(월별 Min/Max : 다운로드 기록지 2페이지에 표기)
	Manufacturer	TESTO		
	Model Name	Saveris2-T3		
	Serial Number	54704396		
	Sensor Channel	CH1		
	Date of Calibration	2024.11.19	Alarm Range	<-39.5℃, >-30.0℃, 즉시
	Date of Calibration Due	2025.11.19	Alarm Method	Mail,SMS to Pharmacist
	Certificate No.	A24-0954-001	Alarm Clear	NA

Date	Time	Temperature(℃)			Verified by	Comment
		Min	Max	Current		
2024.12.01						
2024.12.02	P:30			-37.0	ml	온도계 교체
2024.12.03	P:30			-37.2	ml	
2024.12.04	P:30			-37.2	ml	
2024.12.05	P:30			-37.2	ml	
2024.12.06	P:30			-37.2	ml	
2024.12.07						
2024.12.08						
2024.12.09	P:30			-37.2	ml	
2024.12.10	P:30			-37.1	ml	
2024.12.11	P:30			-37.1	ml	
2024.12.12	P:30			-36.8	ml	
2024.12.13	P:30			-37.0	ml	
2024.12.14						
2024.12.15						
2024.12.16	P:30			-37.0	ml	
2024.12.17	P:30			-37.0	ml	
2024.12.18	P:45			-37.0	ml	
2024.12.19	P:30			-37.0	ml	
2024.12.20	P:30			-37.0	ml	
2024.12.21						
2024.12.22						
2024.12.23	P:30			-37.1	ml	
2024.12.24	P:30			-37.0	ml	
2024.12.25						성탄절
2024.12.26	P:30			-37.0	ml	
2024.12.27	P:30			-37.0	ml	
2024.12.28						
2024.12.29						
2024.12.30	P:40			-37.1	ml	
2024.12.31	P:30			-37.0	ml	

IP STORAGE TEMPERATURE LOG

Storage Subject	Description	Medical Freezer	Storage Space	냉동고3 (대여)
	Manufacturer	Global Cooling Inc.	Storage Period	2024.12
	Model Name	ULT-25NEU	Investigational Product	AMG133
	Serial Number	20050-00642	Temperature Range	-85~-30°C
	Date of Performance Qualification	2024.2.27	Setting Point	-38.0°C
	Date of PQ Due	2025.2.27	Note	>-24.4°C or <-85.5°C 즉시 이탈 보고
	PQ Certificate No.	FC24-0104-001		
Calibration Subject	Description	Temperature Data Logger	Min/Max Record	Min/Max reset은 PC연결 후 가능하며 Min/Max 누적 기록임. 월1회 온도기록 다운로드 및 Min/Max reset함.
	Manufacturer	Cryopark		
	Model Name	MP-OE-N-8-L		
	Serial Number	MH-DD-0291-0066		
	Date of Calibration	2023.11.29(valid for 2y)	Alarm Range	NA
	Date of Calibration Due	2025.11.29	Alarm Method	NA
	Certificate No.	Certified Company	Alarm Clear	NA

Date	Time	Temperature(°C)			Verified by	Comment
		Min	Max	Current		
2024.12.01						
2024.12.02	1:30	-37.8	-34.9	-37.7		온도계 교체
2024.12.03						
2024.12.04						
2024.12.05						
2024.12.06						
2024.12.07						
2024.12.08						
2024.12.09						
2024.12.10						
2024.12.11						
2024.12.12						
2024.12.13						
2024.12.14						
2024.12.15						
2024.12.16						
2024.12.17						
2024.12.18						
2024.12.19						
2024.12.20						
2024.12.21						
2024.12.22						
2024.12.23						
2024.12.24						
2024.12.25						성탄절
2024.12.26						
2024.12.27						
2024.12.28						
2024.12.29						
2024.12.30						
2024.12.31						

date of copying

sign

동국대학교일산병원 임상시험센터 약국




임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner





임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

측정된 값

위치 측정 포인트 그룹 지역	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]	
하한 값		-39.5
상한 값		-30.0
평균 값		-37.1
최소 값		-37.4
최대 값		-36.6
01/12/24	00:00:00	-37.1
01/12/24	00:30:00	-37.1
01/12/24	01:00:00	-37.1
01/12/24	01:30:00	-37.1
01/12/24	02:00:00	-37.0
01/12/24	02:30:00	-37.0
01/12/24	03:00:00	-37.1
01/12/24	03:30:00	-37.1
01/12/24	04:00:00	-37.0
01/12/24	04:30:00	-37.1
01/12/24	05:00:00	-37.2
01/12/24	05:30:00	-37.1
01/12/24	06:00:00	-37.0
01/12/24	06:30:00	-37.0
01/12/24	07:00:00	-37.1
01/12/24	07:30:00	-37.1
01/12/24	08:00:00	-37.1
01/12/24	08:30:00	-37.1
01/12/24	09:00:00	-37.2
01/12/24	09:30:00	-37.1
01/12/24	10:00:00	-37.2
01/12/24	10:30:00	-37.2
01/12/24	11:00:00	-37.1
01/12/24	11:30:00	-37.1
01/12/24	12:00:00	-37.0
01/12/24	12:30:00	-37.1
01/12/24	13:00:00	-37.2
01/12/24	13:30:00	-37.1
01/12/24	14:00:00	-37.1
01/12/24	14:30:00	-37.0
01/12/24	15:00:00	-37.2
01/12/24	15:30:00	-37.1
01/12/24	16:00:00	-37.1
01/12/24	16:30:00	-37.2
01/12/24	17:00:00	-37.0
01/12/24	17:30:00	-37.1
01/12/24	18:00:00	-37.0
01/12/24	18:30:00	-37.1



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
01/12/24 19:00:00	-37.1
01/12/24 19:30:00	-37.1
01/12/24 20:00:00	-37.1
01/12/24 20:30:00	-37.0
01/12/24 21:00:00	-37.1
01/12/24 21:30:00	-37.0
01/12/24 22:00:00	-37.1
01/12/24 22:30:00	-37.0
01/12/24 23:00:00	-37.0
01/12/24 23:30:00	-37.0
02/12/24 00:00:00	-37.1
02/12/24 00:30:00	-37.0
02/12/24 01:00:00	-37.1
02/12/24 01:30:00	-37.0
02/12/24 02:00:00	-37.1
02/12/24 02:30:00	-36.9
02/12/24 03:00:00	-37.0
02/12/24 03:30:00	-37.0
02/12/24 04:00:00	-37.1
02/12/24 04:30:00	-37.0
02/12/24 05:00:00	-37.0
02/12/24 05:30:00	-37.0
02/12/24 06:00:00	-37.1
02/12/24 06:30:00	-37.0
02/12/24 07:00:00	-37.0
02/12/24 07:30:00	-37.1
02/12/24 08:00:00	-37.0
02/12/24 08:30:00	-37.1
02/12/24 09:00:00	-37.0
02/12/24 09:30:00	-37.0
02/12/24 10:00:00	-37.1
02/12/24 10:30:00	-37.2
02/12/24 11:00:00	-37.1
02/12/24 11:30:00	-37.2
02/12/24 12:00:00	-37.2
02/12/24 12:30:00	-37.2
02/12/24 13:00:00	-37.2
02/12/24 13:30:00	-37.2
02/12/24 14:00:00	-37.2
02/12/24 14:30:00	-37.2
02/12/24 15:00:00	-37.2
02/12/24 15:30:00	-37.2
02/12/24 16:00:00	-37.1
02/12/24 16:30:00	-37.2
02/12/24 17:00:00	-37.2
02/12/24 17:30:00	-37.2
02/12/24 18:00:00	-37.3
02/12/24 18:30:00	-37.3
02/12/24 19:00:00	-37.2
02/12/24 19:30:00	-37.2



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
02/12/24 20:00:00	-37.1
02/12/24 20:30:00	-37.2
02/12/24 21:00:00	-37.2
02/12/24 21:30:00	-37.2
02/12/24 22:00:00	-37.2
02/12/24 22:30:00	-37.2
02/12/24 23:00:00	-37.2
02/12/24 23:30:00	-37.2
03/12/24 00:00:00	-37.2
03/12/24 00:30:00	-37.3
03/12/24 01:00:00	-37.1
03/12/24 01:30:00	-37.3
03/12/24 02:00:00	-37.1
03/12/24 02:30:00	-37.2
03/12/24 03:00:00	-37.3
03/12/24 03:30:00	-37.3
03/12/24 04:00:00	-37.2
03/12/24 04:30:00	-37.2
03/12/24 05:00:00	-37.3
03/12/24 05:30:00	-37.3
03/12/24 06:00:00	-37.2
03/12/24 06:30:00	-37.2
03/12/24 07:00:00	-37.2
03/12/24 07:30:00	-37.2
03/12/24 08:00:00	-37.2
03/12/24 08:30:00	-37.2
03/12/24 09:00:00	-37.3
03/12/24 09:30:00	-37.2
03/12/24 10:00:00	-37.2
03/12/24 10:30:00	-37.3
03/12/24 11:00:00	-37.2
03/12/24 11:30:00	-37.2
03/12/24 12:00:00	-37.2
03/12/24 12:30:00	-37.3
03/12/24 13:00:00	-37.2
03/12/24 13:30:00	-37.2
03/12/24 14:00:00	-37.2
03/12/24 14:30:00	-37.2
03/12/24 15:00:00	-37.2
03/12/24 15:30:00	-37.2
03/12/24 16:00:00	-37.1
03/12/24 16:30:00	-37.2
03/12/24 17:00:00	-37.1
03/12/24 17:30:00	-37.2
03/12/24 18:00:00	-37.2
03/12/24 18:30:00	-37.2
03/12/24 19:00:00	-37.2
03/12/24 19:30:00	-37.1
03/12/24 20:00:00	-37.2
03/12/24 20:30:00	-37.2



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
03/12/24 21:00:00	-37.2
03/12/24 21:30:00	-37.3
03/12/24 22:00:00	-37.2
03/12/24 22:30:00	-37.2
03/12/24 23:00:00	-37.2
03/12/24 23:30:00	-37.2
04/12/24 00:00:00	-37.3
04/12/24 00:30:00	-37.2
04/12/24 01:00:00	-37.2
04/12/24 01:30:00	-37.2
04/12/24 02:00:00	-37.2
04/12/24 02:30:00	-37.2
04/12/24 03:00:00	-37.2
04/12/24 03:30:00	-37.3
04/12/24 04:00:00	-37.2
04/12/24 04:30:00	-37.2
04/12/24 05:00:00	-37.2
04/12/24 05:30:00	-37.3
04/12/24 06:00:00	-37.2
04/12/24 06:30:00	-37.3
04/12/24 07:00:00	-37.3
04/12/24 07:30:00	-37.2
04/12/24 08:00:00	-37.2
04/12/24 08:30:00	-37.2
04/12/24 09:00:00	-37.2
04/12/24 09:30:00	-37.3
04/12/24 10:00:00	-37.3
04/12/24 10:30:00	-37.2
04/12/24 11:00:00	-37.2
04/12/24 11:30:00	-37.2
04/12/24 12:00:00	-37.2
04/12/24 12:30:00	-37.2
04/12/24 13:00:00	-37.3
04/12/24 13:30:00	-37.3
04/12/24 14:00:00	-37.2
04/12/24 14:30:00	-37.2
04/12/24 15:00:00	-37.2
04/12/24 15:30:00	-37.1
04/12/24 16:00:00	-37.2
04/12/24 16:30:00	-37.1
04/12/24 17:00:00	-37.2
04/12/24 17:30:00	-37.3
04/12/24 18:00:00	-37.2
04/12/24 18:30:00	-37.2
04/12/24 19:00:00	-37.3
04/12/24 19:30:00	-37.2
04/12/24 20:00:00	-37.2
04/12/24 20:30:00	-37.2
04/12/24 21:00:00	-37.2
04/12/24 21:30:00	-37.2



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
04/12/24 22:00:00	-37.2
04/12/24 22:30:00	-37.1
04/12/24 23:00:00	-37.2
04/12/24 23:30:00	-37.3
05/12/24 00:00:00	-37.2
05/12/24 00:30:00	-37.2
05/12/24 01:00:00	-37.1
05/12/24 01:30:00	-37.2
05/12/24 02:00:00	-37.1
05/12/24 02:30:00	-37.2
05/12/24 03:00:00	-37.2
05/12/24 03:30:00	-37.2
05/12/24 04:00:00	-37.2
05/12/24 04:30:00	-37.2
05/12/24 05:00:00	-37.1
05/12/24 05:30:00	-37.1
05/12/24 06:00:00	-37.2
05/12/24 06:30:00	-37.2
05/12/24 07:00:00	-37.1
05/12/24 07:30:00	-37.1
05/12/24 08:00:00	-37.2
05/12/24 08:30:00	-37.2
05/12/24 09:00:00	-37.2
05/12/24 09:30:00	-37.2
05/12/24 10:00:00	-37.1
05/12/24 10:30:00	-37.2
05/12/24 11:00:00	-37.2
05/12/24 11:30:00	-37.1
05/12/24 12:00:00	-37.1
05/12/24 12:30:00	-37.1
05/12/24 13:00:00	-37.1
05/12/24 13:30:00	-37.1
05/12/24 14:00:00	-37.1
05/12/24 14:30:00	-37.1
05/12/24 15:00:00	-37.1
05/12/24 15:30:00	-37.0
05/12/24 16:00:00	-37.0
05/12/24 16:30:00	-37.0
05/12/24 17:00:00	-37.1
05/12/24 17:30:00	-37.2
05/12/24 18:00:00	-37.2
05/12/24 18:30:00	-37.2
05/12/24 19:00:00	-37.3
05/12/24 19:30:00	-37.4
05/12/24 20:00:00	-37.3
05/12/24 20:30:00	-37.3
05/12/24 21:00:00	-37.2
05/12/24 21:30:00	-37.3
05/12/24 22:00:00	-37.3
05/12/24 22:30:00	-37.3



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
05/12/24	23:00:00 -37.3
05/12/24	23:30:00 -37.4
06/12/24	00:00:00 -37.3
06/12/24	00:30:00 -37.4
06/12/24	01:00:00 -37.3
06/12/24	01:30:00 -37.4
06/12/24	02:00:00 -37.3
06/12/24	02:30:00 -37.3
06/12/24	03:00:00 -37.2
06/12/24	03:30:00 -37.2
06/12/24	04:00:00 -37.1
06/12/24	04:30:00 -37.2
06/12/24	05:00:00 -37.1
06/12/24	05:30:00 -37.2
06/12/24	06:00:00 -37.1
06/12/24	06:30:00 -37.1
06/12/24	07:00:00 -37.2
06/12/24	07:30:00 -37.1
06/12/24	08:00:00 -37.1
06/12/24	08:30:00 -37.1
06/12/24	09:00:00 -37.2
06/12/24	09:30:00 -37.2
06/12/24	10:00:00 -37.1
06/12/24	10:30:00 -37.1
06/12/24	11:00:00 -37.1
06/12/24	11:30:00 -37.1
06/12/24	12:00:00 -37.1
06/12/24	12:30:00 -37.0
06/12/24	13:00:00 -37.1
06/12/24	13:30:00 -37.1
06/12/24	14:00:00 -37.1
06/12/24	14:30:00 -37.1
06/12/24	15:00:00 -37.0
06/12/24	15:30:00 -37.0
06/12/24	16:00:00 -37.2
06/12/24	16:30:00 -37.2
06/12/24	17:00:00 -37.3
06/12/24	17:30:00 -37.2
06/12/24	18:00:00 -37.2
06/12/24	18:30:00 -37.2
06/12/24	19:00:00 -37.3
06/12/24	19:30:00 -37.2
06/12/24	20:00:00 -37.2
06/12/24	20:30:00 -37.2
06/12/24	21:00:00 -37.2
06/12/24	21:30:00 -37.2
06/12/24	22:00:00 -37.2
06/12/24	22:30:00 -37.2
06/12/24	23:00:00 -37.3
06/12/24	23:30:00 -37.2



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
07/12/24 00:00:00	-37.2
07/12/24 00:30:00	-37.2
07/12/24 01:00:00	-37.2
07/12/24 01:30:00	-37.2
07/12/24 02:00:00	-37.2
07/12/24 02:30:00	-37.2
07/12/24 03:00:00	-37.2
07/12/24 03:30:00	-37.2
07/12/24 04:00:00	-37.2
07/12/24 04:30:00	-37.2
07/12/24 05:00:00	-37.1
07/12/24 05:30:00	-37.2
07/12/24 06:00:00	-37.1
07/12/24 06:30:00	-37.2
07/12/24 07:00:00	-37.2
07/12/24 07:30:00	-37.2
07/12/24 08:00:00	-37.2
07/12/24 08:30:00	-37.2
07/12/24 09:00:00	-37.2
07/12/24 09:30:00	-37.2
07/12/24 10:00:00	-37.2
07/12/24 10:30:00	-37.2
07/12/24 11:00:00	-37.1
07/12/24 11:30:00	-37.1
07/12/24 12:00:00	-37.2
07/12/24 12:30:00	-37.2
07/12/24 13:00:00	-37.1
07/12/24 13:30:00	-37.2
07/12/24 14:00:00	-37.1
07/12/24 14:30:00	-37.1
07/12/24 15:00:00	-37.1
07/12/24 15:30:00	-37.2
07/12/24 16:00:00	-37.2
07/12/24 16:30:00	-37.1
07/12/24 17:00:00	-37.1
07/12/24 17:30:00	-37.1
07/12/24 18:00:00	-37.1
07/12/24 18:30:00	-37.2
07/12/24 19:00:00	-37.1
07/12/24 19:30:00	-37.1
07/12/24 20:00:00	-37.1
07/12/24 20:30:00	-37.2
07/12/24 21:00:00	-37.1
07/12/24 21:30:00	-37.1
07/12/24 22:00:00	-37.1
07/12/24 22:30:00	-37.2
07/12/24 23:00:00	-37.2
07/12/24 23:30:00	-37.1
08/12/24 00:00:00	-37.2
08/12/24 00:30:00	-37.2



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
08/12/24 01:00:00	-37.1
08/12/24 01:30:00	-37.1
08/12/24 02:00:00	-37.2
08/12/24 02:30:00	-37.2
08/12/24 03:00:00	-37.2
08/12/24 03:30:00	-37.2
08/12/24 04:00:00	-37.2
08/12/24 04:30:00	-37.2
08/12/24 05:00:00	-37.2
08/12/24 05:30:00	-37.2
08/12/24 06:00:00	-37.2
08/12/24 06:30:00	-37.1
08/12/24 07:00:00	-37.1
08/12/24 07:30:00	-37.1
08/12/24 08:00:00	-37.1
08/12/24 08:30:00	-37.2
08/12/24 09:00:00	-37.2
08/12/24 09:30:00	-37.2
08/12/24 10:00:00	-37.2
08/12/24 10:30:00	-37.2
08/12/24 11:00:00	-37.2
08/12/24 11:30:00	-37.1
08/12/24 12:00:00	-37.2
08/12/24 12:30:00	-37.1
08/12/24 13:00:00	-37.2
08/12/24 13:30:00	-37.1
08/12/24 14:00:00	-37.2
08/12/24 14:30:00	-37.2
08/12/24 15:00:00	-37.1
08/12/24 15:30:00	-37.2
08/12/24 16:00:00	-37.2
08/12/24 16:30:00	-37.2
08/12/24 17:00:00	-37.2
08/12/24 17:30:00	-37.2
08/12/24 18:00:00	-37.1
08/12/24 18:30:00	-37.2
08/12/24 19:00:00	-37.2
08/12/24 19:30:00	-37.1
08/12/24 20:00:00	-37.1
08/12/24 20:30:00	-37.1
08/12/24 21:00:00	-37.2
08/12/24 21:30:00	-37.2
08/12/24 22:00:00	-37.1
08/12/24 22:30:00	-37.1
08/12/24 23:00:00	-37.1
08/12/24 23:30:00	-37.2
09/12/24 00:00:00	-37.1
09/12/24 00:30:00	-37.2
09/12/24 01:00:00	-37.2
09/12/24 01:30:00	-37.1



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
09/12/24 02:00:00	-37.1
09/12/24 02:30:00	-37.2
09/12/24 03:00:00	-37.2
09/12/24 03:30:00	-37.2
09/12/24 04:00:00	-37.1
09/12/24 04:30:00	-37.1
09/12/24 05:00:00	-37.2
09/12/24 05:30:00	-37.2
09/12/24 06:00:00	-37.2
09/12/24 06:30:00	-37.2
09/12/24 07:00:00	-37.2
09/12/24 07:30:00	-37.2
09/12/24 08:00:00	-37.2
09/12/24 08:30:00	-37.2
09/12/24 09:00:00	-37.2
09/12/24 09:30:00	-37.2
09/12/24 10:00:00	-37.2
09/12/24 10:30:00	-37.2
09/12/24 11:00:00	-37.1
09/12/24 11:30:00	-37.1
09/12/24 12:00:00	-37.1
09/12/24 12:30:00	-37.1
09/12/24 13:00:00	-37.2
09/12/24 13:30:00	-37.2
09/12/24 14:00:00	-37.1
09/12/24 14:30:00	-37.2
09/12/24 15:00:00	-37.2
09/12/24 15:30:00	-37.1
09/12/24 16:00:00	-37.2
09/12/24 16:30:00	-37.1
09/12/24 17:00:00	-37.1
09/12/24 17:30:00	-37.2
09/12/24 18:00:00	-37.1
09/12/24 18:30:00	-37.1
09/12/24 19:00:00	-37.2
09/12/24 19:30:00	-37.2
09/12/24 20:00:00	-37.1
09/12/24 20:30:00	-37.2
09/12/24 21:00:00	-37.2
09/12/24 21:30:00	-37.2
09/12/24 22:00:00	-37.2
09/12/24 22:30:00	-37.2
09/12/24 23:00:00	-37.2
09/12/24 23:30:00	-37.1
10/12/24 00:00:00	-37.2
10/12/24 00:30:00	-37.2
10/12/24 01:00:00	-37.2
10/12/24 01:30:00	-37.1
10/12/24 02:00:00	-37.1
10/12/24 02:30:00	-37.1



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
10/12/24 03:00:00	-37.1
10/12/24 03:30:00	-37.1
10/12/24 04:00:00	-37.1
10/12/24 04:30:00	-37.2
10/12/24 05:00:00	-37.1
10/12/24 05:30:00	-37.2
10/12/24 06:00:00	-37.2
10/12/24 06:30:00	-37.2
10/12/24 07:00:00	-37.2
10/12/24 07:30:00	-37.1
10/12/24 08:00:00	-37.2
10/12/24 08:30:00	-37.1
10/12/24 09:00:00	-37.1
10/12/24 09:30:00	-37.1
10/12/24 10:00:00	-37.2
10/12/24 10:30:00	-37.1
10/12/24 11:00:00	-37.2
10/12/24 11:30:00	-37.2
10/12/24 12:00:00	-37.2
10/12/24 12:30:00	-37.1
10/12/24 13:00:00	-37.1
10/12/24 13:30:00	-37.1
10/12/24 14:00:00	-37.1
10/12/24 14:30:00	-37.2
10/12/24 15:00:00	-37.1
10/12/24 15:30:00	-37.1
10/12/24 16:00:00	-37.1
10/12/24 16:30:00	-37.1
10/12/24 17:00:00	-37.2
10/12/24 17:30:00	-37.2
10/12/24 18:00:00	-37.1
10/12/24 18:30:00	-37.2
10/12/24 19:00:00	-37.1
10/12/24 19:30:00	-37.1
10/12/24 20:00:00	-37.1
10/12/24 20:30:00	-37.2
10/12/24 21:00:00	-37.1
10/12/24 21:30:00	-37.1
10/12/24 22:00:00	-37.1
10/12/24 22:30:00	-37.1
10/12/24 23:00:00	-37.2
10/12/24 23:30:00	-37.1
11/12/24 00:00:00	-37.1
11/12/24 00:30:00	-37.2
11/12/24 01:00:00	-37.1
11/12/24 01:30:00	-37.2
11/12/24 02:00:00	-37.2
11/12/24 02:30:00	-37.2
11/12/24 03:00:00	-37.1
11/12/24 03:30:00	-37.1



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
11/12/24 04:00:00	-37.1
11/12/24 04:30:00	-37.2
11/12/24 05:00:00	-37.2
11/12/24 05:30:00	-37.1
11/12/24 06:00:00	-37.1
11/12/24 06:30:00	-37.1
11/12/24 07:00:00	-37.2
11/12/24 07:30:00	-37.2
11/12/24 08:00:00	-37.1
11/12/24 08:30:00	-37.1
11/12/24 09:00:00	-37.1
11/12/24 09:30:00	-37.1
11/12/24 10:00:00	-37.1
11/12/24 10:30:00	-37.1
11/12/24 11:00:00	-37.1
11/12/24 11:30:00	-37.1
11/12/24 12:00:00	-37.2
11/12/24 12:30:00	-37.1
11/12/24 13:00:00	-37.1
11/12/24 13:30:00	-37.1
11/12/24 14:00:00	-37.1
11/12/24 14:30:00	-36.7
11/12/24 15:00:00	-36.7
11/12/24 15:30:00	-36.6
11/12/24 16:00:00	-36.9
11/12/24 16:30:00	-37.0
11/12/24 17:00:00	-37.1
11/12/24 17:30:00	-37.1
11/12/24 18:00:00	-37.0
11/12/24 18:30:00	-36.9
11/12/24 19:00:00	-37.1
11/12/24 19:30:00	-37.0
11/12/24 20:00:00	-37.0
11/12/24 20:30:00	-36.9
11/12/24 21:00:00	-37.1
11/12/24 21:30:00	-37.1
11/12/24 22:00:00	-37.1
11/12/24 22:30:00	-36.8
11/12/24 23:00:00	-36.9
11/12/24 23:30:00	-36.9
12/12/24 00:00:00	-36.8
12/12/24 00:30:00	-36.9
12/12/24 01:00:00	-37.0
12/12/24 01:30:00	-37.1
12/12/24 02:00:00	-37.1
12/12/24 02:30:00	-37.0
12/12/24 03:00:00	-37.0
12/12/24 03:30:00	-37.1
12/12/24 04:00:00	-36.8
12/12/24 04:30:00	-37.0



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
12/12/24 05:00:00	-36.9
12/12/24 05:30:00	-36.7
12/12/24 06:00:00	-37.0
12/12/24 06:30:00	-37.1
12/12/24 07:00:00	-37.2
12/12/24 07:30:00	-37.1
12/12/24 08:00:00	-37.1
12/12/24 08:30:00	-36.9
12/12/24 09:00:00	-36.8
12/12/24 09:30:00	-36.9
12/12/24 10:00:00	-36.9
12/12/24 10:30:00	-37.0
12/12/24 11:00:00	-36.9
12/12/24 11:30:00	-36.8
12/12/24 12:00:00	-36.9
12/12/24 12:30:00	-36.9
12/12/24 13:00:00	-36.9
12/12/24 13:30:00	-37.0
12/12/24 14:00:00	-36.9
12/12/24 14:30:00	-36.9
12/12/24 15:00:00	-36.9
12/12/24 15:30:00	-36.9
12/12/24 16:00:00	-36.8
12/12/24 16:30:00	-36.9
12/12/24 17:00:00	-36.9
12/12/24 17:30:00	-36.9
12/12/24 18:00:00	-37.0
12/12/24 18:30:00	-37.0
12/12/24 19:00:00	-37.0
12/12/24 19:30:00	-37.0
12/12/24 20:00:00	-37.0
12/12/24 20:30:00	-37.0
12/12/24 21:00:00	-37.0
12/12/24 21:30:00	-36.9
12/12/24 22:00:00	-36.9
12/12/24 22:30:00	-36.9
12/12/24 23:00:00	-37.0
12/12/24 23:30:00	-37.1
13/12/24 00:00:00	-36.9
13/12/24 00:30:00	-37.0
13/12/24 01:00:00	-37.0
13/12/24 01:30:00	-37.0
13/12/24 02:00:00	-37.0
13/12/24 02:30:00	-37.0
13/12/24 03:00:00	-37.0
13/12/24 03:30:00	-37.0
13/12/24 04:00:00	-36.9
13/12/24 04:30:00	-37.0
13/12/24 05:00:00	-37.0
13/12/24 05:30:00	-37.0



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
13/12/24	06:00:00 -37.0
13/12/24	06:30:00 -37.1
13/12/24	07:00:00 -37.0
13/12/24	07:30:00 -37.0
13/12/24	08:00:00 -36.9
13/12/24	08:30:00 -37.0
13/12/24	09:00:00 -37.0
13/12/24	09:30:00 -37.0
13/12/24	10:00:00 -36.9
13/12/24	10:30:00 -37.0
13/12/24	11:00:00 -36.9
13/12/24	11:30:00 -37.0
13/12/24	12:00:00 -37.0
13/12/24	12:30:00 -36.9
13/12/24	13:00:00 -37.0
13/12/24	13:30:00 -37.0
13/12/24	14:00:00 -36.9
13/12/24	14:30:00 -36.7
13/12/24	15:00:00 -36.8
13/12/24	15:30:00 -36.8
13/12/24	16:00:00 -36.7
13/12/24	16:30:00 -36.7
13/12/24	17:00:00 -36.7
13/12/24	17:30:00 -36.9
13/12/24	18:00:00 -36.7
13/12/24	18:30:00 -36.8
13/12/24	19:00:00 -36.8
13/12/24	19:30:00 -36.8
13/12/24	20:00:00 -36.9
13/12/24	20:30:00 -36.8
13/12/24	21:00:00 -37.0
13/12/24	21:30:00 -37.0
13/12/24	22:00:00 -37.0
13/12/24	22:30:00 -36.9
13/12/24	23:00:00 -36.8
13/12/24	23:30:00 -36.8
14/12/24	00:00:00 -36.9
14/12/24	00:30:00 -36.8
14/12/24	01:00:00 -36.8
14/12/24	01:30:00 -36.8
14/12/24	02:00:00 -37.0
14/12/24	02:30:00 -36.8
14/12/24	03:00:00 -36.8
14/12/24	03:30:00 -36.8
14/12/24	04:00:00 -36.8
14/12/24	04:30:00 -36.9
14/12/24	05:00:00 -36.8
14/12/24	05:30:00 -36.8
14/12/24	06:00:00 -36.9
14/12/24	06:30:00 -36.9



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
14/12/24	07:00:00 -36.8
14/12/24	07:30:00 -36.8
14/12/24	08:00:00 -36.8
14/12/24	08:30:00 -36.9
14/12/24	09:00:00 -36.9
14/12/24	09:30:00 -36.8
14/12/24	10:00:00 -36.8
14/12/24	10:30:00 -36.9
14/12/24	11:00:00 -36.8
14/12/24	11:30:00 -36.9
14/12/24	12:00:00 -36.8
14/12/24	12:30:00 -36.9
14/12/24	13:00:00 -37.0
14/12/24	13:30:00 -36.8
14/12/24	14:00:00 -36.8
14/12/24	14:30:00 -36.8
14/12/24	15:00:00 -36.9
14/12/24	15:30:00 -36.9
14/12/24	16:00:00 -36.8
14/12/24	16:30:00 -36.9
14/12/24	17:00:00 -36.9
14/12/24	17:30:00 -36.9
14/12/24	18:00:00 -37.0
14/12/24	18:30:00 -36.9
14/12/24	19:00:00 -37.0
14/12/24	19:30:00 -36.9
14/12/24	20:00:00 -36.9
14/12/24	20:30:00 -36.8
14/12/24	21:00:00 -36.9
14/12/24	21:30:00 -36.9
14/12/24	22:00:00 -36.9
14/12/24	22:30:00 -36.9
14/12/24	23:00:00 -36.9
14/12/24	23:30:00 -37.0
15/12/24	00:00:00 -36.9
15/12/24	00:30:00 -36.9
15/12/24	01:00:00 -36.9
15/12/24	01:30:00 -36.9
15/12/24	02:00:00 -36.9
15/12/24	02:30:00 -37.0
15/12/24	03:00:00 -36.9
15/12/24	03:30:00 -36.9
15/12/24	04:00:00 -36.9
15/12/24	04:30:00 -36.9
15/12/24	05:00:00 -37.0
15/12/24	05:30:00 -37.0
15/12/24	06:00:00 -36.9
15/12/24	06:30:00 -36.9
15/12/24	07:00:00 -36.9
15/12/24	07:30:00 -36.9



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
15/12/24 08:00:00	-36.9
15/12/24 08:30:00	-36.9
15/12/24 09:00:00	-37.0
15/12/24 09:30:00	-36.9
15/12/24 10:00:00	-37.0
15/12/24 10:30:00	-36.9
15/12/24 11:00:00	-36.9
15/12/24 11:30:00	-37.1
15/12/24 12:00:00	-37.0
15/12/24 12:30:00	-37.1
15/12/24 13:00:00	-36.9
15/12/24 13:30:00	-37.0
15/12/24 14:00:00	-37.1
15/12/24 14:30:00	-37.0
15/12/24 15:00:00	-36.9
15/12/24 15:30:00	-37.0
15/12/24 16:00:00	-37.2
15/12/24 16:30:00	-37.1
15/12/24 17:00:00	-37.0
15/12/24 17:30:00	-36.9
15/12/24 18:00:00	-37.0
15/12/24 18:30:00	-37.1
15/12/24 19:00:00	-36.9
15/12/24 19:30:00	-36.9
15/12/24 20:00:00	-37.1
15/12/24 20:30:00	-37.1
15/12/24 21:00:00	-37.1
15/12/24 21:30:00	-37.0
15/12/24 22:00:00	-37.1
15/12/24 22:30:00	-37.1
15/12/24 23:00:00	-37.1
15/12/24 23:30:00	-36.9
16/12/24 00:00:00	-36.9
16/12/24 00:30:00	-37.0
16/12/24 01:00:00	-37.0
16/12/24 01:30:00	-36.9
16/12/24 02:00:00	-36.9
16/12/24 02:30:00	-37.1
16/12/24 03:00:00	-37.0
16/12/24 03:30:00	-37.1
16/12/24 04:00:00	-36.9
16/12/24 04:30:00	-37.0
16/12/24 05:00:00	-37.0
16/12/24 05:30:00	-37.1
16/12/24 06:00:00	-37.1
16/12/24 06:30:00	-37.1
16/12/24 07:00:00	-37.0
16/12/24 07:30:00	-37.1
16/12/24 08:00:00	-37.1
16/12/24 08:30:00	-37.0



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
16/12/24 09:00:00	-37.1
16/12/24 09:30:00	-37.1
16/12/24 10:00:00	-37.0
16/12/24 10:30:00	-37.0
16/12/24 11:00:00	-37.1
16/12/24 11:30:00	-37.1
16/12/24 12:00:00	-37.1
16/12/24 12:30:00	-37.0
16/12/24 13:00:00	-37.1
16/12/24 13:30:00	-37.1
16/12/24 14:00:00	-37.1
16/12/24 14:30:00	-37.0
16/12/24 15:00:00	-37.1
16/12/24 15:30:00	-37.1
16/12/24 16:00:00	-37.1
16/12/24 16:30:00	-37.1
16/12/24 17:00:00	-37.0
16/12/24 17:30:00	-37.1
16/12/24 18:00:00	-37.0
16/12/24 18:30:00	-37.1
16/12/24 19:00:00	-37.0
16/12/24 19:30:00	-37.0
16/12/24 20:00:00	-37.1
16/12/24 20:30:00	-37.0
16/12/24 21:00:00	-37.0
16/12/24 21:30:00	-37.0
16/12/24 22:00:00	-37.0
16/12/24 22:30:00	-37.1
16/12/24 23:00:00	-37.1
16/12/24 23:30:00	-37.0
17/12/24 00:00:00	-37.1
17/12/24 00:30:00	-37.0
17/12/24 01:00:00	-37.0
17/12/24 01:30:00	-37.0
17/12/24 02:00:00	-37.0
17/12/24 02:30:00	-37.0
17/12/24 03:00:00	-37.1
17/12/24 03:30:00	-37.0
17/12/24 04:00:00	-37.0
17/12/24 04:30:00	-37.1
17/12/24 05:00:00	-37.0
17/12/24 05:30:00	-37.0
17/12/24 06:00:00	-37.0
17/12/24 06:30:00	-37.0
17/12/24 07:00:00	-37.0
17/12/24 07:30:00	-37.0
17/12/24 08:00:00	-37.0
17/12/24 08:30:00	-37.1
17/12/24 09:00:00	-37.0
17/12/24 09:30:00	-37.1



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
17/12/24 10:00:00	-37.0
17/12/24 10:30:00	-37.0
17/12/24 11:00:00	-37.0
17/12/24 11:30:00	-37.0
17/12/24 12:00:00	-37.0
17/12/24 12:28:44	-37.0
17/12/24 12:30:00	-37.0
17/12/24 13:00:00	-37.0
17/12/24 13:30:00	-37.0
17/12/24 14:00:00	-37.0
17/12/24 14:30:00	-37.0
17/12/24 15:00:00	-37.0
17/12/24 15:30:00	-37.0
17/12/24 16:00:00	-37.0
17/12/24 16:30:00	-37.0
17/12/24 17:00:00	-37.1
17/12/24 17:30:00	-37.0
17/12/24 18:00:00	-37.0
17/12/24 18:30:00	-37.0
17/12/24 19:00:00	-37.0
17/12/24 19:30:00	-37.0
17/12/24 20:00:00	-37.1
17/12/24 20:30:00	-37.0
17/12/24 21:00:00	-36.9
17/12/24 21:30:00	-37.1
17/12/24 22:00:00	-37.0
17/12/24 22:30:00	-37.0
17/12/24 23:00:00	-36.9
17/12/24 23:30:00	-37.0
18/12/24 00:00:00	-37.0
18/12/24 00:30:00	-37.0
18/12/24 01:00:00	-37.0
18/12/24 01:30:00	-37.1
18/12/24 02:00:00	-37.0
18/12/24 02:30:00	-37.1
18/12/24 03:00:00	-37.0
18/12/24 03:30:00	-36.9
18/12/24 04:00:00	-37.0
18/12/24 04:30:00	-37.0
18/12/24 05:00:00	-37.0
18/12/24 05:30:00	-37.1
18/12/24 06:00:00	-37.0
18/12/24 06:30:00	-37.0
18/12/24 07:00:00	-37.0
18/12/24 07:30:00	-37.0
18/12/24 08:00:00	-37.1
18/12/24 08:30:00	-37.0
18/12/24 09:00:00	-37.0
18/12/24 09:30:00	-37.0
18/12/24 10:00:00	-37.1



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
18/12/24	10:30:00 -37.1
18/12/24	11:00:00 -37.1
18/12/24	11:30:00 -37.0
18/12/24	12:00:00 -37.0
18/12/24	12:30:00 -37.0
18/12/24	13:00:00 -37.0
18/12/24	13:30:00 -37.0
18/12/24	14:00:00 -37.0
18/12/24	14:30:00 -37.0
18/12/24	15:00:00 -37.0
18/12/24	15:30:00 -37.0
18/12/24	16:00:00 -37.0
18/12/24	16:30:00 -37.0
18/12/24	17:00:00 -37.0
18/12/24	17:30:00 -37.0
18/12/24	18:00:00 -37.0
18/12/24	18:30:00 -37.1
18/12/24	19:00:00 -37.1
18/12/24	19:30:00 -37.1
18/12/24	20:00:00 -37.0
18/12/24	20:30:00 -37.0
18/12/24	21:00:00 -37.0
18/12/24	21:30:00 -37.1
18/12/24	22:00:00 -37.0
18/12/24	22:30:00 -37.0
18/12/24	23:00:00 -37.0
18/12/24	23:30:00 -37.0
19/12/24	00:00:00 -37.0
19/12/24	00:30:00 -37.0
19/12/24	01:00:00 -37.0
19/12/24	01:30:00 -37.1
19/12/24	02:00:00 -37.1
19/12/24	02:30:00 -37.0
19/12/24	03:00:00 -37.0
19/12/24	03:30:00 -37.0
19/12/24	04:00:00 -37.1
19/12/24	04:30:00 -37.1
19/12/24	05:00:00 -37.0
19/12/24	05:30:00 -37.0
19/12/24	06:00:00 -37.1
19/12/24	06:30:00 -37.1
19/12/24	07:00:00 -37.0
19/12/24	07:30:00 -37.0
19/12/24	08:00:00 -37.1
19/12/24	08:30:00 -37.0
19/12/24	08:55:54 -36.9
19/12/24	09:00:00 -37.0
19/12/24	09:30:00 -37.0
19/12/24	10:00:00 -37.0
19/12/24	10:30:00 -37.0



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
19/12/24 11:00:00	-37.0
19/12/24 11:30:00	-37.0
19/12/24 12:00:00	-37.0
19/12/24 12:30:00	-37.0
19/12/24 13:00:00	-37.0
19/12/24 13:30:00	-36.9
19/12/24 14:00:00	-37.0
19/12/24 14:30:00	-37.0
19/12/24 15:00:00	-37.0
19/12/24 15:30:00	-37.0
19/12/24 16:00:00	-36.9
19/12/24 16:30:00	-36.9
19/12/24 17:00:00	-36.9
19/12/24 17:30:00	-37.0
19/12/24 18:00:00	-37.0
19/12/24 18:30:00	-37.0
19/12/24 19:00:00	-36.9
19/12/24 19:30:00	-36.9
19/12/24 20:00:00	-37.0
19/12/24 20:30:00	-36.9
19/12/24 21:00:00	-36.9
19/12/24 21:30:00	-36.9
19/12/24 22:00:00	-36.9
19/12/24 22:30:00	-37.0
19/12/24 23:00:00	-37.0
19/12/24 23:30:00	-36.9
20/12/24 00:00:00	-37.0
20/12/24 00:30:00	-36.9
20/12/24 01:00:00	-36.9
20/12/24 01:30:00	-36.9
20/12/24 02:00:00	-36.9
20/12/24 02:30:00	-36.9
20/12/24 03:00:00	-36.9
20/12/24 03:30:00	-36.9
20/12/24 04:00:00	-36.9
20/12/24 04:30:00	-36.9
20/12/24 05:00:00	-36.9
20/12/24 05:30:00	-36.9
20/12/24 06:00:00	-37.0
20/12/24 06:30:00	-37.0
20/12/24 07:00:00	-37.0
20/12/24 07:30:00	-37.0
20/12/24 08:00:00	-37.0
20/12/24 08:30:00	-37.0
20/12/24 09:00:00	-37.0
20/12/24 09:30:00	-36.9
20/12/24 10:00:00	-37.0
20/12/24 10:30:00	-37.0
20/12/24 11:00:00	-37.1
20/12/24 11:17:52	-37.0



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
20/12/24	11:30:00 -36.9
20/12/24	12:00:00 -36.9
20/12/24	12:30:00 -36.8
20/12/24	13:00:00 -36.9
20/12/24	13:30:00 -37.0
20/12/24	14:00:00 -37.0
20/12/24	14:30:00 -37.1
20/12/24	14:50:53 -37.0
20/12/24	14:57:48 -37.0
20/12/24	15:00:00 -37.1
20/12/24	15:14:14 -37.2
20/12/24	15:30:00 -37.0
20/12/24	16:00:00 -37.0
20/12/24	16:30:00 -37.1
20/12/24	17:00:00 -37.0
20/12/24	17:30:00 -37.0
20/12/24	18:00:00 -37.0
20/12/24	18:30:00 -37.0
20/12/24	19:00:00 -37.0
20/12/24	19:30:00 -37.1
20/12/24	20:00:00 -37.0
20/12/24	20:30:00 -37.0
20/12/24	21:00:00 -37.1
20/12/24	21:30:00 -37.1
20/12/24	22:00:00 -37.0
20/12/24	22:30:00 -37.0
20/12/24	23:00:00 -37.0
20/12/24	23:30:00 -37.1
21/12/24	00:00:00 -37.0
21/12/24	00:30:00 -37.0
21/12/24	01:00:00 -37.1
21/12/24	01:30:00 -37.0
21/12/24	02:00:00 -37.0
21/12/24	02:30:00 -37.0
21/12/24	03:00:00 -37.1
21/12/24	03:30:00 -37.1
21/12/24	04:00:00 -37.1
21/12/24	04:30:00 -37.1
21/12/24	05:00:00 -37.1
21/12/24	05:30:00 -37.1
21/12/24	06:00:00 -37.0
21/12/24	06:30:00 -37.1
21/12/24	07:00:00 -37.0
21/12/24	07:30:00 -37.1
21/12/24	08:00:00 -37.1
21/12/24	08:30:00 -37.1
21/12/24	09:00:00 -37.1
21/12/24	09:30:00 -37.2
21/12/24	10:00:00 -37.1
21/12/24	10:30:00 -37.1



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
21/12/24	11:00:00 -37.1
21/12/24	11:30:00 -37.1
21/12/24	12:00:00 -37.0
21/12/24	12:30:00 -37.1
21/12/24	13:00:00 -37.0
21/12/24	13:30:00 -37.1
21/12/24	14:00:00 -37.1
21/12/24	14:30:00 -37.1
21/12/24	15:00:00 -37.1
21/12/24	15:30:00 -37.1
21/12/24	16:00:00 -37.1
21/12/24	16:30:00 -37.1
21/12/24	17:00:00 -37.1
21/12/24	17:30:00 -37.0
21/12/24	18:00:00 -37.0
21/12/24	18:30:00 -37.1
21/12/24	19:00:00 -37.0
21/12/24	19:30:00 -37.0
21/12/24	20:00:00 -37.0
21/12/24	20:30:00 -37.1
21/12/24	21:00:00 -37.0
21/12/24	21:30:00 -37.0
21/12/24	22:00:00 -37.0
21/12/24	22:30:00 -37.0
21/12/24	23:00:00 -37.1
21/12/24	23:30:00 -37.1
22/12/24	00:00:00 -37.0
22/12/24	00:30:00 -37.1
22/12/24	01:00:00 -37.1
22/12/24	01:30:00 -37.1
22/12/24	02:00:00 -37.0
22/12/24	02:30:00 -37.1
22/12/24	03:00:00 -37.1
22/12/24	03:30:00 -37.1
22/12/24	04:00:00 -37.1
22/12/24	04:30:00 -37.1
22/12/24	05:00:00 -37.0
22/12/24	05:30:00 -37.1
22/12/24	06:00:00 -37.0
22/12/24	06:30:00 -37.1
22/12/24	07:00:00 -37.1
22/12/24	07:30:00 -37.0
22/12/24	08:00:00 -37.1
22/12/24	08:30:00 -37.1
22/12/24	09:00:00 -37.0
22/12/24	09:30:00 -37.0
22/12/24	10:00:00 -37.1
22/12/24	10:30:00 -37.1
22/12/24	11:00:00 -37.1
22/12/24	11:30:00 -37.1



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
22/12/24	12:00:00 -37.0
22/12/24	12:30:00 -37.1
22/12/24	13:00:00 -37.0
22/12/24	13:30:00 -37.1
22/12/24	14:00:00 -37.0
22/12/24	14:30:00 -37.1
22/12/24	15:00:00 -37.1
22/12/24	15:30:00 -37.1
22/12/24	16:00:00 -37.1
22/12/24	16:30:00 -37.1
22/12/24	17:00:00 -37.1
22/12/24	17:30:00 -37.2
22/12/24	18:00:00 -37.0
22/12/24	18:30:00 -37.1
22/12/24	19:00:00 -37.1
22/12/24	19:30:00 -37.0
22/12/24	20:00:00 -37.0
22/12/24	20:30:00 -37.2
22/12/24	21:00:00 -37.0
22/12/24	21:30:00 -37.1
22/12/24	22:00:00 -37.1
22/12/24	22:30:00 -37.0
22/12/24	23:00:00 -37.1
22/12/24	23:30:00 -37.1
23/12/24	00:00:00 -37.0
23/12/24	00:30:00 -37.1
23/12/24	01:00:00 -37.1
23/12/24	01:30:00 -37.1
23/12/24	02:00:00 -37.1
23/12/24	02:30:00 -37.0
23/12/24	03:00:00 -37.0
23/12/24	03:30:00 -37.1
23/12/24	04:00:00 -37.1
23/12/24	04:30:00 -37.1
23/12/24	05:00:00 -37.1
23/12/24	05:30:00 -37.1
23/12/24	06:00:00 -37.1
23/12/24	06:30:00 -37.2
23/12/24	07:00:00 -37.1
23/12/24	07:30:00 -37.1
23/12/24	08:00:00 -37.0
23/12/24	08:30:00 -37.1
23/12/24	09:00:00 -37.0
23/12/24	09:30:00 -37.1
23/12/24	10:00:00 -36.9
23/12/24	10:30:00 -37.1
23/12/24	11:00:00 -37.0
23/12/24	11:30:00 -37.1
23/12/24	12:00:00 -37.0
23/12/24	12:30:00 -37.1



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
23/12/24 13:00:00	-37.0
23/12/24 13:30:00	-36.8
23/12/24 14:00:00	-37.1
23/12/24 14:30:00	-37.1
23/12/24 15:00:00	-36.9
23/12/24 15:30:00	-37.0
23/12/24 16:00:00	-37.0
23/12/24 16:30:00	-37.1
23/12/24 17:00:00	-37.1
23/12/24 17:30:00	-37.0
23/12/24 18:00:00	-37.0
23/12/24 18:30:00	-37.0
23/12/24 19:00:00	-37.0
23/12/24 19:30:00	-37.1
23/12/24 20:00:00	-37.1
23/12/24 20:30:00	-37.1
23/12/24 21:00:00	-37.0
23/12/24 21:30:00	-37.0
23/12/24 22:00:00	-37.0
23/12/24 22:30:00	-37.1
23/12/24 23:00:00	-37.0
23/12/24 23:30:00	-37.0
24/12/24 00:00:00	-37.0
24/12/24 00:30:00	-37.0
24/12/24 01:00:00	-37.0
24/12/24 01:30:00	-37.0
24/12/24 02:00:00	-37.0
24/12/24 02:30:00	-37.0
24/12/24 03:00:00	-37.0
24/12/24 03:30:00	-37.0
24/12/24 04:00:00	-37.0
24/12/24 04:30:00	-37.0
24/12/24 05:00:00	-37.0
24/12/24 05:30:00	-37.0
24/12/24 06:00:00	-37.0
24/12/24 06:30:00	-37.1
24/12/24 07:00:00	-37.1
24/12/24 07:30:00	-37.1
24/12/24 08:00:00	-37.1
24/12/24 08:30:00	-37.0
24/12/24 09:00:00	-37.0
24/12/24 09:30:00	-37.0
24/12/24 10:00:00	-37.0
24/12/24 10:30:00	-37.1
24/12/24 11:00:00	-37.1
24/12/24 11:30:00	-37.1
24/12/24 12:00:00	-37.0
24/12/24 12:30:00	-37.1
24/12/24 13:00:00	-37.1
24/12/24 13:30:00	-37.0



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
24/12/24	14:00:00 -36.9
24/12/24	14:30:00 -36.9
24/12/24	15:00:00 -37.1
24/12/24	15:30:00 -37.1
24/12/24	16:00:00 -37.1
24/12/24	16:30:00 -37.0
24/12/24	17:00:00 -37.0
24/12/24	17:30:00 -37.0
24/12/24	18:00:00 -36.9
24/12/24	18:30:00 -37.0
24/12/24	19:00:00 -37.0
24/12/24	19:30:00 -37.0
24/12/24	20:00:00 -37.0
24/12/24	20:30:00 -37.1
24/12/24	21:00:00 -37.0
24/12/24	21:30:00 -37.1
24/12/24	22:00:00 -37.1
24/12/24	22:30:00 -37.1
24/12/24	23:00:00 -37.1
24/12/24	23:30:00 -37.1
25/12/24	00:00:00 -37.1
25/12/24	00:30:00 -37.1
25/12/24	01:00:00 -37.0
25/12/24	01:30:00 -37.1
25/12/24	02:00:00 -37.0
25/12/24	02:30:00 -37.1
25/12/24	03:00:00 -37.0
25/12/24	03:30:00 -37.1
25/12/24	04:00:00 -37.0
25/12/24	04:30:00 -37.1
25/12/24	05:00:00 -37.0
25/12/24	05:30:00 -37.0
25/12/24	06:00:00 -36.9
25/12/24	06:30:00 -36.9
25/12/24	07:00:00 -37.0
25/12/24	07:30:00 -37.1
25/12/24	08:00:00 -37.0
25/12/24	08:30:00 -37.0
25/12/24	09:00:00 -37.0
25/12/24	09:30:00 -36.9
25/12/24	10:00:00 -37.0
25/12/24	10:30:00 -37.0
25/12/24	11:00:00 -37.0
25/12/24	11:30:00 -37.0
25/12/24	12:00:00 -37.0
25/12/24	12:30:00 -37.0
25/12/24	13:00:00 -36.9
25/12/24	13:30:00 -37.0
25/12/24	14:00:00 -37.0
25/12/24	14:30:00 -37.0



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
25/12/24	15:00:00 -37.0
25/12/24	15:30:00 -37.1
25/12/24	16:00:00 -37.1
25/12/24	16:30:00 -37.1
25/12/24	17:00:00 -37.0
25/12/24	17:30:00 -37.1
25/12/24	18:00:00 -37.1
25/12/24	18:30:00 -37.1
25/12/24	19:00:00 -37.0
25/12/24	19:30:00 -37.1
25/12/24	20:00:00 -37.0
25/12/24	20:30:00 -37.1
25/12/24	21:00:00 -37.0
25/12/24	21:30:00 -37.0
25/12/24	22:00:00 -37.1
25/12/24	22:30:00 -37.1
25/12/24	23:00:00 -36.9
25/12/24	23:30:00 -37.0
26/12/24	00:00:00 -37.0
26/12/24	00:30:00 -37.1
26/12/24	01:00:00 -37.0
26/12/24	01:30:00 -37.0
26/12/24	02:00:00 -37.1
26/12/24	02:30:00 -37.0
26/12/24	03:00:00 -37.0
26/12/24	03:30:00 -37.1
26/12/24	04:00:00 -37.0
26/12/24	04:30:00 -37.1
26/12/24	05:00:00 -37.0
26/12/24	05:30:00 -37.0
26/12/24	06:00:00 -36.9
26/12/24	06:30:00 -37.0
26/12/24	07:00:00 -37.0
26/12/24	07:30:00 -37.0
26/12/24	08:00:00 -36.9
26/12/24	08:30:00 -37.1
26/12/24	09:00:00 -37.0
26/12/24	09:30:00 -37.0
26/12/24	10:00:00 -36.8
26/12/24	10:30:00 -37.0
26/12/24	11:00:00 -37.0
26/12/24	11:30:00 -36.9
26/12/24	12:00:00 -37.1
26/12/24	12:30:00 -37.1
26/12/24	13:00:00 -36.9
26/12/24	13:30:00 -37.0
26/12/24	14:00:00 -37.1
26/12/24	14:30:00 -36.9
26/12/24	15:00:00 -36.9
26/12/24	15:30:00 -37.1



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
26/12/24	16:00:00 -37.0
26/12/24	16:30:00 -37.0
26/12/24	17:00:00 -37.0
26/12/24	17:30:00 -37.1
26/12/24	18:00:00 -37.1
26/12/24	18:30:00 -37.1
26/12/24	19:00:00 -37.1
26/12/24	19:30:00 -37.1
26/12/24	20:00:00 -37.1
26/12/24	20:30:00 -37.1
26/12/24	21:00:00 -37.1
26/12/24	21:30:00 -37.1
26/12/24	22:00:00 -37.1
26/12/24	22:30:00 -37.1
26/12/24	23:00:00 -37.1
26/12/24	23:30:00 -37.1
27/12/24	00:00:00 -37.1
27/12/24	00:30:00 -37.1
27/12/24	01:00:00 -37.1
27/12/24	01:30:00 -37.1
27/12/24	02:00:00 -37.1
27/12/24	02:30:00 -37.1
27/12/24	03:00:00 -37.1
27/12/24	03:30:00 -37.2
27/12/24	04:00:00 -37.1
27/12/24	04:30:00 -37.1
27/12/24	05:00:00 -37.1
27/12/24	05:30:00 -37.1
27/12/24	06:00:00 -37.1
27/12/24	06:30:00 -37.0
27/12/24	07:00:00 -37.1
27/12/24	07:30:00 -37.0
27/12/24	08:00:00 -37.1
27/12/24	08:30:00 -37.1
27/12/24	09:00:00 -37.0
27/12/24	09:30:00 -37.0
27/12/24	10:00:00 -37.0
27/12/24	10:30:00 -36.9
27/12/24	11:00:00 -37.0
27/12/24	11:30:00 -37.1
27/12/24	12:00:00 -37.1
27/12/24	12:30:00 -37.0
27/12/24	13:00:00 -37.0
27/12/24	13:30:00 -37.2
27/12/24	14:00:00 -37.1
27/12/24	14:30:00 -37.1
27/12/24	15:00:00 -37.2
27/12/24	15:30:00 -37.2
27/12/24	16:00:00 -37.0
27/12/24	16:30:00 -37.1



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
27/12/24	17:00:00 -37.0
27/12/24	17:30:00 -37.1
27/12/24	18:00:00 -36.9
27/12/24	18:30:00 -37.1
27/12/24	19:00:00 -37.0
27/12/24	19:30:00 -37.1
27/12/24	20:00:00 -37.0
27/12/24	20:30:00 -37.1
27/12/24	21:00:00 -37.1
27/12/24	21:30:00 -37.1
27/12/24	22:00:00 -36.9
27/12/24	22:30:00 -37.1
27/12/24	23:00:00 -37.1
27/12/24	23:30:00 -37.2
28/12/24	00:00:00 -37.2
28/12/24	00:30:00 -37.1
28/12/24	01:00:00 -37.1
28/12/24	01:30:00 -37.2
28/12/24	02:00:00 -37.1
28/12/24	02:30:00 -37.2
28/12/24	03:00:00 -37.1
28/12/24	03:30:00 -37.2
28/12/24	04:00:00 -37.2
28/12/24	04:30:00 -37.2
28/12/24	05:00:00 -37.1
28/12/24	05:30:00 -37.2
28/12/24	06:00:00 -37.2
28/12/24	06:30:00 -37.2
28/12/24	07:00:00 -37.1
28/12/24	07:30:00 -37.2
28/12/24	08:00:00 -37.2
28/12/24	08:30:00 -37.1
28/12/24	09:00:00 -37.1
28/12/24	09:30:00 -37.1
28/12/24	10:00:00 -37.2
28/12/24	10:30:00 -37.1
28/12/24	11:00:00 -37.2
28/12/24	11:30:00 -37.1
28/12/24	12:00:00 -37.1
28/12/24	12:30:00 -37.2
28/12/24	13:00:00 -37.1
28/12/24	13:30:00 -37.2
28/12/24	14:00:00 -37.2
28/12/24	14:30:00 -37.2
28/12/24	15:00:00 -37.2
28/12/24	15:30:00 -37.2
28/12/24	16:00:00 -37.1
28/12/24	16:30:00 -37.1
28/12/24	17:00:00 -37.1
28/12/24	17:30:00 -37.2



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
28/12/24	18:00:00 -37.1
28/12/24	18:30:00 -37.2
28/12/24	19:00:00 -37.1
28/12/24	19:30:00 -37.2
28/12/24	20:00:00 -37.1
28/12/24	20:30:00 -37.1
28/12/24	21:00:00 -37.1
28/12/24	21:30:00 -37.1
28/12/24	22:00:00 -37.1
28/12/24	22:30:00 -37.2
28/12/24	23:00:00 -37.1
28/12/24	23:30:00 -37.2
29/12/24	00:00:00 -37.2
29/12/24	00:30:00 -37.1
29/12/24	01:00:00 -37.2
29/12/24	01:30:00 -37.2
29/12/24	02:00:00 -37.2
29/12/24	02:30:00 -37.2
29/12/24	03:00:00 -37.2
29/12/24	03:30:00 -37.2
29/12/24	04:00:00 -37.1
29/12/24	04:30:00 -37.1
29/12/24	05:00:00 -37.1
29/12/24	05:30:00 -37.2
29/12/24	06:00:00 -37.1
29/12/24	06:30:00 -37.2
29/12/24	07:00:00 -37.1
29/12/24	07:30:00 -37.2
29/12/24	08:00:00 -37.1
29/12/24	08:30:00 -37.1
29/12/24	09:00:00 -37.2
29/12/24	09:30:00 -37.2
29/12/24	10:00:00 -37.2
29/12/24	10:30:00 -37.2
29/12/24	11:00:00 -37.1
29/12/24	11:30:00 -37.2
29/12/24	12:00:00 -37.2
29/12/24	12:30:00 -37.2
29/12/24	13:00:00 -37.1
29/12/24	13:30:00 -37.1
29/12/24	14:00:00 -37.1
29/12/24	14:30:00 -37.2
29/12/24	15:00:00 -37.2
29/12/24	15:30:00 -37.2
29/12/24	16:00:00 -37.2
29/12/24	16:30:00 -37.2
29/12/24	17:00:00 -37.2
29/12/24	17:30:00 -37.2
29/12/24	18:00:00 -37.2
29/12/24	18:30:00 -37.1



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
29/12/24	19:00:00 -37.2
29/12/24	19:30:00 -37.2
29/12/24	20:00:00 -37.2
29/12/24	20:30:00 -37.2
29/12/24	21:00:00 -37.1
29/12/24	21:30:00 -37.2
29/12/24	22:00:00 -37.1
29/12/24	22:30:00 -37.1
29/12/24	23:00:00 -37.2
29/12/24	23:30:00 -37.1
30/12/24	00:00:00 -37.2
30/12/24	00:30:00 -37.2
30/12/24	01:00:00 -37.1
30/12/24	01:30:00 -37.2
30/12/24	02:00:00 -37.2
30/12/24	02:30:00 -37.2
30/12/24	03:00:00 -37.2
30/12/24	03:30:00 -37.1
30/12/24	04:00:00 -37.2
30/12/24	04:30:00 -37.2
30/12/24	05:00:00 -37.2
30/12/24	05:30:00 -37.1
30/12/24	06:00:00 -37.1
30/12/24	06:30:00 -37.2
30/12/24	07:00:00 -37.1
30/12/24	07:30:00 -37.2
30/12/24	08:00:00 -37.2
30/12/24	08:30:00 -37.2
30/12/24	09:00:00 -37.2
30/12/24	09:30:00 -37.1
30/12/24	10:00:00 -37.1
30/12/24	10:30:00 -37.0
30/12/24	11:00:00 -37.0
30/12/24	11:30:00 -37.0
30/12/24	12:00:00 -37.1
30/12/24	12:30:00 -37.0
30/12/24	13:00:00 -36.9
30/12/24	13:30:00 -36.9
30/12/24	14:00:00 -37.0
30/12/24	14:30:00 -37.0
30/12/24	15:00:00 -36.9
30/12/24	15:30:00 -36.9
30/12/24	16:00:00 -37.0
30/12/24	16:30:00 -37.2
30/12/24	17:00:00 -37.1
30/12/24	17:30:00 -37.2
30/12/24	18:00:00 -37.1
30/12/24	18:30:00 -37.1
30/12/24	19:00:00 -37.1
30/12/24	19:30:00 -37.1



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
30/12/24 20:00:00	-37.2
30/12/24 20:30:00	-37.1
30/12/24 21:00:00	-37.2
30/12/24 21:30:00	-37.1
30/12/24 22:00:00	-37.1
30/12/24 22:30:00	-37.2
30/12/24 23:00:00	-37.1
30/12/24 23:30:00	-37.1
31/12/24 00:00:00	-37.2
31/12/24 00:30:00	-37.2
31/12/24 01:00:00	-37.1
31/12/24 01:30:00	-37.1
31/12/24 02:00:00	-37.1
31/12/24 02:30:00	-37.1
31/12/24 03:00:00	-37.0
31/12/24 03:30:00	-37.2
31/12/24 04:00:00	-37.1
31/12/24 04:30:00	-37.2
31/12/24 05:00:00	-37.1
31/12/24 05:30:00	-37.1
31/12/24 06:00:00	-37.1
31/12/24 06:30:00	-37.2
31/12/24 07:00:00	-37.2
31/12/24 07:30:00	-37.2
31/12/24 08:00:00	-37.1
31/12/24 08:30:00	-37.1
31/12/24 09:00:00	-37.1
31/12/24 09:30:00	-37.0
31/12/24 10:00:00	-37.0
31/12/24 10:30:00	-36.9
31/12/24 11:00:00	-37.1
31/12/24 11:30:00	-36.9
31/12/24 12:00:00	-37.1
31/12/24 12:30:00	-37.1
31/12/24 13:00:00	-37.0
31/12/24 13:30:00	-37.1
31/12/24 14:00:00	-37.0
31/12/24 14:30:00	-37.1
31/12/24 15:00:00	-37.0
31/12/24 15:30:00	-37.2
31/12/24 16:00:00	-37.1
31/12/24 16:30:00	-37.2
31/12/24 17:00:00	-37.2
31/12/24 17:30:00	-37.2
31/12/24 18:00:00	-37.1
31/12/24 18:30:00	-37.2
31/12/24 19:00:00	-37.1
31/12/24 19:30:00	-37.1
31/12/24 20:00:00	-37.2
31/12/24 20:30:00	-37.1



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/12/24 00:00:00 - 01/01/25 00:00:00

Date created 01/01/25 06:05:12

Created by Account Owner

위치		임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
31/12/24	21:00:00	-37.1
31/12/24	21:30:00	-37.1
31/12/24	22:00:00	-37.1
31/12/24	22:30:00	-37.1
31/12/24	23:00:00	-37.1
31/12/24	23:30:00	-37.1
01/01/25	00:00:00	-37.1