

IP STORAGE TEMPERATURE LOG

Storage Subject	Description	Medical Freezer	Storage Space	냉동고3 (대여)
	Manufacturer	Global Cooling Inc.	Storage Period	2024.8
	Model Name	ULT-25NEU	Investigational Product	AMG133
	Serial Number	20050-00642	Temperature Range	-85~-30℃
	Date of Performance Qualification	2024.2.27	Setting Point	-38.0℃
	Date of PQ Due	2025.2.27	Note	>-24.4℃ or <-85.5℃ 즉시 이탈 보고
	PQ Certificate No.	FC24-0104-001		
Calibration Subject	Description	온라인데이터로거	Min/Max Record	기기로 Min/Max 확인방법 없으며, 온도이탈시 알람, 지난 온도기록 이후 알람 없음을 확인 후 진행(월별 Min/Max : 다운로드 기록지 2페이지에 표기)
	Manufacturer	TESTO		
	Model Name	Saveris2-T3		
	Serial Number	54704396		
	Sensor Channel	CH1	Alarm Range	<-39.5℃, >-30.0℃, 즉시
	Date of Calibration	2023.11.9		
	Date of Calibration Due	2024.11.9		
	Certificate No.	SS-231108-0169		
			Alarm Method	Mail, SMS to Pharmacist
			Alarm Clear	NA

Date	Time	Temperature(℃)			Verified by	Comment
		Min	Max	Current		
2024.08.01	P:30			-36.3	aml	
2024.08.02	10:00			-36.3	aml	
2024.08.03						
2024.08.04						
2024.08.05	P:30			-36.3	aml	
2024.08.06	P:30			-36.3	aml	
2024.08.07	P:30			-36.3	aml	
2024.08.08	P:30			-36.2	aml	
2024.08.09	P:30			-36.2	aml	
2024.08.10						
2024.08.11						
2024.08.12	P:30			-36.3	aml	
2024.08.13	P:30			-36.1	aml	
2024.08.14	P:30			-36.2	aml	
2024.08.15						광복절
2024.08.16	P:30			-36.4	aml	
2024.08.17						
2024.08.18						
2024.08.19	P:30			-36.4	aml	
2024.08.20	P:30			-36.3	aml	
2024.08.21	P:30			-36.3	aml	
2024.08.22	P:30			-36.3	aml	
2024.08.23	P:30			-36.3	aml	
2024.08.24						
2024.08.25						
2024.08.26	P:30			-36.3	aml	
2024.08.27	P:30			-36.3	aml	
2024.08.28	P:30			-36.4	aml	
2024.08.29	P:30			-37.7	aml	
2024.08.30	P:30			-37.6	aml	
2024.08.31						

date of copying

sign

동국대학교 일산병원 임상시험센터 약국




임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner





임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

측정된 값

위치 측정 포인트 그룹 지역	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]	
하한 값		-39.5
상한 값		-30.0
평균 값		-36.4
최소 값		-37.8
최대 값		-35.6
01/08/24	00:00:00	-36.3
01/08/24	00:30:00	-36.2
01/08/24	01:00:00	-36.3
01/08/24	01:30:00	-36.3
01/08/24	02:00:00	-36.4
01/08/24	02:30:00	-36.3
01/08/24	03:00:00	-36.4
01/08/24	03:30:00	-36.3
01/08/24	04:00:00	-36.3
01/08/24	04:30:00	-36.3
01/08/24	05:00:00	-36.3
01/08/24	05:30:00	-36.3
01/08/24	06:00:00	-36.2
01/08/24	06:30:00	-36.3
01/08/24	07:00:00	-36.3
01/08/24	07:30:00	-36.2
01/08/24	08:00:00	-36.3
01/08/24	08:30:00	-36.4
01/08/24	09:00:00	-36.3
01/08/24	09:30:00	-36.3
01/08/24	10:00:00	-36.3
01/08/24	10:30:00	-36.3
01/08/24	11:00:00	-36.4
01/08/24	11:30:00	-36.2
01/08/24	12:00:00	-36.3
01/08/24	12:30:00	-36.3
01/08/24	13:00:00	-36.3
01/08/24	13:30:00	-36.1
01/08/24	14:00:00	-36.3
01/08/24	14:30:00	-36.2
01/08/24	15:00:00	-36.2
01/08/24	15:30:00	-36.1
01/08/24	16:00:00	-36.1
01/08/24	16:30:00	-36.3
01/08/24	17:00:00	-36.3
01/08/24	17:30:00	-36.3
01/08/24	18:00:00	-36.3
01/08/24	18:30:00	-36.3



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
01/08/24 19:00:00	-36.3
01/08/24 19:30:00	-36.3
01/08/24 20:00:00	-36.2
01/08/24 20:30:00	-36.3
01/08/24 21:00:00	-36.3
01/08/24 21:30:00	-36.3
01/08/24 22:00:00	-36.3
01/08/24 22:30:00	-36.2
01/08/24 23:00:00	-36.3
01/08/24 23:30:00	-36.3
02/08/24 00:00:00	-36.3
02/08/24 00:30:00	-36.2
02/08/24 01:00:00	-36.3
02/08/24 01:30:00	-36.2
02/08/24 02:00:00	-36.4
02/08/24 02:30:00	-36.3
02/08/24 03:00:00	-36.3
02/08/24 03:30:00	-36.3
02/08/24 04:00:00	-36.3
02/08/24 04:30:00	-36.2
02/08/24 05:00:00	-36.3
02/08/24 05:30:00	-36.3
02/08/24 06:00:00	-36.3
02/08/24 06:30:00	-36.2
02/08/24 07:00:00	-36.3
02/08/24 07:30:00	-36.3
02/08/24 08:00:00	-36.3
02/08/24 08:30:00	-36.3
02/08/24 09:00:00	-36.4
02/08/24 09:30:00	-36.3
02/08/24 10:00:00	-36.1
02/08/24 10:30:00	-36.2
02/08/24 11:00:00	-36.1
02/08/24 11:30:00	-36.2
02/08/24 12:00:00	-36.2
02/08/24 12:30:00	-36.2
02/08/24 13:00:00	-36.2
02/08/24 13:30:00	-36.2
02/08/24 14:00:00	-36.3
02/08/24 14:30:00	-36.3
02/08/24 15:00:00	-36.2
02/08/24 15:30:00	-36.3
02/08/24 16:00:00	-36.2
02/08/24 16:30:00	-36.3
02/08/24 17:00:00	-36.3
02/08/24 17:30:00	-36.3
02/08/24 18:00:00	-36.3
02/08/24 18:30:00	-36.2
02/08/24 19:00:00	-36.3
02/08/24 19:30:00	-36.2



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
02/08/24 20:00:00	-36.3
02/08/24 20:30:00	-36.3
02/08/24 21:00:00	-36.4
02/08/24 21:30:00	-36.2
02/08/24 22:00:00	-36.2
02/08/24 22:30:00	-36.2
02/08/24 23:00:00	-36.3
02/08/24 23:30:00	-36.3
03/08/24 00:00:00	-36.3
03/08/24 00:30:00	-36.2
03/08/24 01:00:00	-36.4
03/08/24 01:30:00	-36.2
03/08/24 02:00:00	-36.3
03/08/24 02:30:00	-36.3
03/08/24 03:00:00	-36.3
03/08/24 03:30:00	-36.4
03/08/24 04:00:00	-36.3
03/08/24 04:30:00	-36.3
03/08/24 05:00:00	-36.3
03/08/24 05:30:00	-36.3
03/08/24 06:00:00	-36.2
03/08/24 06:30:00	-36.3
03/08/24 07:00:00	-36.3
03/08/24 07:30:00	-36.2
03/08/24 08:00:00	-36.2
03/08/24 08:30:00	-36.2
03/08/24 09:00:00	-36.2
03/08/24 09:30:00	-36.2
03/08/24 10:00:00	-36.3
03/08/24 10:30:00	-36.2
03/08/24 11:00:00	-36.3
03/08/24 11:30:00	-36.1
03/08/24 12:00:00	-36.3
03/08/24 12:30:00	-36.3
03/08/24 13:00:00	-36.2
03/08/24 13:30:00	-36.3
03/08/24 14:00:00	-36.3
03/08/24 14:30:00	-36.3
03/08/24 15:00:00	-36.3
03/08/24 15:30:00	-36.3
03/08/24 16:00:00	-36.4
03/08/24 16:30:00	-36.2
03/08/24 17:00:00	-36.3
03/08/24 17:30:00	-36.3
03/08/24 18:00:00	-36.2
03/08/24 18:30:00	-36.3
03/08/24 19:00:00	-36.3
03/08/24 19:30:00	-36.3
03/08/24 20:00:00	-36.3
03/08/24 20:30:00	-36.3



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
03/08/24	21:00:00 -36.3
03/08/24	21:30:00 -36.3
03/08/24	22:00:00 -36.3
03/08/24	22:30:00 -36.3
03/08/24	23:00:00 -36.3
03/08/24	23:30:00 -36.3
04/08/24	00:00:00 -36.3
04/08/24	00:30:00 -36.3
04/08/24	01:00:00 -36.4
04/08/24	01:30:00 -36.2
04/08/24	02:00:00 -36.3
04/08/24	02:30:00 -36.3
04/08/24	03:00:00 -36.4
04/08/24	03:30:00 -36.3
04/08/24	04:00:00 -36.3
04/08/24	04:30:00 -36.3
04/08/24	05:00:00 -36.3
04/08/24	05:30:00 -36.3
04/08/24	06:00:00 -36.4
04/08/24	06:30:00 -36.3
04/08/24	07:00:00 -36.4
04/08/24	07:30:00 -36.2
04/08/24	08:00:00 -36.2
04/08/24	08:30:00 -36.4
04/08/24	09:00:00 -36.3
04/08/24	09:30:00 -36.3
04/08/24	10:00:00 -36.3
04/08/24	10:30:00 -36.3
04/08/24	11:00:00 -36.3
04/08/24	11:30:00 -36.3
04/08/24	12:00:00 -36.2
04/08/24	12:30:00 -36.3
04/08/24	13:00:00 -36.3
04/08/24	13:30:00 -36.3
04/08/24	14:00:00 -36.4
04/08/24	14:30:00 -36.3
04/08/24	15:00:00 -36.3
04/08/24	15:30:00 -36.3
04/08/24	16:00:00 -36.3
04/08/24	16:30:00 -36.3
04/08/24	17:00:00 -36.2
04/08/24	17:30:00 -36.3
04/08/24	18:00:00 -36.3
04/08/24	18:30:00 -36.3
04/08/24	19:00:00 -36.4
04/08/24	19:30:00 -36.3
04/08/24	20:00:00 -36.3
04/08/24	20:30:00 -36.3
04/08/24	21:00:00 -36.4
04/08/24	21:30:00 -36.3



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
04/08/24 22:00:00	-36.3
04/08/24 22:30:00	-36.4
04/08/24 23:00:00	-36.3
04/08/24 23:30:00	-36.3
05/08/24 00:00:00	-36.3
05/08/24 00:30:00	-36.3
05/08/24 01:00:00	-36.3
05/08/24 01:30:00	-36.3
05/08/24 02:00:00	-36.4
05/08/24 02:30:00	-36.3
05/08/24 03:00:00	-36.3
05/08/24 03:30:00	-36.3
05/08/24 04:00:00	-36.3
05/08/24 04:30:00	-36.2
05/08/24 05:00:00	-36.4
05/08/24 05:30:00	-36.2
05/08/24 06:00:00	-36.4
05/08/24 06:30:00	-36.4
05/08/24 07:00:00	-36.3
05/08/24 07:30:00	-36.3
05/08/24 08:00:00	-36.4
05/08/24 08:30:00	-36.3
05/08/24 09:00:00	-36.3
05/08/24 09:30:00	-36.3
05/08/24 10:00:00	-36.4
05/08/24 10:30:00	-36.3
05/08/24 11:00:00	-36.3
05/08/24 11:30:00	-36.3
05/08/24 12:00:00	-36.3
05/08/24 12:30:00	-36.3
05/08/24 13:00:00	-36.3
05/08/24 13:30:00	-36.3
05/08/24 14:00:00	-36.3
05/08/24 14:30:00	-36.3
05/08/24 15:00:00	-36.4
05/08/24 15:30:00	-36.3
05/08/24 16:00:00	-36.3
05/08/24 16:30:00	-36.3
05/08/24 17:00:00	-36.4
05/08/24 17:30:00	-36.4
05/08/24 18:00:00	-36.3
05/08/24 18:30:00	-36.3
05/08/24 19:00:00	-36.3
05/08/24 19:30:00	-36.2
05/08/24 20:00:00	-36.3
05/08/24 20:30:00	-36.3
05/08/24 21:00:00	-36.4
05/08/24 21:30:00	-36.3
05/08/24 22:00:00	-36.3
05/08/24 22:30:00	-36.4



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
05/08/24 23:00:00	-36.3
05/08/24 23:30:00	-36.3
06/08/24 00:00:00	-36.3
06/08/24 00:30:00	-36.3
06/08/24 01:00:00	-36.3
06/08/24 01:30:00	-36.3
06/08/24 02:00:00	-36.3
06/08/24 02:30:00	-36.3
06/08/24 03:00:00	-36.3
06/08/24 03:30:00	-36.2
06/08/24 04:00:00	-36.3
06/08/24 04:30:00	-36.3
06/08/24 05:00:00	-36.3
06/08/24 05:30:00	-36.3
06/08/24 06:00:00	-36.3
06/08/24 06:30:00	-36.2
06/08/24 07:00:00	-36.3
06/08/24 07:30:00	-36.3
06/08/24 08:00:00	-36.4
06/08/24 08:30:00	-36.4
06/08/24 09:00:00	-36.3
06/08/24 09:30:00	-36.4
06/08/24 10:00:00	-36.4
06/08/24 10:28:51	-36.4
06/08/24 10:30:00	-36.3
06/08/24 11:00:00	-36.2
06/08/24 11:30:00	-36.3
06/08/24 12:00:00	-36.2
06/08/24 12:30:00	-36.2
06/08/24 13:00:00	-36.3
06/08/24 13:30:00	-36.3
06/08/24 14:00:00	-36.2
06/08/24 14:30:00	-36.2
06/08/24 15:00:00	-36.2
06/08/24 15:28:39	-36.3
06/08/24 15:30:00	-36.2
06/08/24 16:00:00	-36.3
06/08/24 16:30:00	-36.2
06/08/24 17:00:00	-36.2
06/08/24 17:30:00	-36.3
06/08/24 18:00:00	-36.3
06/08/24 18:30:00	-36.2
06/08/24 19:00:00	-36.2
06/08/24 19:30:00	-36.2
06/08/24 20:00:00	-36.3
06/08/24 20:30:00	-36.3
06/08/24 21:00:00	-36.4
06/08/24 21:30:00	-36.3
06/08/24 22:00:00	-36.3
06/08/24 22:30:00	-36.4



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
06/08/24 23:00:00	-36.3
06/08/24 23:30:00	-36.3
07/08/24 00:00:00	-36.4
07/08/24 00:30:00	-36.4
07/08/24 01:00:00	-36.3
07/08/24 01:30:00	-36.2
07/08/24 02:00:00	-36.3
07/08/24 02:30:00	-36.3
07/08/24 03:00:00	-36.3
07/08/24 03:30:00	-36.3
07/08/24 04:00:00	-36.3
07/08/24 04:30:00	-36.3
07/08/24 05:00:00	-36.3
07/08/24 05:30:00	-36.3
07/08/24 06:00:00	-36.3
07/08/24 06:30:00	-36.2
07/08/24 07:00:00	-36.3
07/08/24 07:30:00	-36.3
07/08/24 08:00:00	-36.3
07/08/24 08:23:28	-36.4
07/08/24 08:30:00	-36.3
07/08/24 09:00:00	-36.3
07/08/24 09:30:00	-36.4
07/08/24 10:00:00	-36.3
07/08/24 10:30:00	-36.3
07/08/24 11:00:00	-36.3
07/08/24 11:30:00	-36.2
07/08/24 12:00:00	-36.2
07/08/24 12:30:00	-36.2
07/08/24 13:00:00	-36.2
07/08/24 13:30:00	-36.2
07/08/24 14:00:00	-36.3
07/08/24 14:30:00	-36.2
07/08/24 15:00:00	-36.3
07/08/24 15:30:00	-36.2
07/08/24 16:00:00	-36.2
07/08/24 16:30:00	-36.2
07/08/24 17:00:00	-36.3
07/08/24 17:30:00	-36.3
07/08/24 18:00:00	-36.3
07/08/24 18:30:00	-36.3
07/08/24 19:00:00	-36.3
07/08/24 19:30:00	-36.3
07/08/24 20:00:00	-36.3
07/08/24 20:30:00	-36.3
07/08/24 21:00:00	-36.3
07/08/24 21:30:00	-36.4
07/08/24 22:00:00	-36.3
07/08/24 22:30:00	-36.3
07/08/24 23:00:00	-36.2



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
07/08/24	23:30:00 -36.3
08/08/24	00:00:00 -36.4
08/08/24	00:30:00 -36.3
08/08/24	01:00:00 -36.3
08/08/24	01:30:00 -36.2
08/08/24	02:00:00 -36.3
08/08/24	02:30:00 -36.3
08/08/24	03:00:00 -36.3
08/08/24	03:30:00 -36.3
08/08/24	04:00:00 -36.3
08/08/24	04:30:00 -36.4
08/08/24	05:00:00 -36.3
08/08/24	05:30:00 -36.2
08/08/24	06:00:00 -36.3
08/08/24	06:30:00 -36.3
08/08/24	07:00:00 -36.3
08/08/24	07:30:00 -36.3
08/08/24	08:00:00 -36.3
08/08/24	08:30:00 -36.2
08/08/24	09:00:00 -36.3
08/08/24	09:30:00 -36.2
08/08/24	10:00:00 -36.3
08/08/24	10:30:00 -36.3
08/08/24	11:00:00 -36.3
08/08/24	11:30:00 -36.2
08/08/24	12:00:00 -36.3
08/08/24	12:30:00 -36.2
08/08/24	13:00:00 -36.3
08/08/24	13:30:00 -36.2
08/08/24	14:00:00 -36.2
08/08/24	14:30:00 -36.3
08/08/24	15:00:00 -36.3
08/08/24	15:30:00 -36.3
08/08/24	16:00:00 -36.3
08/08/24	16:30:00 -36.3
08/08/24	17:00:00 -36.2
08/08/24	17:30:00 -36.3
08/08/24	18:00:00 -36.3
08/08/24	18:30:00 -36.3
08/08/24	19:00:00 -36.3
08/08/24	19:30:00 -36.3
08/08/24	20:00:00 -36.3
08/08/24	20:30:00 -36.4
08/08/24	21:00:00 -36.3
08/08/24	21:30:00 -36.3
08/08/24	22:00:00 -36.4
08/08/24	22:30:00 -36.3
08/08/24	23:00:00 -36.4
08/08/24	23:30:00 -36.4
09/08/24	00:00:00 -36.3



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
09/08/24 00:30:00	-36.3
09/08/24 01:00:00	-36.4
09/08/24 01:30:00	-36.4
09/08/24 02:00:00	-36.3
09/08/24 02:30:00	-36.3
09/08/24 03:00:00	-36.3
09/08/24 03:30:00	-36.2
09/08/24 04:00:00	-36.3
09/08/24 04:30:00	-36.3
09/08/24 05:00:00	-36.3
09/08/24 05:30:00	-36.3
09/08/24 06:00:00	-36.3
09/08/24 06:30:00	-36.3
09/08/24 07:00:00	-36.3
09/08/24 07:30:00	-36.3
09/08/24 08:00:00	-36.3
09/08/24 08:30:00	-36.3
09/08/24 09:00:00	-36.4
09/08/24 09:30:00	-36.2
09/08/24 09:32:42	-36.3
09/08/24 10:00:00	-36.3
09/08/24 10:30:00	-36.3
09/08/24 11:00:00	-36.3
09/08/24 11:30:00	-36.2
09/08/24 12:00:00	-36.2
09/08/24 12:30:00	-36.2
09/08/24 13:00:00	-36.2
09/08/24 13:30:00	-36.2
09/08/24 14:00:00	-36.3
09/08/24 14:30:00	-36.2
09/08/24 15:00:00	-36.3
09/08/24 15:30:00	-36.3
09/08/24 16:00:00	-36.3
09/08/24 16:30:00	-36.2
09/08/24 17:00:00	-36.3
09/08/24 17:30:00	-36.3
09/08/24 18:00:00	-36.3
09/08/24 18:30:00	-36.2
09/08/24 19:00:00	-36.3
09/08/24 19:30:00	-36.2
09/08/24 20:00:00	-36.3
09/08/24 20:30:00	-36.3
09/08/24 21:00:00	-36.3
09/08/24 21:30:00	-36.2
09/08/24 22:00:00	-36.3
09/08/24 22:30:00	-36.3
09/08/24 23:00:00	-36.3
09/08/24 23:30:00	-36.2
10/08/24 00:00:00	-36.3
10/08/24 00:30:00	-36.3



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
10/08/24 01:00:00	-36.3
10/08/24 01:30:00	-36.3
10/08/24 02:00:00	-36.3
10/08/24 02:30:00	-36.4
10/08/24 03:00:00	-36.3
10/08/24 03:30:00	-36.3
10/08/24 04:00:00	-36.4
10/08/24 04:30:00	-36.3
10/08/24 05:00:00	-36.3
10/08/24 05:30:00	-36.3
10/08/24 06:00:00	-36.3
10/08/24 06:30:00	-36.3
10/08/24 07:00:00	-36.3
10/08/24 07:30:00	-36.3
10/08/24 08:00:00	-36.3
10/08/24 08:30:00	-36.3
10/08/24 09:00:00	-36.4
10/08/24 09:30:00	-36.3
10/08/24 10:00:00	-36.4
10/08/24 10:30:00	-36.2
10/08/24 11:00:00	-36.3
10/08/24 11:30:00	-36.2
10/08/24 12:00:00	-36.2
10/08/24 12:30:00	-36.3
10/08/24 13:00:00	-36.3
10/08/24 13:30:00	-36.3
10/08/24 14:00:00	-36.3
10/08/24 14:30:00	-36.3
10/08/24 15:00:00	-36.3
10/08/24 15:30:00	-36.3
10/08/24 16:00:00	-36.3
10/08/24 16:30:00	-36.3
10/08/24 17:00:00	-36.3
10/08/24 17:30:00	-36.3
10/08/24 18:00:00	-36.3
10/08/24 18:30:00	-36.2
10/08/24 19:00:00	-36.4
10/08/24 19:30:00	-36.3
10/08/24 20:00:00	-36.4
10/08/24 20:30:00	-36.3
10/08/24 21:00:00	-36.3
10/08/24 21:30:00	-36.4
10/08/24 22:00:00	-36.3
10/08/24 22:30:00	-36.3
10/08/24 23:00:00	-36.3
10/08/24 23:30:00	-36.3
11/08/24 00:00:00	-36.3
11/08/24 00:30:00	-36.1
11/08/24 01:00:00	-36.2
11/08/24 01:30:00	-36.3



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
11/08/24 02:00:00	-36.3
11/08/24 02:30:00	-36.3
11/08/24 03:00:00	-36.4
11/08/24 03:30:00	-36.3
11/08/24 04:00:00	-36.3
11/08/24 04:30:00	-36.3
11/08/24 05:00:00	-36.3
11/08/24 05:30:00	-36.3
11/08/24 06:00:00	-36.3
11/08/24 06:30:00	-36.3
11/08/24 07:00:00	-36.4
11/08/24 07:30:00	-36.3
11/08/24 08:00:00	-36.3
11/08/24 08:30:00	-36.3
11/08/24 09:00:00	-36.3
11/08/24 09:30:00	-36.3
11/08/24 10:00:00	-36.4
11/08/24 10:30:00	-36.2
11/08/24 11:00:00	-36.3
11/08/24 11:30:00	-36.3
11/08/24 12:00:00	-36.3
11/08/24 12:30:00	-36.2
11/08/24 13:00:00	-36.4
11/08/24 13:30:00	-36.3
11/08/24 14:00:00	-36.3
11/08/24 14:30:00	-36.2
11/08/24 15:00:00	-36.2
11/08/24 15:30:00	-36.3
11/08/24 16:00:00	-36.3
11/08/24 16:30:00	-36.2
11/08/24 17:00:00	-36.2
11/08/24 17:30:00	-36.3
11/08/24 18:00:00	-36.3
11/08/24 18:30:00	-36.3
11/08/24 19:00:00	-36.3
11/08/24 19:30:00	-36.3
11/08/24 20:00:00	-36.3
11/08/24 20:30:00	-36.2
11/08/24 21:00:00	-36.3
11/08/24 21:30:00	-36.3
11/08/24 22:00:00	-36.2
11/08/24 22:30:00	-36.3
11/08/24 23:00:00	-36.3
11/08/24 23:30:00	-36.3
12/08/24 00:00:00	-36.2
12/08/24 00:30:00	-36.3
12/08/24 01:00:00	-36.3
12/08/24 01:30:00	-36.3
12/08/24 02:00:00	-36.3
12/08/24 02:30:00	-36.3



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
12/08/24	03:00:00 -36.3
12/08/24	03:30:00 -36.2
12/08/24	04:00:00 -36.3
12/08/24	04:30:00 -36.2
12/08/24	05:00:00 -36.3
12/08/24	05:30:00 -36.3
12/08/24	06:00:00 -36.3
12/08/24	06:30:00 -36.3
12/08/24	07:00:00 -36.3
12/08/24	07:30:00 -36.3
12/08/24	08:00:00 -36.3
12/08/24	08:30:00 -36.3
12/08/24	09:00:00 -36.3
12/08/24	09:30:00 -36.3
12/08/24	10:00:00 -36.2
12/08/24	10:30:00 -36.3
12/08/24	11:00:00 -36.2
12/08/24	11:30:00 -36.3
12/08/24	12:00:00 -36.2
12/08/24	12:30:00 -36.2
12/08/24	13:00:00 -36.3
12/08/24	13:30:00 -36.2
12/08/24	14:00:00 -36.2
12/08/24	14:30:00 -36.3
12/08/24	15:00:00 -36.2
12/08/24	15:30:00 -36.3
12/08/24	16:00:00 -36.3
12/08/24	16:30:00 -36.2
12/08/24	17:00:00 -36.2
12/08/24	17:30:00 -36.3
12/08/24	18:00:00 -36.3
12/08/24	18:30:00 -36.3
12/08/24	19:00:00 -36.3
12/08/24	19:30:00 -36.3
12/08/24	20:00:00 -36.3
12/08/24	20:30:00 -36.2
12/08/24	21:00:00 -36.3
12/08/24	21:30:00 -36.4
12/08/24	22:00:00 -36.3
12/08/24	22:30:00 -36.2
12/08/24	23:00:00 -36.4
12/08/24	23:30:00 -36.3
13/08/24	00:00:00 -36.2
13/08/24	00:30:00 -36.3
13/08/24	01:00:00 -36.3
13/08/24	01:30:00 -36.3
13/08/24	02:00:00 -36.3
13/08/24	02:30:00 -36.2
13/08/24	03:00:00 -36.3
13/08/24	03:30:00 -36.3



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
13/08/24 04:00:00	-36.4
13/08/24 04:30:00	-36.3
13/08/24 05:00:00	-36.3
13/08/24 05:30:00	-36.3
13/08/24 06:00:00	-36.3
13/08/24 06:30:00	-36.3
13/08/24 07:00:00	-36.3
13/08/24 07:30:00	-36.4
13/08/24 08:00:00	-36.3
13/08/24 08:30:00	-36.3
13/08/24 09:00:00	-36.1
13/08/24 09:30:00	-36.1
13/08/24 10:00:00	-36.3
13/08/24 10:29:03	-36.3
13/08/24 10:30:00	-36.3
13/08/24 11:00:00	-36.2
13/08/24 11:30:00	-36.3
13/08/24 12:00:00	-36.3
13/08/24 12:30:00	-36.4
13/08/24 13:00:00	-36.2
13/08/24 13:30:00	-36.2
13/08/24 14:00:00	-36.3
13/08/24 14:30:00	-36.3
13/08/24 15:00:00	-36.4
13/08/24 15:30:00	-36.3
13/08/24 16:00:00	-36.3
13/08/24 16:30:00	-36.3
13/08/24 17:00:00	-36.3
13/08/24 17:30:00	-36.2
13/08/24 18:00:00	-36.3
13/08/24 18:30:00	-36.3
13/08/24 19:00:00	-36.3
13/08/24 19:30:00	-36.2
13/08/24 20:00:00	-36.2
13/08/24 20:30:00	-36.3
13/08/24 21:00:00	-36.3
13/08/24 21:30:00	-36.3
13/08/24 22:00:00	-36.2
13/08/24 22:30:00	-36.4
13/08/24 23:00:00	-36.2
13/08/24 23:30:00	-36.4
14/08/24 00:00:00	-36.3
14/08/24 00:30:00	-36.3
14/08/24 01:00:00	-36.3
14/08/24 01:30:00	-36.3
14/08/24 02:00:00	-36.3
14/08/24 02:30:00	-36.3
14/08/24 03:00:00	-36.3
14/08/24 03:30:00	-36.3
14/08/24 04:00:00	-36.3



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
14/08/24 04:30:00	-36.4
14/08/24 05:00:00	-36.3
14/08/24 05:30:00	-36.2
14/08/24 06:00:00	-36.3
14/08/24 06:30:00	-36.5
14/08/24 07:00:00	-36.3
14/08/24 07:30:00	-36.2
14/08/24 08:00:00	-36.4
14/08/24 08:30:00	-36.3
14/08/24 09:00:00	-36.2
14/08/24 09:30:00	-36.2
14/08/24 10:00:00	-36.2
14/08/24 10:30:00	-36.3
14/08/24 11:00:00	-36.2
14/08/24 11:30:00	-36.3
14/08/24 12:00:00	-36.2
14/08/24 12:30:00	-36.3
14/08/24 13:00:00	-36.3
14/08/24 13:30:00	-36.3
14/08/24 14:00:00	-36.3
14/08/24 14:30:00	-36.3
14/08/24 15:00:00	-36.2
14/08/24 15:30:00	-36.2
14/08/24 16:00:00	-36.3
14/08/24 16:30:00	-36.2
14/08/24 17:00:00	-36.3
14/08/24 17:30:00	-36.3
14/08/24 18:00:00	-36.3
14/08/24 18:30:00	-36.3
14/08/24 19:00:00	-36.3
14/08/24 19:30:00	-36.3
14/08/24 20:00:00	-36.3
14/08/24 20:30:00	-36.4
14/08/24 21:00:00	-36.4
14/08/24 21:30:00	-36.3
14/08/24 22:00:00	-36.3
14/08/24 22:30:00	-36.4
14/08/24 23:00:00	-36.3
14/08/24 23:30:00	-36.4
15/08/24 00:00:00	-36.3
15/08/24 00:30:00	-36.3
15/08/24 01:00:00	-36.4
15/08/24 01:30:00	-36.4
15/08/24 02:00:00	-36.4
15/08/24 02:30:00	-36.3
15/08/24 03:00:00	-36.3
15/08/24 03:30:00	-36.4
15/08/24 04:00:00	-36.4
15/08/24 04:30:00	-36.4
15/08/24 05:00:00	-36.3



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
15/08/24 05:30:00	-36.3
15/08/24 06:00:00	-36.4
15/08/24 06:30:00	-36.3
15/08/24 07:00:00	-36.3
15/08/24 07:30:00	-36.4
15/08/24 08:00:00	-36.3
15/08/24 08:30:00	-36.4
15/08/24 09:00:00	-36.3
15/08/24 09:30:00	-36.4
15/08/24 10:00:00	-36.4
15/08/24 10:30:00	-36.3
15/08/24 11:00:00	-36.4
15/08/24 11:30:00	-36.4
15/08/24 12:00:00	-36.4
15/08/24 12:30:00	-36.3
15/08/24 13:00:00	-36.4
15/08/24 13:30:00	-36.3
15/08/24 14:00:00	-36.4
15/08/24 14:30:00	-36.4
15/08/24 15:00:00	-36.4
15/08/24 15:30:00	-36.3
15/08/24 16:00:00	-36.3
15/08/24 16:30:00	-36.4
15/08/24 17:00:00	-36.3
15/08/24 17:30:00	-36.3
15/08/24 18:00:00	-36.4
15/08/24 18:30:00	-36.4
15/08/24 19:00:00	-36.3
15/08/24 19:30:00	-36.3
15/08/24 20:00:00	-36.4
15/08/24 20:30:00	-36.4
15/08/24 21:00:00	-36.4
15/08/24 21:30:00	-36.3
15/08/24 22:00:00	-36.4
15/08/24 22:30:00	-36.3
15/08/24 23:00:00	-36.3
15/08/24 23:30:00	-36.4
16/08/24 00:00:00	-36.3
16/08/24 00:30:00	-36.3
16/08/24 01:00:00	-36.4
16/08/24 01:30:00	-36.4
16/08/24 02:00:00	-36.3
16/08/24 02:30:00	-36.3
16/08/24 03:00:00	-36.3
16/08/24 03:30:00	-36.4
16/08/24 04:00:00	-36.4
16/08/24 04:30:00	-36.4
16/08/24 05:00:00	-36.3
16/08/24 05:30:00	-36.4
16/08/24 06:00:00	-36.4



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
16/08/24 06:30:00	-36.3
16/08/24 07:00:00	-36.3
16/08/24 07:30:00	-36.3
16/08/24 08:00:00	-36.4
16/08/24 08:30:00	-36.3
16/08/24 09:00:00	-36.4
16/08/24 09:30:00	-36.4
16/08/24 10:00:00	-36.3
16/08/24 10:30:00	-36.2
16/08/24 11:00:00	-36.3
16/08/24 11:30:00	-36.4
16/08/24 12:00:00	-36.3
16/08/24 12:30:00	-36.3
16/08/24 13:00:00	-36.2
16/08/24 13:30:00	-36.2
16/08/24 14:00:00	-36.3
16/08/24 14:30:00	-36.3
16/08/24 15:00:00	-36.4
16/08/24 15:30:00	-36.4
16/08/24 16:00:00	-36.3
16/08/24 16:30:00	-36.3
16/08/24 17:00:00	-36.4
16/08/24 17:30:00	-36.4
16/08/24 18:00:00	-36.3
16/08/24 18:30:00	-36.3
16/08/24 19:00:00	-36.4
16/08/24 19:30:00	-36.4
16/08/24 20:00:00	-36.4
16/08/24 20:30:00	-36.2
16/08/24 21:00:00	-36.4
16/08/24 21:30:00	-36.4
16/08/24 22:00:00	-36.4
16/08/24 22:30:00	-36.4
16/08/24 23:00:00	-36.3
16/08/24 23:30:00	-36.4
17/08/24 00:00:00	-36.4
17/08/24 00:30:00	-36.4
17/08/24 01:00:00	-36.3
17/08/24 01:30:00	-36.4
17/08/24 02:00:00	-36.4
17/08/24 02:30:00	-36.4
17/08/24 03:00:00	-36.4
17/08/24 03:30:00	-36.4
17/08/24 04:00:00	-36.3
17/08/24 04:30:00	-36.3
17/08/24 05:00:00	-36.4
17/08/24 05:30:00	-36.3
17/08/24 06:00:00	-36.4
17/08/24 06:30:00	-36.3
17/08/24 07:00:00	-36.3



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
17/08/24 07:30:00	-36.3
17/08/24 08:00:00	-36.2
17/08/24 08:30:00	-36.3
17/08/24 09:00:00	-36.3
17/08/24 09:30:00	-36.3
17/08/24 10:00:00	-36.4
17/08/24 10:30:00	-36.3
17/08/24 11:00:00	-36.3
17/08/24 11:30:00	-36.4
17/08/24 12:00:00	-36.4
17/08/24 12:30:00	-36.3
17/08/24 13:00:00	-36.4
17/08/24 13:30:00	-36.3
17/08/24 14:00:00	-36.3
17/08/24 14:30:00	-36.4
17/08/24 15:00:00	-36.3
17/08/24 15:30:00	-36.3
17/08/24 16:00:00	-36.3
17/08/24 16:30:00	-36.3
17/08/24 17:00:00	-36.3
17/08/24 17:30:00	-36.4
17/08/24 18:00:00	-36.4
17/08/24 18:30:00	-36.4
17/08/24 19:00:00	-36.3
17/08/24 19:30:00	-36.3
17/08/24 20:00:00	-36.3
17/08/24 20:30:00	-36.3
17/08/24 21:00:00	-36.3
17/08/24 21:30:00	-36.4
17/08/24 22:00:00	-36.3
17/08/24 22:30:00	-36.4
17/08/24 23:00:00	-36.3
17/08/24 23:30:00	-36.4
18/08/24 00:00:00	-36.4
18/08/24 00:30:00	-36.3
18/08/24 01:00:00	-36.3
18/08/24 01:30:00	-36.4
18/08/24 02:00:00	-36.4
18/08/24 02:30:00	-36.3
18/08/24 03:00:00	-36.3
18/08/24 03:30:00	-36.3
18/08/24 04:00:00	-36.4
18/08/24 04:30:00	-36.3
18/08/24 05:00:00	-36.3
18/08/24 05:30:00	-36.3
18/08/24 06:00:00	-36.3
18/08/24 06:30:00	-36.4
18/08/24 07:00:00	-36.3
18/08/24 07:30:00	-36.3
18/08/24 08:00:00	-36.3



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
18/08/24	08:30:00 -36.3
18/08/24	09:00:00 -36.3
18/08/24	09:30:00 -36.4
18/08/24	10:00:00 -36.3
18/08/24	10:30:00 -36.3
18/08/24	11:00:00 -36.3
18/08/24	11:30:00 -36.3
18/08/24	12:00:00 -36.3
18/08/24	12:30:00 -36.4
18/08/24	13:00:00 -36.4
18/08/24	13:30:00 -36.4
18/08/24	14:00:00 -36.4
18/08/24	14:30:00 -36.3
18/08/24	15:00:00 -36.4
18/08/24	15:30:00 -36.3
18/08/24	16:00:00 -36.3
18/08/24	16:30:00 -36.3
18/08/24	17:00:00 -36.4
18/08/24	17:30:00 -36.4
18/08/24	18:00:00 -36.3
18/08/24	18:30:00 -36.3
18/08/24	19:00:00 -36.3
18/08/24	19:30:00 -36.4
18/08/24	20:00:00 -36.3
18/08/24	20:30:00 -36.3
18/08/24	21:00:00 -36.4
18/08/24	21:30:00 -36.3
18/08/24	22:00:00 -36.3
18/08/24	22:30:00 -36.3
18/08/24	23:00:00 -36.4
18/08/24	23:30:00 -36.4
19/08/24	00:00:00 -36.3
19/08/24	00:30:00 -36.3
19/08/24	01:00:00 -36.4
19/08/24	01:30:00 -36.3
19/08/24	02:00:00 -36.4
19/08/24	02:30:00 -36.3
19/08/24	03:00:00 -36.2
19/08/24	03:30:00 -36.3
19/08/24	04:00:00 -36.4
19/08/24	04:30:00 -36.3
19/08/24	05:00:00 -36.3
19/08/24	05:30:00 -36.4
19/08/24	06:00:00 -36.4
19/08/24	06:30:00 -36.3
19/08/24	07:00:00 -36.4
19/08/24	07:30:00 -36.3
19/08/24	08:00:00 -36.3
19/08/24	08:30:00 -36.4
19/08/24	09:00:00 -36.4



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
19/08/24	09:30:00 -36.2
19/08/24	10:00:00 -36.3
19/08/24	10:28:55 -36.4
19/08/24	10:30:00 -36.3
19/08/24	11:00:00 -36.3
19/08/24	11:30:00 -36.3
19/08/24	12:00:00 -36.2
19/08/24	12:30:00 -36.2
19/08/24	13:00:00 -36.3
19/08/24	13:30:00 -36.3
19/08/24	14:00:00 -36.2
19/08/24	14:30:00 -36.1
19/08/24	15:00:00 -36.3
19/08/24	15:30:00 -36.3
19/08/24	16:00:00 -36.3
19/08/24	16:30:00 -36.3
19/08/24	17:00:00 -36.3
19/08/24	17:30:00 -36.3
19/08/24	18:00:00 -36.2
19/08/24	18:30:00 -36.3
19/08/24	19:00:00 -36.2
19/08/24	19:30:00 -36.2
19/08/24	20:00:00 -36.3
19/08/24	20:30:00 -36.2
19/08/24	21:00:00 -36.3
19/08/24	21:30:00 -36.4
19/08/24	22:00:00 -36.3
19/08/24	22:30:00 -36.3
19/08/24	23:00:00 -36.2
19/08/24	23:30:00 -36.4
20/08/24	00:00:00 -36.3
20/08/24	00:30:00 -36.3
20/08/24	01:00:00 -36.3
20/08/24	01:30:00 -36.3
20/08/24	02:00:00 -36.2
20/08/24	02:30:00 -36.2
20/08/24	03:00:00 -36.3
20/08/24	03:30:00 -36.3
20/08/24	04:00:00 -36.3
20/08/24	04:30:00 -36.3
20/08/24	05:00:00 -36.3
20/08/24	05:30:00 -36.3
20/08/24	06:00:00 -36.2
20/08/24	06:30:00 -36.3
20/08/24	07:00:00 -36.3
20/08/24	07:30:00 -36.3
20/08/24	08:00:00 -36.3
20/08/24	08:30:00 -36.4
20/08/24	08:35:55 -36.3
20/08/24	09:00:00 -36.3



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
20/08/24 09:30:00	-36.3
20/08/24 10:00:00	-36.3
20/08/24 10:30:00	-36.2
20/08/24 11:00:00	-36.4
20/08/24 11:30:00	-36.4
20/08/24 12:00:00	-36.3
20/08/24 12:30:00	-36.3
20/08/24 13:00:00	-36.3
20/08/24 13:30:00	-36.3
20/08/24 14:00:00	-36.3
20/08/24 14:30:00	-36.2
20/08/24 15:00:00	-36.3
20/08/24 15:30:00	-36.3
20/08/24 16:00:00	-36.2
20/08/24 16:30:00	-36.2
20/08/24 17:00:00	-36.3
20/08/24 17:30:00	-36.3
20/08/24 18:00:00	-36.3
20/08/24 18:30:00	-36.3
20/08/24 19:00:00	-36.2
20/08/24 19:30:00	-36.2
20/08/24 20:00:00	-36.3
20/08/24 20:30:00	-36.3
20/08/24 21:00:00	-36.3
20/08/24 21:30:00	-36.3
20/08/24 22:00:00	-36.3
20/08/24 22:30:00	-36.3
20/08/24 23:00:00	-36.3
20/08/24 23:30:00	-36.3
21/08/24 00:00:00	-36.3
21/08/24 00:30:00	-36.3
21/08/24 01:00:00	-36.3
21/08/24 01:30:00	-36.3
21/08/24 02:00:00	-36.2
21/08/24 02:30:00	-36.3
21/08/24 03:00:00	-36.3
21/08/24 03:30:00	-36.4
21/08/24 04:00:00	-36.4
21/08/24 04:30:00	-36.3
21/08/24 05:00:00	-36.3
21/08/24 05:30:00	-36.3
21/08/24 06:00:00	-36.3
21/08/24 06:30:00	-36.3
21/08/24 07:00:00	-36.2
21/08/24 07:30:00	-36.3
21/08/24 08:00:00	-36.3
21/08/24 08:30:00	-36.3
21/08/24 09:00:00	-36.2
21/08/24 09:30:00	-36.3
21/08/24 10:00:00	-35.9



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
21/08/24 10:30:00	-36.3
21/08/24 11:00:00	-36.3
21/08/24 11:30:00	-35.9
21/08/24 12:00:00	-36.2
21/08/24 12:30:00	-36.4
21/08/24 13:00:00	-36.3
21/08/24 13:30:00	-36.3
21/08/24 14:00:00	-36.2
21/08/24 14:30:00	-36.3
21/08/24 15:00:00	-36.3
21/08/24 15:30:00	-36.3
21/08/24 16:00:00	-36.3
21/08/24 16:30:00	-36.2
21/08/24 17:00:00	-36.3
21/08/24 17:30:00	-36.3
21/08/24 18:00:00	-36.2
21/08/24 18:30:00	-36.3
21/08/24 19:00:00	-36.3
21/08/24 19:30:00	-36.2
21/08/24 20:00:00	-36.3
21/08/24 20:30:00	-36.2
21/08/24 21:00:00	-36.3
21/08/24 21:30:00	-36.3
21/08/24 22:00:00	-36.2
21/08/24 22:30:00	-36.3
21/08/24 23:00:00	-36.3
21/08/24 23:30:00	-36.3
22/08/24 00:00:00	-36.3
22/08/24 00:30:00	-36.2
22/08/24 01:00:00	-36.2
22/08/24 01:30:00	-36.3
22/08/24 02:00:00	-36.2
22/08/24 02:30:00	-36.3
22/08/24 03:00:00	-36.3
22/08/24 03:30:00	-36.2
22/08/24 04:00:00	-36.3
22/08/24 04:30:00	-36.3
22/08/24 05:00:00	-36.3
22/08/24 05:30:00	-36.2
22/08/24 06:00:00	-36.3
22/08/24 06:30:00	-36.4
22/08/24 07:00:00	-36.3
22/08/24 07:30:00	-36.3
22/08/24 08:00:00	-36.2
22/08/24 08:30:00	-36.2
22/08/24 09:00:00	-36.3
22/08/24 09:30:00	-36.2
22/08/24 10:00:00	-36.1
22/08/24 10:30:00	-36.0
22/08/24 11:00:00	-36.2



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
22/08/24	11:30:00 -36.3
22/08/24	12:00:00 -36.2
22/08/24	12:30:00 -36.0
22/08/24	13:00:00 -36.1
22/08/24	13:30:00 -36.1
22/08/24	14:00:00 -36.2
22/08/24	14:30:00 -36.1
22/08/24	15:00:00 -36.2
22/08/24	15:30:00 -36.3
22/08/24	16:00:00 -36.3
22/08/24	16:30:00 -36.2
22/08/24	17:00:00 -36.3
22/08/24	17:30:00 -36.3
22/08/24	18:00:00 -36.2
22/08/24	18:30:00 -36.3
22/08/24	19:00:00 -36.2
22/08/24	19:30:00 -36.3
22/08/24	20:00:00 -36.3
22/08/24	20:30:00 -36.3
22/08/24	21:00:00 -36.3
22/08/24	21:30:00 -36.2
22/08/24	22:00:00 -36.3
22/08/24	22:30:00 -36.2
22/08/24	23:00:00 -36.2
22/08/24	23:30:00 -36.3
23/08/24	00:00:00 -36.3
23/08/24	00:30:00 -36.3
23/08/24	01:00:00 -36.3
23/08/24	01:30:00 -36.3
23/08/24	02:00:00 -36.2
23/08/24	02:30:00 -36.4
23/08/24	03:00:00 -36.3
23/08/24	03:30:00 -36.3
23/08/24	04:00:00 -36.2
23/08/24	04:30:00 -36.3
23/08/24	05:00:00 -36.3
23/08/24	05:30:00 -36.3
23/08/24	06:00:00 -36.3
23/08/24	06:30:00 -36.2
23/08/24	07:00:00 -36.3
23/08/24	07:30:00 -36.3
23/08/24	08:00:00 -36.3
23/08/24	08:30:00 -36.3
23/08/24	09:00:00 -36.3
23/08/24	09:30:00 -36.3
23/08/24	10:00:00 -36.3
23/08/24	10:30:00 -36.3
23/08/24	11:00:00 -36.3
23/08/24	11:30:00 -36.3
23/08/24	12:00:00 -36.4



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
23/08/24	12:30:00 -36.3
23/08/24	13:00:00 -36.2
23/08/24	13:30:00 -36.4
23/08/24	14:00:00 -36.4
23/08/24	14:30:00 -36.3
23/08/24	15:00:00 -36.3
23/08/24	15:30:00 -36.2
23/08/24	16:00:00 -36.2
23/08/24	16:30:00 -36.3
23/08/24	17:00:00 -36.2
23/08/24	17:30:00 -36.4
23/08/24	18:00:00 -36.3
23/08/24	18:30:00 -36.3
23/08/24	19:00:00 -36.2
23/08/24	19:30:00 -36.2
23/08/24	20:00:00 -36.3
23/08/24	20:30:00 -36.3
23/08/24	21:00:00 -36.3
23/08/24	21:30:00 -36.3
23/08/24	22:00:00 -36.3
23/08/24	22:30:00 -36.2
23/08/24	23:00:00 -36.3
23/08/24	23:30:00 -36.3
24/08/24	00:00:00 -36.4
24/08/24	00:30:00 -36.2
24/08/24	01:00:00 -36.2
24/08/24	01:30:00 -36.2
24/08/24	02:00:00 -36.3
24/08/24	02:30:00 -36.3
24/08/24	03:00:00 -36.3
24/08/24	03:30:00 -36.3
24/08/24	04:00:00 -36.2
24/08/24	04:30:00 -36.3
24/08/24	05:00:00 -36.3
24/08/24	05:30:00 -36.2
24/08/24	06:00:00 -36.3
24/08/24	06:30:00 -36.3
24/08/24	07:00:00 -36.4
24/08/24	07:30:00 -36.3
24/08/24	08:00:00 -36.3
24/08/24	08:30:00 -36.3
24/08/24	09:00:00 -36.3
24/08/24	09:30:00 -36.3
24/08/24	10:00:00 -36.3
24/08/24	10:30:00 -36.3
24/08/24	11:00:00 -36.2
24/08/24	11:30:00 -36.3
24/08/24	12:00:00 -36.3
24/08/24	12:30:00 -36.3
24/08/24	13:00:00 -36.3



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
24/08/24	13:30:00 -36.3
24/08/24	14:00:00 -36.2
24/08/24	14:30:00 -36.3
24/08/24	15:00:00 -36.3
24/08/24	15:30:00 -36.3
24/08/24	16:00:00 -36.3
24/08/24	16:30:00 -36.4
24/08/24	17:00:00 -36.3
24/08/24	17:30:00 -36.2
24/08/24	18:00:00 -36.2
24/08/24	18:30:00 -36.3
24/08/24	19:00:00 -36.3
24/08/24	19:30:00 -36.3
24/08/24	20:00:00 -36.3
24/08/24	20:30:00 -36.2
24/08/24	21:00:00 -36.2
24/08/24	21:30:00 -36.3
24/08/24	22:00:00 -36.3
24/08/24	22:30:00 -36.3
24/08/24	23:00:00 -36.3
24/08/24	23:30:00 -36.3
25/08/24	00:00:00 -36.2
25/08/24	00:30:00 -36.2
25/08/24	01:00:00 -36.2
25/08/24	01:30:00 -36.3
25/08/24	02:00:00 -36.3
25/08/24	02:30:00 -36.3
25/08/24	03:00:00 -36.3
25/08/24	03:30:00 -36.4
25/08/24	04:00:00 -36.2
25/08/24	04:30:00 -36.3
25/08/24	05:00:00 -36.3
25/08/24	05:30:00 -36.2
25/08/24	06:00:00 -36.3
25/08/24	06:30:00 -36.3
25/08/24	07:00:00 -36.3
25/08/24	07:30:00 -36.3
25/08/24	08:00:00 -36.3
25/08/24	08:30:00 -36.3
25/08/24	09:00:00 -36.3
25/08/24	09:30:00 -36.3
25/08/24	10:00:00 -36.3
25/08/24	10:30:00 -36.4
25/08/24	11:00:00 -36.3
25/08/24	11:30:00 -36.3
25/08/24	12:00:00 -36.3
25/08/24	12:30:00 -36.3
25/08/24	13:00:00 -36.3
25/08/24	13:30:00 -36.3
25/08/24	14:00:00 -36.3



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
25/08/24	14:30:00 -36.3
25/08/24	15:00:00 -36.3
25/08/24	15:30:00 -36.2
25/08/24	16:00:00 -36.2
25/08/24	16:30:00 -36.3
25/08/24	17:00:00 -36.2
25/08/24	17:30:00 -36.3
25/08/24	18:00:00 -36.3
25/08/24	18:30:00 -36.2
25/08/24	19:00:00 -36.3
25/08/24	19:30:00 -36.3
25/08/24	20:00:00 -36.3
25/08/24	20:30:00 -36.3
25/08/24	21:00:00 -36.2
25/08/24	21:30:00 -36.3
25/08/24	22:00:00 -36.2
25/08/24	22:30:00 -36.2
25/08/24	23:00:00 -36.2
25/08/24	23:30:00 -36.3
26/08/24	00:00:00 -36.4
26/08/24	00:30:00 -36.3
26/08/24	01:00:00 -36.2
26/08/24	01:30:00 -36.3
26/08/24	02:00:00 -36.2
26/08/24	02:30:00 -36.2
26/08/24	03:00:00 -36.3
26/08/24	03:30:00 -36.3
26/08/24	04:00:00 -36.3
26/08/24	04:30:00 -36.3
26/08/24	05:00:00 -36.3
26/08/24	05:30:00 -36.2
26/08/24	06:00:00 -36.3
26/08/24	06:30:00 -36.2
26/08/24	07:00:00 -36.4
26/08/24	07:30:00 -36.2
26/08/24	08:00:00 -36.3
26/08/24	08:30:00 -36.4
26/08/24	09:00:00 -36.2
26/08/24	09:30:00 -36.2
26/08/24	10:00:00 -36.3
26/08/24	10:30:00 -36.4
26/08/24	11:00:00 -36.3
26/08/24	11:30:00 -36.2
26/08/24	12:00:00 -36.3
26/08/24	12:30:00 -36.3
26/08/24	13:00:00 -36.2
26/08/24	13:30:00 -36.3
26/08/24	14:00:00 -36.3
26/08/24	14:30:00 -36.3
26/08/24	15:00:00 -36.2



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
26/08/24	15:30:00 -36.2
26/08/24	16:00:00 -36.3
26/08/24	16:30:00 -36.2
26/08/24	17:00:00 -36.3
26/08/24	17:30:00 -36.3
26/08/24	18:00:00 -36.3
26/08/24	18:30:00 -36.3
26/08/24	19:00:00 -36.3
26/08/24	19:30:00 -36.2
26/08/24	20:00:00 -36.3
26/08/24	20:30:00 -36.2
26/08/24	21:00:00 -36.3
26/08/24	21:30:00 -36.4
26/08/24	22:00:00 -36.3
26/08/24	22:30:00 -36.3
26/08/24	23:00:00 -36.3
26/08/24	23:30:00 -36.2
27/08/24	00:00:00 -36.3
27/08/24	00:30:00 -36.3
27/08/24	01:00:00 -36.2
27/08/24	01:30:00 -36.3
27/08/24	02:00:00 -36.3
27/08/24	02:30:00 -36.2
27/08/24	03:00:00 -36.1
27/08/24	03:30:00 -36.3
27/08/24	04:00:00 -36.3
27/08/24	04:30:00 -36.2
27/08/24	05:00:00 -36.3
27/08/24	05:30:00 -36.3
27/08/24	06:00:00 -36.3
27/08/24	06:30:00 -36.2
27/08/24	07:00:00 -36.2
27/08/24	07:30:00 -36.3
27/08/24	08:00:00 -36.2
27/08/24	08:30:00 -36.2
27/08/24	09:00:00 -36.3
27/08/24	09:30:00 -36.3
27/08/24	10:00:00 -36.1
27/08/24	10:30:00 -36.2
27/08/24	11:00:00 -36.3
27/08/24	11:05:11 -36.2
27/08/24	11:05:30 -36.2
27/08/24	11:05:49 -36.2
27/08/24	11:09:19 -36.1
27/08/24	11:30:00 -36.2
27/08/24	12:00:00 -36.2
27/08/24	12:30:00 -36.3
27/08/24	13:00:00 -36.4
27/08/24	13:28:42 -36.3
27/08/24	13:30:00 -36.2



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
27/08/24 14:00:00	-36.3
27/08/24 14:30:00	-36.4
27/08/24 15:00:00	-36.2
27/08/24 15:30:00	-36.3
27/08/24 16:00:00	-36.3
27/08/24 16:30:00	-36.3
27/08/24 17:00:00	-36.3
27/08/24 17:30:00	-36.3
27/08/24 18:00:00	-36.3
27/08/24 18:30:00	-36.4
27/08/24 19:00:00	-36.3
27/08/24 19:30:00	-36.3
27/08/24 20:00:00	-36.4
27/08/24 20:30:00	-36.3
27/08/24 21:00:00	-36.4
27/08/24 21:30:00	-36.3
27/08/24 22:00:00	-36.5
27/08/24 22:30:00	-36.4
27/08/24 23:00:00	-36.3
27/08/24 23:30:00	-36.3
28/08/24 00:00:00	-36.3
28/08/24 00:30:00	-36.4
28/08/24 01:00:00	-36.3
28/08/24 01:30:00	-36.4
28/08/24 02:00:00	-36.4
28/08/24 02:30:00	-36.4
28/08/24 03:00:00	-36.3
28/08/24 03:30:00	-36.3
28/08/24 04:00:00	-36.3
28/08/24 04:30:00	-36.3
28/08/24 05:00:00	-36.4
28/08/24 05:30:00	-36.2
28/08/24 06:00:00	-36.3
28/08/24 06:30:00	-36.4
28/08/24 07:00:00	-36.3
28/08/24 07:30:00	-36.3
28/08/24 08:00:00	-36.4
28/08/24 08:30:00	-36.3
28/08/24 09:00:00	-36.3
28/08/24 09:30:00	-36.4
28/08/24 10:00:00	-36.3
28/08/24 10:30:00	-36.3
28/08/24 11:00:00	-36.3
28/08/24 11:30:00	-36.1
28/08/24 12:00:00	-36.2
28/08/24 12:30:00	-36.2
28/08/24 13:00:00	-36.2
28/08/24 13:30:00	-36.1
28/08/24 13:50:22	-36.0
28/08/24 13:53:41	-35.8



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
28/08/24	13:54:21 -35.8
28/08/24	13:54:46 -35.8
28/08/24	13:57:41 -35.7
28/08/24	13:57:53 -35.6
28/08/24	14:00:00 -35.7
28/08/24	14:00:15 -35.8
28/08/24	14:04:34 -36.2
28/08/24	14:30:00 -36.9
28/08/24	15:00:00 -37.5
28/08/24	15:30:00 -37.7
28/08/24	16:00:00 -37.7
28/08/24	16:30:00 -37.7
28/08/24	17:00:00 -37.7
28/08/24	17:30:00 -37.7
28/08/24	18:00:00 -37.7
28/08/24	18:30:00 -37.8
28/08/24	19:00:00 -37.7
28/08/24	19:30:00 -37.7
28/08/24	20:00:00 -37.7
28/08/24	20:30:00 -37.7
28/08/24	21:00:00 -37.7
28/08/24	21:30:00 -37.8
28/08/24	22:00:00 -37.7
28/08/24	22:30:00 -37.8
28/08/24	23:00:00 -37.7
28/08/24	23:30:00 -37.7
29/08/24	00:00:00 -37.7
29/08/24	00:30:00 -37.7
29/08/24	01:00:00 -37.7
29/08/24	01:30:00 -37.8
29/08/24	02:00:00 -37.8
29/08/24	02:30:00 -37.7
29/08/24	03:00:00 -37.7
29/08/24	03:30:00 -37.7
29/08/24	04:00:00 -37.7
29/08/24	04:30:00 -37.7
29/08/24	05:00:00 -37.7
29/08/24	05:30:00 -37.7
29/08/24	06:00:00 -37.7
29/08/24	06:30:00 -37.7
29/08/24	07:00:00 -37.7
29/08/24	07:30:00 -37.7
29/08/24	08:00:00 -37.7
29/08/24	08:30:00 -37.7
29/08/24	09:00:00 -37.7
29/08/24	09:30:00 -37.6
29/08/24	10:00:00 -37.6
29/08/24	10:30:00 -37.6
29/08/24	11:00:00 -37.7
29/08/24	11:30:00 -37.7



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
29/08/24 12:00:00	-37.7
29/08/24 12:30:00	-37.7
29/08/24 13:00:00	-37.7
29/08/24 13:30:00	-37.7
29/08/24 14:00:00	-37.6
29/08/24 14:30:00	-37.6
29/08/24 15:00:00	-37.6
29/08/24 15:30:00	-37.6
29/08/24 16:00:00	-37.7
29/08/24 16:30:00	-37.7
29/08/24 17:00:00	-37.7
29/08/24 17:30:00	-37.7
29/08/24 18:00:00	-37.6
29/08/24 18:30:00	-37.6
29/08/24 19:00:00	-37.6
29/08/24 19:30:00	-37.7
29/08/24 20:00:00	-37.7
29/08/24 20:30:00	-37.7
29/08/24 21:00:00	-37.7
29/08/24 21:30:00	-37.7
29/08/24 22:00:00	-37.7
29/08/24 22:30:00	-37.7
29/08/24 23:00:00	-37.7
29/08/24 23:30:00	-37.7
30/08/24 00:00:00	-37.6
30/08/24 00:30:00	-37.7
30/08/24 01:00:00	-37.6
30/08/24 01:30:00	-37.7
30/08/24 02:00:00	-37.7
30/08/24 02:30:00	-37.7
30/08/24 03:00:00	-37.7
30/08/24 03:30:00	-37.7
30/08/24 04:00:00	-37.7
30/08/24 04:30:00	-37.7
30/08/24 05:00:00	-37.6
30/08/24 05:30:00	-37.7
30/08/24 06:00:00	-37.7
30/08/24 06:30:00	-37.7
30/08/24 07:00:00	-37.7
30/08/24 07:30:00	-37.7
30/08/24 08:00:00	-37.7
30/08/24 08:30:00	-37.7
30/08/24 09:00:00	-37.6
30/08/24 09:30:00	-37.7
30/08/24 10:00:00	-37.6
30/08/24 10:30:00	-37.7
30/08/24 11:00:00	-37.7
30/08/24 11:30:00	-37.7
30/08/24 12:00:00	-37.6
30/08/24 12:30:00	-37.6



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
30/08/24	13:00:00 -37.6
30/08/24	13:30:00 -37.7
30/08/24	14:00:00 -37.6
30/08/24	14:30:00 -37.7
30/08/24	15:00:00 -37.6
30/08/24	15:30:00 -37.7
30/08/24	16:00:00 -37.6
30/08/24	16:30:00 -37.6
30/08/24	17:00:00 -37.6
30/08/24	17:30:00 -37.6
30/08/24	18:00:00 -37.7
30/08/24	18:30:00 -37.7
30/08/24	19:00:00 -37.7
30/08/24	19:30:00 -37.7
30/08/24	20:00:00 -37.7
30/08/24	20:30:00 -37.6
30/08/24	21:00:00 -37.7
30/08/24	21:30:00 -37.7
30/08/24	22:00:00 -37.7
30/08/24	22:30:00 -37.7
30/08/24	23:00:00 -37.7
30/08/24	23:30:00 -37.6
31/08/24	00:00:00 -37.7
31/08/24	00:30:00 -37.7
31/08/24	01:00:00 -37.7
31/08/24	01:30:00 -37.7
31/08/24	02:00:00 -37.6
31/08/24	02:30:00 -37.6
31/08/24	03:00:00 -37.6
31/08/24	03:30:00 -37.7
31/08/24	04:00:00 -37.7
31/08/24	04:30:00 -37.6
31/08/24	05:00:00 -37.6
31/08/24	05:30:00 -37.7
31/08/24	06:00:00 -37.7
31/08/24	06:30:00 -37.7
31/08/24	07:00:00 -37.7
31/08/24	07:30:00 -37.8
31/08/24	08:00:00 -37.6
31/08/24	08:30:00 -37.7
31/08/24	09:00:00 -37.7
31/08/24	09:30:00 -37.7
31/08/24	10:00:00 -37.6
31/08/24	10:30:00 -37.6
31/08/24	11:00:00 -37.7
31/08/24	11:30:00 -37.6
31/08/24	12:00:00 -37.7
31/08/24	12:30:00 -37.7
31/08/24	13:00:00 -37.6
31/08/24	13:30:00 -37.7



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/08/24 00:00:00 - 01/09/24 00:00:00

Date created 01/09/24 06:06:23

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
31/08/24 14:00:00	-37.7
31/08/24 14:30:00	-37.7
31/08/24 15:00:00	-37.7
31/08/24 15:30:00	-37.6
31/08/24 16:00:00	-37.7
31/08/24 16:30:00	-37.7
31/08/24 17:00:00	-37.6
31/08/24 17:30:00	-37.7
31/08/24 18:00:00	-37.7
31/08/24 18:30:00	-37.8
31/08/24 19:00:00	-37.7
31/08/24 19:30:00	-37.7
31/08/24 20:00:00	-37.7
31/08/24 20:30:00	-37.7
31/08/24 21:00:00	-37.7
31/08/24 21:30:00	-37.7
31/08/24 22:00:00	-37.7
31/08/24 22:30:00	-37.7
31/08/24 23:00:00	-37.7
31/08/24 23:30:00	-37.8
01/09/24 00:00:00	-37.7