







Storage Subject	Description	Medical Freezer	Storage Space	냉동고3 (대여)
	Manufacturer	Global Cooling Inc.	Storage Period	2024.9
	Model Name	ULT-25NEU	Investigational Product	AMG133
	Serial Number	20050-00642	Temperature Range	-85~-30℃
	Date of Performance Qualification	2024.2.27	Setting Point	-38.0℃
	Date of PQ Due	2025.2.27	Note	>-24.4℃ or <-85.5℃ 즉시 이탈 보고
	PQ Certificate No.	FC24-0104-001		
Calibration Subject	Description	온라인데이터로거	Min/Max Record	기기로 Min/Max 확인방법 없으며, 온도이탈시 알람, 지난 온도기록 이후 알람 없음을 확인 후 진행(월별 Min/Max : 다운로드 기록지 2페이지에 표기)
	Manufacturer	TESTO		
	Model Name	Saveris2-T3		
	Serial Number	54704396		
	Sensor Channel	CH1	Alarm Range	<-39.5℃, >-30.0℃, 즉시
	Date of Calibration	2023.11.9		
	Date of Calibration Due	2024.11.9		
	Certificate No.	SS-231108-0169	Alarm Method	Mail,SMS to Pharmacist
			Alarm Clear	NA

Date	Time	Temperature(℃)			Verified by	Comment
		Min	Max	Current		
2024.09.01						
2024.09.02	11:30			-37.8		
2024.09.03	P:30			-37.8		
2024.09.04	P:30			-37.9		
2024.09.05	P:30			-37.8		
2024.09.06	P:30			-37.8		
2024.09.07						
2024.09.08						
2024.09.09	P:30			-37.8		
2024.09.10	P:30			-37.8		
2024.09.11	P:30			-37.8		
2024.09.12	P:30			-37.9		
2024.09.13	P:30			-37.9		
2024.09.14						
2024.09.15						
2024.09.16						추석연휴
2024.09.17						추석
2024.09.18						추석연휴
2024.09.19	P:30			-37.8		
2024.09.20	P:30			-37.8		
2024.09.21						
2024.09.22						
2024.09.23	P:30			-37.9		
2024.09.24	P:30			-37.9		
2024.09.25	P:30			-37.8		
2024.09.26	P:30			-37.7		
2024.09.27	P:30			-37.7		
2024.09.28						
2024.09.29						
2024.09.30	P:30			-37.7		




임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner





임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

측정된 값

위치 측정 포인트 그룹 지역	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]	
하한 값		-39.5
상한 값		-30.0
평균 값		-37.8
최소 값		-37.9
최대 값		-37.6
01/09/24	00:00:00	-37.7
01/09/24	00:30:00	-37.7
01/09/24	01:00:00	-37.7
01/09/24	01:30:00	-37.7
01/09/24	02:00:00	-37.7
01/09/24	02:30:00	-37.7
01/09/24	03:00:00	-37.7
01/09/24	03:30:00	-37.7
01/09/24	04:00:00	-37.7
01/09/24	04:30:00	-37.7
01/09/24	05:00:00	-37.7
01/09/24	05:30:00	-37.7
01/09/24	06:00:00	-37.7
01/09/24	06:30:00	-37.7
01/09/24	07:00:00	-37.7
01/09/24	07:30:00	-37.7
01/09/24	08:00:00	-37.7
01/09/24	08:30:00	-37.8
01/09/24	09:00:00	-37.8
01/09/24	09:30:00	-37.7
01/09/24	10:00:00	-37.7
01/09/24	10:30:00	-37.7
01/09/24	11:00:00	-37.7
01/09/24	11:30:00	-37.7
01/09/24	12:00:00	-37.8
01/09/24	12:30:00	-37.7
01/09/24	13:00:00	-37.7
01/09/24	13:30:00	-37.7
01/09/24	14:00:00	-37.7
01/09/24	14:30:00	-37.7
01/09/24	15:00:00	-37.7
01/09/24	15:30:00	-37.7
01/09/24	16:00:00	-37.7
01/09/24	16:30:00	-37.7
01/09/24	17:00:00	-37.8
01/09/24	17:30:00	-37.7
01/09/24	18:00:00	-37.7
01/09/24	18:30:00	-37.8



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
01/09/24 19:00:00	-37.7
01/09/24 19:30:00	-37.8
01/09/24 20:00:00	-37.7
01/09/24 20:30:00	-37.7
01/09/24 21:00:00	-37.8
01/09/24 21:30:00	-37.8
01/09/24 22:00:00	-37.6
01/09/24 22:30:00	-37.8
01/09/24 23:00:00	-37.7
01/09/24 23:30:00	-37.8
02/09/24 00:00:00	-37.7
02/09/24 00:30:00	-37.7
02/09/24 01:00:00	-37.7
02/09/24 01:30:00	-37.8
02/09/24 02:00:00	-37.8
02/09/24 02:30:00	-37.7
02/09/24 03:00:00	-37.8
02/09/24 03:30:00	-37.8
02/09/24 04:00:00	-37.7
02/09/24 04:30:00	-37.8
02/09/24 05:00:00	-37.8
02/09/24 05:30:00	-37.8
02/09/24 06:00:00	-37.8
02/09/24 06:30:00	-37.8
02/09/24 07:00:00	-37.8
02/09/24 07:30:00	-37.8
02/09/24 08:00:00	-37.8
02/09/24 08:30:00	-37.8
02/09/24 09:00:00	-37.7
02/09/24 09:30:00	-37.8
02/09/24 10:00:00	-37.8
02/09/24 10:30:00	-37.8
02/09/24 11:00:00	-37.8
02/09/24 11:30:00	-37.7
02/09/24 12:00:00	-37.8
02/09/24 12:30:00	-37.8
02/09/24 13:00:00	-37.7
02/09/24 13:30:00	-37.8
02/09/24 14:00:00	-37.8
02/09/24 14:30:00	-37.8
02/09/24 15:00:00	-37.8
02/09/24 15:30:00	-37.7
02/09/24 16:00:00	-37.8
02/09/24 16:30:00	-37.8
02/09/24 17:00:00	-37.8
02/09/24 17:30:00	-37.8
02/09/24 18:00:00	-37.8
02/09/24 18:30:00	-37.7
02/09/24 19:00:00	-37.8
02/09/24 19:30:00	-37.8



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
02/09/24 20:00:00	-37.8
02/09/24 20:30:00	-37.8
02/09/24 21:00:00	-37.8
02/09/24 21:30:00	-37.8
02/09/24 22:00:00	-37.8
02/09/24 22:30:00	-37.8
02/09/24 23:00:00	-37.8
02/09/24 23:30:00	-37.8
03/09/24 00:00:00	-37.8
03/09/24 00:30:00	-37.8
03/09/24 01:00:00	-37.9
03/09/24 01:30:00	-37.8
03/09/24 02:00:00	-37.8
03/09/24 02:30:00	-37.8
03/09/24 03:00:00	-37.8
03/09/24 03:30:00	-37.8
03/09/24 04:00:00	-37.8
03/09/24 04:30:00	-37.8
03/09/24 05:00:00	-37.8
03/09/24 05:30:00	-37.9
03/09/24 06:00:00	-37.8
03/09/24 06:30:00	-37.8
03/09/24 07:00:00	-37.8
03/09/24 07:30:00	-37.8
03/09/24 08:00:00	-37.9
03/09/24 08:30:00	-37.9
03/09/24 09:00:00	-37.9
03/09/24 09:30:00	-37.8
03/09/24 10:00:00	-37.8
03/09/24 10:30:00	-37.8
03/09/24 11:00:00	-37.8
03/09/24 11:30:00	-37.8
03/09/24 12:00:00	-37.8
03/09/24 12:30:00	-37.8
03/09/24 13:00:00	-37.8
03/09/24 13:30:00	-37.8
03/09/24 14:00:00	-37.8
03/09/24 14:30:00	-37.8
03/09/24 15:00:00	-37.8
03/09/24 15:30:00	-37.9
03/09/24 16:00:00	-37.7
03/09/24 16:30:00	-37.8
03/09/24 17:00:00	-37.8
03/09/24 17:30:00	-37.8
03/09/24 18:00:00	-37.8
03/09/24 18:30:00	-37.8
03/09/24 19:00:00	-37.9
03/09/24 19:30:00	-37.8
03/09/24 20:00:00	-37.9
03/09/24 20:30:00	-37.9



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
03/09/24	21:00:00 -37.9
03/09/24	21:30:00 -37.9
03/09/24	22:00:00 -37.8
03/09/24	22:30:00 -37.8
03/09/24	23:00:00 -37.8
03/09/24	23:30:00 -37.8
04/09/24	00:00:00 -37.9
04/09/24	00:30:00 -37.9
04/09/24	01:00:00 -37.9
04/09/24	01:30:00 -37.9
04/09/24	02:00:00 -37.9
04/09/24	02:30:00 -37.8
04/09/24	03:00:00 -37.9
04/09/24	03:30:00 -37.8
04/09/24	04:00:00 -37.8
04/09/24	04:30:00 -37.8
04/09/24	05:00:00 -37.8
04/09/24	05:30:00 -37.9
04/09/24	06:00:00 -37.8
04/09/24	06:30:00 -37.9
04/09/24	07:00:00 -37.9
04/09/24	07:30:00 -37.9
04/09/24	08:00:00 -37.9
04/09/24	08:30:00 -37.9
04/09/24	09:00:00 -37.9
04/09/24	09:30:00 -37.8
04/09/24	10:00:00 -37.9
04/09/24	10:30:00 -37.9
04/09/24	11:00:00 -37.7
04/09/24	11:30:00 -37.8
04/09/24	12:00:00 -37.8
04/09/24	12:30:00 -37.8
04/09/24	13:00:00 -37.8
04/09/24	13:30:00 -37.8
04/09/24	14:00:00 -37.8
04/09/24	14:30:00 -37.6
04/09/24	15:00:00 -37.6
04/09/24	15:30:00 -37.6
04/09/24	16:00:00 -37.7
04/09/24	16:30:00 -37.8
04/09/24	17:00:00 -37.9
04/09/24	17:30:00 -37.8
04/09/24	18:00:00 -37.8
04/09/24	18:30:00 -37.9
04/09/24	19:00:00 -37.8
04/09/24	19:30:00 -37.8
04/09/24	20:00:00 -37.9
04/09/24	20:30:00 -37.8
04/09/24	21:00:00 -37.8
04/09/24	21:30:00 -37.8



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
04/09/24 22:00:00	-37.8
04/09/24 22:30:00	-37.9
04/09/24 23:00:00	-37.8
04/09/24 23:30:00	-37.8
05/09/24 00:00:00	-37.9
05/09/24 00:30:00	-37.8
05/09/24 01:00:00	-37.7
05/09/24 01:30:00	-37.8
05/09/24 02:00:00	-37.8
05/09/24 02:30:00	-37.9
05/09/24 03:00:00	-37.9
05/09/24 03:30:00	-37.9
05/09/24 04:00:00	-37.9
05/09/24 04:30:00	-37.8
05/09/24 05:00:00	-37.9
05/09/24 05:30:00	-37.8
05/09/24 06:00:00	-37.8
05/09/24 06:30:00	-37.8
05/09/24 07:00:00	-37.8
05/09/24 07:30:00	-37.9
05/09/24 08:00:00	-37.8
05/09/24 08:30:00	-37.8
05/09/24 09:00:00	-37.8
05/09/24 09:30:00	-37.8
05/09/24 10:00:00	-37.8
05/09/24 10:30:00	-37.9
05/09/24 11:00:00	-37.9
05/09/24 11:29:12	-37.8
05/09/24 11:30:00	-37.9
05/09/24 12:00:00	-37.7
05/09/24 12:30:00	-37.8
05/09/24 13:00:00	-37.8
05/09/24 13:30:00	-37.7
05/09/24 14:00:00	-37.7
05/09/24 14:30:00	-37.8
05/09/24 15:00:00	-37.8
05/09/24 15:30:00	-37.8
05/09/24 16:00:00	-37.8
05/09/24 16:30:00	-37.8
05/09/24 17:00:00	-37.8
05/09/24 17:30:00	-37.9
05/09/24 18:00:00	-37.8
05/09/24 18:30:00	-37.8
05/09/24 19:00:00	-37.8
05/09/24 19:30:00	-37.8
05/09/24 20:00:00	-37.9
05/09/24 20:30:00	-37.8
05/09/24 21:00:00	-37.8
05/09/24 21:30:00	-37.8
05/09/24 22:00:00	-37.8



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
05/09/24 22:30:00	-37.9
05/09/24 23:00:00	-37.8
05/09/24 23:30:00	-37.8
06/09/24 00:00:00	-37.8
06/09/24 00:30:00	-37.8
06/09/24 01:00:00	-37.9
06/09/24 01:30:00	-37.9
06/09/24 02:00:00	-37.8
06/09/24 02:30:00	-37.9
06/09/24 03:00:00	-37.9
06/09/24 03:30:00	-37.9
06/09/24 04:00:00	-37.8
06/09/24 04:30:00	-37.8
06/09/24 05:00:00	-37.8
06/09/24 05:30:00	-37.8
06/09/24 06:00:00	-37.8
06/09/24 06:30:00	-37.9
06/09/24 07:00:00	-37.9
06/09/24 07:30:00	-37.8
06/09/24 08:00:00	-37.8
06/09/24 08:30:00	-37.9
06/09/24 09:00:00	-37.8
06/09/24 09:30:00	-37.8
06/09/24 10:00:00	-37.8
06/09/24 10:30:00	-37.8
06/09/24 11:00:00	-37.9
06/09/24 11:30:00	-37.8
06/09/24 12:00:00	-37.8
06/09/24 12:30:00	-37.8
06/09/24 13:00:00	-37.8
06/09/24 13:30:00	-37.9
06/09/24 14:00:00	-37.8
06/09/24 14:30:00	-37.9
06/09/24 15:00:00	-37.8
06/09/24 15:30:00	-37.8
06/09/24 16:00:00	-37.8
06/09/24 16:30:00	-37.8
06/09/24 17:00:00	-37.7
06/09/24 17:30:00	-37.9
06/09/24 18:00:00	-37.8
06/09/24 18:30:00	-37.8
06/09/24 19:00:00	-37.9
06/09/24 19:30:00	-37.9
06/09/24 20:00:00	-37.9
06/09/24 20:30:00	-37.8
06/09/24 21:00:00	-37.8
06/09/24 21:30:00	-37.9
06/09/24 22:00:00	-37.8
06/09/24 22:30:00	-37.9
06/09/24 23:00:00	-37.8



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
06/09/24	23:30:00 -37.9
07/09/24	00:00:00 -37.8
07/09/24	00:30:00 -37.8
07/09/24	01:00:00 -37.9
07/09/24	01:30:00 -37.9
07/09/24	02:00:00 -37.8
07/09/24	02:30:00 -37.8
07/09/24	03:00:00 -37.9
07/09/24	03:30:00 -37.9
07/09/24	04:00:00 -37.9
07/09/24	04:30:00 -37.8
07/09/24	05:00:00 -37.8
07/09/24	05:30:00 -37.9
07/09/24	06:00:00 -37.8
07/09/24	06:30:00 -37.8
07/09/24	07:00:00 -37.9
07/09/24	07:30:00 -37.9
07/09/24	08:00:00 -37.9
07/09/24	08:30:00 -37.8
07/09/24	09:00:00 -37.9
07/09/24	09:30:00 -37.8
07/09/24	10:00:00 -37.8
07/09/24	10:30:00 -37.9
07/09/24	11:00:00 -37.8
07/09/24	11:30:00 -37.9
07/09/24	12:00:00 -37.9
07/09/24	12:30:00 -37.8
07/09/24	13:00:00 -37.9
07/09/24	13:30:00 -37.8
07/09/24	14:00:00 -37.9
07/09/24	14:30:00 -37.8
07/09/24	15:00:00 -37.8
07/09/24	15:30:00 -37.9
07/09/24	16:00:00 -37.8
07/09/24	16:30:00 -37.9
07/09/24	17:00:00 -37.8
07/09/24	17:30:00 -37.8
07/09/24	18:00:00 -37.9
07/09/24	18:30:00 -37.8
07/09/24	19:00:00 -37.8
07/09/24	19:30:00 -37.8
07/09/24	20:00:00 -37.8
07/09/24	20:30:00 -37.9
07/09/24	21:00:00 -37.9
07/09/24	21:30:00 -37.8
07/09/24	22:00:00 -37.9
07/09/24	22:30:00 -37.9
07/09/24	23:00:00 -37.9
07/09/24	23:30:00 -37.8
08/09/24	00:00:00 -37.9



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
08/09/24 00:30:00	-37.8
08/09/24 01:00:00	-37.8
08/09/24 01:30:00	-37.9
08/09/24 02:00:00	-37.8
08/09/24 02:30:00	-37.8
08/09/24 03:00:00	-37.9
08/09/24 03:30:00	-37.8
08/09/24 04:00:00	-37.8
08/09/24 04:30:00	-37.8
08/09/24 05:00:00	-37.9
08/09/24 05:30:00	-37.8
08/09/24 06:00:00	-37.9
08/09/24 06:30:00	-37.8
08/09/24 07:00:00	-37.9
08/09/24 07:30:00	-37.8
08/09/24 08:00:00	-37.8
08/09/24 08:30:00	-37.9
08/09/24 09:00:00	-37.9
08/09/24 09:30:00	-37.8
08/09/24 10:00:00	-37.9
08/09/24 10:30:00	-37.9
08/09/24 11:00:00	-37.9
08/09/24 11:30:00	-37.9
08/09/24 12:00:00	-37.9
08/09/24 12:30:00	-37.8
08/09/24 13:00:00	-37.9
08/09/24 13:30:00	-37.9
08/09/24 14:00:00	-37.8
08/09/24 14:30:00	-37.8
08/09/24 15:00:00	-37.8
08/09/24 15:30:00	-37.9
08/09/24 16:00:00	-37.7
08/09/24 16:30:00	-37.9
08/09/24 17:00:00	-37.8
08/09/24 17:30:00	-37.8
08/09/24 18:00:00	-37.8
08/09/24 18:30:00	-37.8
08/09/24 19:00:00	-37.8
08/09/24 19:30:00	-37.9
08/09/24 20:00:00	-37.9
08/09/24 20:30:00	-37.8
08/09/24 21:00:00	-37.8
08/09/24 21:30:00	-37.8
08/09/24 22:00:00	-37.8
08/09/24 22:30:00	-37.8
08/09/24 23:00:00	-37.8
08/09/24 23:30:00	-37.8
09/09/24 00:00:00	-37.9
09/09/24 00:30:00	-37.8
09/09/24 01:00:00	-37.9



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
09/09/24 01:30:00	-37.8
09/09/24 02:00:00	-37.9
09/09/24 02:30:00	-37.8
09/09/24 03:00:00	-37.8
09/09/24 03:30:00	-37.8
09/09/24 04:00:00	-37.8
09/09/24 04:30:00	-37.8
09/09/24 05:00:00	-37.8
09/09/24 05:30:00	-37.9
09/09/24 06:00:00	-37.9
09/09/24 06:30:00	-37.8
09/09/24 07:00:00	-37.8
09/09/24 07:30:00	-37.8
09/09/24 08:00:00	-37.8
09/09/24 08:30:00	-37.9
09/09/24 09:00:00	-37.8
09/09/24 09:30:00	-37.8
09/09/24 10:00:00	-37.8
09/09/24 10:30:00	-37.8
09/09/24 11:00:00	-37.8
09/09/24 11:30:00	-37.8
09/09/24 12:00:00	-37.8
09/09/24 12:30:00	-37.8
09/09/24 13:00:00	-37.8
09/09/24 13:30:00	-37.8
09/09/24 14:00:00	-37.8
09/09/24 14:30:00	-37.7
09/09/24 15:00:00	-37.7
09/09/24 15:30:00	-37.8
09/09/24 16:00:00	-37.8
09/09/24 16:30:00	-37.8
09/09/24 17:00:00	-37.8
09/09/24 17:30:00	-37.8
09/09/24 18:00:00	-37.8
09/09/24 18:30:00	-37.8
09/09/24 19:00:00	-37.8
09/09/24 19:30:00	-37.8
09/09/24 20:00:00	-37.8
09/09/24 20:30:00	-37.9
09/09/24 21:00:00	-37.8
09/09/24 21:30:00	-37.9
09/09/24 22:00:00	-37.9
09/09/24 22:30:00	-37.9
09/09/24 23:00:00	-37.8
09/09/24 23:30:00	-37.8
10/09/24 00:00:00	-37.8
10/09/24 00:30:00	-37.8
10/09/24 01:00:00	-37.8
10/09/24 01:30:00	-37.8
10/09/24 02:00:00	-37.8



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
10/09/24 02:30:00	-37.8
10/09/24 03:00:00	-37.9
10/09/24 03:30:00	-37.8
10/09/24 04:00:00	-37.8
10/09/24 04:30:00	-37.8
10/09/24 05:00:00	-37.8
10/09/24 05:30:00	-37.9
10/09/24 06:00:00	-37.9
10/09/24 06:30:00	-37.9
10/09/24 07:00:00	-37.8
10/09/24 07:30:00	-37.8
10/09/24 08:00:00	-37.9
10/09/24 08:30:00	-37.9
10/09/24 09:00:00	-37.8
10/09/24 09:30:00	-37.7
10/09/24 10:00:00	-37.9
10/09/24 10:30:00	-37.8
10/09/24 11:00:00	-37.8
10/09/24 11:30:00	-37.8
10/09/24 12:00:00	-37.8
10/09/24 12:30:00	-37.8
10/09/24 13:00:00	-37.7
10/09/24 13:30:00	-37.8
10/09/24 14:00:00	-37.8
10/09/24 14:30:00	-37.9
10/09/24 15:00:00	-37.9
10/09/24 15:30:00	-37.8
10/09/24 16:00:00	-37.8
10/09/24 16:30:00	-37.8
10/09/24 17:00:00	-37.8
10/09/24 17:30:00	-37.9
10/09/24 18:00:00	-37.9
10/09/24 18:30:00	-37.8
10/09/24 19:00:00	-37.8
10/09/24 19:30:00	-37.9
10/09/24 20:00:00	-37.8
10/09/24 20:30:00	-37.8
10/09/24 21:00:00	-37.9
10/09/24 21:30:00	-37.8
10/09/24 22:00:00	-37.8
10/09/24 22:30:00	-37.8
10/09/24 23:00:00	-37.9
10/09/24 23:30:00	-37.8
11/09/24 00:00:00	-37.8
11/09/24 00:30:00	-37.9
11/09/24 01:00:00	-37.8
11/09/24 01:30:00	-37.9
11/09/24 02:00:00	-37.8
11/09/24 02:30:00	-37.9
11/09/24 03:00:00	-37.8



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
11/09/24 03:30:00	-37.9
11/09/24 04:00:00	-37.8
11/09/24 04:30:00	-37.9
11/09/24 05:00:00	-37.9
11/09/24 05:30:00	-37.9
11/09/24 06:00:00	-37.8
11/09/24 06:30:00	-37.9
11/09/24 07:00:00	-37.8
11/09/24 07:30:00	-37.9
11/09/24 08:00:00	-37.9
11/09/24 08:30:00	-37.9
11/09/24 09:00:00	-37.8
11/09/24 09:30:00	-37.8
11/09/24 10:00:00	-37.8
11/09/24 10:30:00	-37.8
11/09/24 11:00:00	-37.8
11/09/24 11:30:00	-37.9
11/09/24 12:00:00	-37.8
11/09/24 12:30:00	-37.8
11/09/24 13:00:00	-37.9
11/09/24 13:30:00	-37.8
11/09/24 14:00:00	-37.8
11/09/24 14:30:00	-37.8
11/09/24 15:00:00	-37.8
11/09/24 15:30:00	-37.8
11/09/24 16:00:00	-37.9
11/09/24 16:30:00	-37.8
11/09/24 17:00:00	-37.8
11/09/24 17:30:00	-37.9
11/09/24 18:00:00	-37.8
11/09/24 18:30:00	-37.8
11/09/24 19:00:00	-37.8
11/09/24 19:30:00	-37.9
11/09/24 20:00:00	-37.8
11/09/24 20:30:00	-37.9
11/09/24 21:00:00	-37.9
11/09/24 21:30:00	-37.9
11/09/24 22:00:00	-37.8
11/09/24 22:30:00	-37.9
11/09/24 23:00:00	-37.8
11/09/24 23:30:00	-37.8
12/09/24 00:00:00	-37.8
12/09/24 00:30:00	-37.8
12/09/24 01:00:00	-37.8
12/09/24 01:30:00	-37.8
12/09/24 02:00:00	-37.8
12/09/24 02:30:00	-37.9
12/09/24 03:00:00	-37.9
12/09/24 03:30:00	-37.9
12/09/24 04:00:00	-37.8



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
12/09/24 04:30:00	-37.9
12/09/24 05:00:00	-37.9
12/09/24 05:30:00	-37.8
12/09/24 06:00:00	-37.9
12/09/24 06:30:00	-37.8
12/09/24 07:00:00	-37.9
12/09/24 07:30:00	-37.8
12/09/24 08:00:00	-37.8
12/09/24 08:30:00	-37.9
12/09/24 09:00:00	-37.8
12/09/24 09:30:00	-37.9
12/09/24 10:00:00	-37.8
12/09/24 10:30:00	-37.8
12/09/24 11:00:00	-37.8
12/09/24 11:30:00	-37.9
12/09/24 12:00:00	-37.8
12/09/24 12:30:00	-37.8
12/09/24 13:00:00	-37.8
12/09/24 13:30:00	-37.9
12/09/24 14:00:00	-37.8
12/09/24 14:30:00	-37.8
12/09/24 15:00:00	-37.8
12/09/24 15:30:00	-37.8
12/09/24 16:00:00	-37.8
12/09/24 16:30:00	-37.9
12/09/24 17:00:00	-37.9
12/09/24 17:30:00	-37.9
12/09/24 18:00:00	-37.8
12/09/24 18:30:00	-37.8
12/09/24 19:00:00	-37.8
12/09/24 19:30:00	-37.8
12/09/24 20:00:00	-37.8
12/09/24 20:30:00	-37.9
12/09/24 21:00:00	-37.9
12/09/24 21:30:00	-37.8
12/09/24 22:00:00	-37.9
12/09/24 22:30:00	-37.8
12/09/24 23:00:00	-37.8
12/09/24 23:30:00	-37.9
13/09/24 00:00:00	-37.9
13/09/24 00:30:00	-37.8
13/09/24 01:00:00	-37.8
13/09/24 01:30:00	-37.9
13/09/24 02:00:00	-37.8
13/09/24 02:30:00	-37.9
13/09/24 03:00:00	-37.8
13/09/24 03:30:00	-37.9
13/09/24 04:00:00	-37.8
13/09/24 04:30:00	-37.8
13/09/24 05:00:00	-37.9



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
13/09/24 05:30:00	-37.9
13/09/24 06:00:00	-37.8
13/09/24 06:30:00	-37.8
13/09/24 07:00:00	-37.8
13/09/24 07:30:00	-37.8
13/09/24 08:00:00	-37.8
13/09/24 08:30:00	-37.8
13/09/24 09:00:00	-37.9
13/09/24 09:30:00	-37.8
13/09/24 10:00:00	-37.8
13/09/24 10:30:00	-37.8
13/09/24 11:00:00	-37.8
13/09/24 11:30:00	-37.8
13/09/24 12:00:00	-37.9
13/09/24 12:30:00	-37.8
13/09/24 13:00:00	-37.7
13/09/24 13:30:00	-37.8
13/09/24 14:00:00	-37.8
13/09/24 14:30:00	-37.8
13/09/24 15:00:00	-37.8
13/09/24 15:30:00	-37.8
13/09/24 16:00:00	-37.8
13/09/24 16:30:00	-37.8
13/09/24 17:00:00	-37.8
13/09/24 17:30:00	-37.8
13/09/24 18:00:00	-37.8
13/09/24 18:30:00	-37.8
13/09/24 19:00:00	-37.8
13/09/24 19:30:00	-37.8
13/09/24 20:00:00	-37.8
13/09/24 20:30:00	-37.8
13/09/24 21:00:00	-37.8
13/09/24 21:30:00	-37.8
13/09/24 22:00:00	-37.9
13/09/24 22:30:00	-37.8
13/09/24 23:00:00	-37.8
13/09/24 23:30:00	-37.8
14/09/24 00:00:00	-37.8
14/09/24 00:30:00	-37.8
14/09/24 01:00:00	-37.9
14/09/24 01:30:00	-37.8
14/09/24 02:00:00	-37.8
14/09/24 02:30:00	-37.8
14/09/24 03:00:00	-37.8
14/09/24 03:30:00	-37.9
14/09/24 04:00:00	-37.8
14/09/24 04:30:00	-37.9
14/09/24 05:00:00	-37.8
14/09/24 05:30:00	-37.8
14/09/24 06:00:00	-37.8



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
14/09/24	06:30:00 -37.8
14/09/24	07:00:00 -37.8
14/09/24	07:30:00 -37.9
14/09/24	08:00:00 -37.8
14/09/24	08:30:00 -37.9
14/09/24	09:00:00 -37.8
14/09/24	09:30:00 -37.8
14/09/24	10:00:00 -37.8
14/09/24	10:30:00 -37.8
14/09/24	11:00:00 -37.8
14/09/24	11:30:00 -37.8
14/09/24	12:00:00 -37.8
14/09/24	12:30:00 -37.8
14/09/24	13:00:00 -37.8
14/09/24	13:30:00 -37.9
14/09/24	14:00:00 -37.8
14/09/24	14:30:00 -37.8
14/09/24	15:00:00 -37.8
14/09/24	15:30:00 -37.8
14/09/24	16:00:00 -37.8
14/09/24	16:30:00 -37.8
14/09/24	17:00:00 -37.9
14/09/24	17:30:00 -37.8
14/09/24	18:00:00 -37.8
14/09/24	18:30:00 -37.9
14/09/24	19:00:00 -37.8
14/09/24	19:30:00 -37.8
14/09/24	20:00:00 -37.7
14/09/24	20:30:00 -37.9
14/09/24	21:00:00 -37.8
14/09/24	21:30:00 -37.8
14/09/24	22:00:00 -37.7
14/09/24	22:30:00 -37.8
14/09/24	23:00:00 -37.8
14/09/24	23:30:00 -37.9
15/09/24	00:00:00 -37.8
15/09/24	00:30:00 -37.8
15/09/24	01:00:00 -37.8
15/09/24	01:30:00 -37.8
15/09/24	02:00:00 -37.9
15/09/24	02:30:00 -37.8
15/09/24	03:00:00 -37.8
15/09/24	03:30:00 -37.8
15/09/24	04:00:00 -37.8
15/09/24	04:30:00 -37.8
15/09/24	05:00:00 -37.8
15/09/24	05:30:00 -37.8
15/09/24	06:00:00 -37.8
15/09/24	06:30:00 -37.8
15/09/24	07:00:00 -37.8



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
15/09/24	07:30:00 -37.8
15/09/24	08:00:00 -37.8
15/09/24	08:30:00 -37.8
15/09/24	09:00:00 -37.8
15/09/24	09:30:00 -37.9
15/09/24	10:00:00 -37.8
15/09/24	10:30:00 -37.8
15/09/24	11:00:00 -37.8
15/09/24	11:30:00 -37.8
15/09/24	12:00:00 -37.8
15/09/24	12:30:00 -37.8
15/09/24	13:00:00 -37.8
15/09/24	13:30:00 -37.8
15/09/24	14:00:00 -37.8
15/09/24	14:30:00 -37.8
15/09/24	15:00:00 -37.8
15/09/24	15:30:00 -37.8
15/09/24	16:00:00 -37.8
15/09/24	16:30:00 -37.9
15/09/24	17:00:00 -37.8
15/09/24	17:30:00 -37.8
15/09/24	18:00:00 -37.9
15/09/24	18:30:00 -37.8
15/09/24	19:00:00 -37.8
15/09/24	19:30:00 -37.8
15/09/24	20:00:00 -37.8
15/09/24	20:30:00 -37.8
15/09/24	21:00:00 -37.7
15/09/24	21:30:00 -37.8
15/09/24	22:00:00 -37.8
15/09/24	22:30:00 -37.8
15/09/24	23:00:00 -37.8
15/09/24	23:30:00 -37.8
16/09/24	00:00:00 -37.9
16/09/24	00:30:00 -37.8
16/09/24	01:00:00 -37.9
16/09/24	01:30:00 -37.8
16/09/24	02:00:00 -37.8
16/09/24	02:30:00 -37.8
16/09/24	03:00:00 -37.8
16/09/24	03:30:00 -37.8
16/09/24	04:00:00 -37.9
16/09/24	04:30:00 -37.8
16/09/24	05:00:00 -37.7
16/09/24	05:30:00 -37.8
16/09/24	06:00:00 -37.8
16/09/24	06:30:00 -37.8
16/09/24	07:00:00 -37.9
16/09/24	07:30:00 -37.9
16/09/24	08:00:00 -37.9



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]	
16/09/24	08:30:00	-37.8
16/09/24	09:00:00	-37.9
16/09/24	09:30:00	-37.9
16/09/24	10:00:00	-37.8
16/09/24	10:30:00	-37.8
16/09/24	11:00:00	-37.8
16/09/24	11:30:00	-37.8
16/09/24	12:00:00	-37.8
16/09/24	12:30:00	-37.8
16/09/24	13:00:00	-37.8
16/09/24	13:30:00	-37.8
16/09/24	14:00:00	-37.9
16/09/24	14:30:00	-37.8
16/09/24	15:00:00	-37.8
16/09/24	15:30:00	-37.9
16/09/24	16:00:00	-37.9
16/09/24	16:30:00	-37.8
16/09/24	17:00:00	-37.8
16/09/24	17:30:00	-37.8
16/09/24	18:00:00	-37.8
16/09/24	18:30:00	-37.8
16/09/24	19:00:00	-37.8
16/09/24	19:30:00	-37.8
16/09/24	20:00:00	-37.8
16/09/24	20:30:00	-37.8
16/09/24	21:00:00	-37.8
16/09/24	21:30:00	-37.9
16/09/24	22:00:00	-37.8
16/09/24	22:30:00	-37.8
16/09/24	23:00:00	-37.9
16/09/24	23:30:00	-37.8
17/09/24	00:00:00	-37.9
17/09/24	00:30:00	-37.9
17/09/24	01:00:00	-37.8
17/09/24	01:30:00	-37.8
17/09/24	02:00:00	-37.8
17/09/24	02:30:00	-37.8
17/09/24	03:00:00	-37.8
17/09/24	03:30:00	-37.8
17/09/24	04:00:00	-37.8
17/09/24	04:30:00	-37.9
17/09/24	05:00:00	-37.8
17/09/24	05:30:00	-37.8
17/09/24	06:00:00	-37.8
17/09/24	06:30:00	-37.8
17/09/24	07:00:00	-37.8
17/09/24	07:30:00	-37.9
17/09/24	08:00:00	-37.8
17/09/24	08:30:00	-37.8
17/09/24	09:00:00	-37.8



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
17/09/24	09:30:00 -37.8
17/09/24	10:00:00 -37.9
17/09/24	10:30:00 -37.8
17/09/24	11:00:00 -37.8
17/09/24	11:30:00 -37.8
17/09/24	12:00:00 -37.8
17/09/24	12:30:00 -37.8
17/09/24	13:00:00 -37.8
17/09/24	13:30:00 -37.9
17/09/24	14:00:00 -37.8
17/09/24	14:30:00 -37.8
17/09/24	15:00:00 -37.8
17/09/24	15:30:00 -37.9
17/09/24	16:00:00 -37.8
17/09/24	16:30:00 -37.8
17/09/24	17:00:00 -37.7
17/09/24	17:30:00 -37.8
17/09/24	18:00:00 -37.8
17/09/24	18:30:00 -37.8
17/09/24	19:00:00 -37.8
17/09/24	19:30:00 -37.8
17/09/24	20:00:00 -37.8
17/09/24	20:30:00 -37.8
17/09/24	21:00:00 -37.8
17/09/24	21:30:00 -37.8
17/09/24	22:00:00 -37.8
17/09/24	22:30:00 -37.8
17/09/24	23:00:00 -37.8
17/09/24	23:30:00 -37.9
18/09/24	00:00:00 -37.8
18/09/24	00:30:00 -37.9
18/09/24	01:00:00 -37.8
18/09/24	01:30:00 -37.8
18/09/24	02:00:00 -37.8
18/09/24	02:30:00 -37.8
18/09/24	03:00:00 -37.8
18/09/24	03:30:00 -37.8
18/09/24	04:00:00 -37.8
18/09/24	04:30:00 -37.8
18/09/24	05:00:00 -37.8
18/09/24	05:30:00 -37.8
18/09/24	06:00:00 -37.8
18/09/24	06:30:00 -37.8
18/09/24	07:00:00 -37.8
18/09/24	07:30:00 -37.8
18/09/24	08:00:00 -37.8
18/09/24	08:30:00 -37.8
18/09/24	09:00:00 -37.8
18/09/24	09:30:00 -37.8
18/09/24	10:00:00 -37.7



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
18/09/24	10:30:00 -37.8
18/09/24	11:00:00 -37.8
18/09/24	11:30:00 -37.8
18/09/24	12:00:00 -37.8
18/09/24	12:30:00 -37.8
18/09/24	13:00:00 -37.8
18/09/24	13:30:00 -37.8
18/09/24	14:00:00 -37.8
18/09/24	14:30:00 -37.8
18/09/24	15:00:00 -37.8
18/09/24	15:30:00 -37.9
18/09/24	16:00:00 -37.8
18/09/24	16:30:00 -37.8
18/09/24	17:00:00 -37.8
18/09/24	17:30:00 -37.7
18/09/24	18:00:00 -37.8
18/09/24	18:30:00 -37.8
18/09/24	19:00:00 -37.8
18/09/24	19:30:00 -37.9
18/09/24	20:00:00 -37.8
18/09/24	20:30:00 -37.8
18/09/24	21:00:00 -37.8
18/09/24	21:30:00 -37.8
18/09/24	22:00:00 -37.8
18/09/24	22:30:00 -37.8
18/09/24	23:00:00 -37.8
18/09/24	23:30:00 -37.8
19/09/24	00:00:00 -37.8
19/09/24	00:30:00 -37.8
19/09/24	01:00:00 -37.8
19/09/24	01:30:00 -37.8
19/09/24	02:00:00 -37.8
19/09/24	02:30:00 -37.8
19/09/24	03:00:00 -37.8
19/09/24	03:30:00 -37.8
19/09/24	04:00:00 -37.8
19/09/24	04:30:00 -37.8
19/09/24	05:00:00 -37.8
19/09/24	05:30:00 -37.9
19/09/24	06:00:00 -37.8
19/09/24	06:30:00 -37.9
19/09/24	07:00:00 -37.8
19/09/24	07:30:00 -37.8
19/09/24	08:00:00 -37.8
19/09/24	08:30:00 -37.8
19/09/24	09:00:00 -37.8
19/09/24	09:30:00 -37.8
19/09/24	10:00:00 -37.8
19/09/24	10:30:00 -37.8
19/09/24	11:00:00 -37.8



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
19/09/24	11:30:00 -37.8
19/09/24	12:00:00 -37.7
19/09/24	12:30:00 -37.8
19/09/24	13:00:00 -37.8
19/09/24	13:30:00 -37.8
19/09/24	14:00:00 -37.8
19/09/24	14:30:00 -37.8
19/09/24	15:00:00 -37.8
19/09/24	15:30:00 -37.8
19/09/24	16:00:00 -37.8
19/09/24	16:30:00 -37.8
19/09/24	17:00:00 -37.8
19/09/24	17:30:00 -37.8
19/09/24	18:00:00 -37.8
19/09/24	18:30:00 -37.8
19/09/24	19:00:00 -37.8
19/09/24	19:30:00 -37.9
19/09/24	20:00:00 -37.8
19/09/24	20:30:00 -37.8
19/09/24	21:00:00 -37.8
19/09/24	21:30:00 -37.8
19/09/24	22:00:00 -37.8
19/09/24	22:30:00 -37.8
19/09/24	23:00:00 -37.9
19/09/24	23:30:00 -37.8
20/09/24	00:00:00 -37.9
20/09/24	00:30:00 -37.8
20/09/24	01:00:00 -37.8
20/09/24	01:30:00 -37.9
20/09/24	02:00:00 -37.7
20/09/24	02:30:00 -37.8
20/09/24	03:00:00 -37.9
20/09/24	03:30:00 -37.9
20/09/24	04:00:00 -37.8
20/09/24	04:30:00 -37.8
20/09/24	05:00:00 -37.8
20/09/24	05:30:00 -37.8
20/09/24	06:00:00 -37.8
20/09/24	06:30:00 -37.8
20/09/24	07:00:00 -37.8
20/09/24	07:30:00 -37.8
20/09/24	08:00:00 -37.8
20/09/24	08:30:00 -37.8
20/09/24	09:00:00 -37.8
20/09/24	09:30:00 -37.8
20/09/24	10:00:00 -37.8
20/09/24	10:30:00 -37.7
20/09/24	11:00:00 -37.7
20/09/24	11:30:00 -37.8
20/09/24	12:00:00 -37.8



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
20/09/24	12:30:00 -37.7
20/09/24	13:00:00 -37.8
20/09/24	13:30:00 -37.8
20/09/24	14:00:00 -37.8
20/09/24	14:30:00 -37.7
20/09/24	15:00:00 -37.8
20/09/24	15:30:00 -37.8
20/09/24	16:00:00 -37.8
20/09/24	16:30:00 -37.9
20/09/24	17:00:00 -37.7
20/09/24	17:30:00 -37.8
20/09/24	18:00:00 -37.8
20/09/24	18:30:00 -37.8
20/09/24	19:00:00 -37.8
20/09/24	19:30:00 -37.8
20/09/24	20:00:00 -37.8
20/09/24	20:30:00 -37.9
20/09/24	21:00:00 -37.8
20/09/24	21:30:00 -37.8
20/09/24	22:00:00 -37.8
20/09/24	22:30:00 -37.9
20/09/24	23:00:00 -37.8
20/09/24	23:30:00 -37.8
21/09/24	00:00:00 -37.8
21/09/24	00:30:00 -37.8
21/09/24	01:00:00 -37.8
21/09/24	01:30:00 -37.8
21/09/24	02:00:00 -37.8
21/09/24	02:30:00 -37.8
21/09/24	03:00:00 -37.9
21/09/24	03:30:00 -37.7
21/09/24	04:00:00 -37.8
21/09/24	04:30:00 -37.8
21/09/24	05:00:00 -37.8
21/09/24	05:30:00 -37.9
21/09/24	06:00:00 -37.9
21/09/24	06:30:00 -37.9
21/09/24	07:00:00 -37.8
21/09/24	07:30:00 -37.8
21/09/24	08:00:00 -37.9
21/09/24	08:30:00 -37.8
21/09/24	09:00:00 -37.8
21/09/24	09:30:00 -37.8
21/09/24	10:00:00 -37.8
21/09/24	10:30:00 -37.8
21/09/24	11:00:00 -37.9
21/09/24	11:30:00 -37.8
21/09/24	12:00:00 -37.8
21/09/24	12:30:00 -37.8
21/09/24	13:00:00 -37.8



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
21/09/24	13:30:00 -37.8
21/09/24	14:00:00 -37.8
21/09/24	14:30:00 -37.8
21/09/24	15:00:00 -37.8
21/09/24	15:30:00 -37.8
21/09/24	16:00:00 -37.9
21/09/24	16:30:00 -37.8
21/09/24	17:00:00 -37.8
21/09/24	17:30:00 -37.9
21/09/24	18:00:00 -37.8
21/09/24	18:30:00 -37.8
21/09/24	19:00:00 -37.9
21/09/24	19:30:00 -37.8
21/09/24	20:00:00 -37.8
21/09/24	20:30:00 -37.8
21/09/24	21:00:00 -37.9
21/09/24	21:30:00 -37.8
21/09/24	22:00:00 -37.8
21/09/24	22:30:00 -37.9
21/09/24	23:00:00 -37.8
21/09/24	23:30:00 -37.8
22/09/24	00:00:00 -37.8
22/09/24	00:30:00 -37.8
22/09/24	01:00:00 -37.8
22/09/24	01:30:00 -37.9
22/09/24	02:00:00 -37.8
22/09/24	02:30:00 -37.9
22/09/24	03:00:00 -37.8
22/09/24	03:30:00 -37.9
22/09/24	04:00:00 -37.8
22/09/24	04:30:00 -37.8
22/09/24	05:00:00 -37.8
22/09/24	05:30:00 -37.8
22/09/24	06:00:00 -37.8
22/09/24	06:30:00 -37.9
22/09/24	07:00:00 -37.8
22/09/24	07:30:00 -37.9
22/09/24	08:00:00 -37.8
22/09/24	08:30:00 -37.8
22/09/24	09:00:00 -37.9
22/09/24	09:30:00 -37.9
22/09/24	10:00:00 -37.8
22/09/24	10:30:00 -37.8
22/09/24	11:00:00 -37.9
22/09/24	11:30:00 -37.9
22/09/24	12:00:00 -37.9
22/09/24	12:30:00 -37.8
22/09/24	13:00:00 -37.8
22/09/24	13:30:00 -37.8
22/09/24	14:00:00 -37.8



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
22/09/24	14:30:00 -37.9
22/09/24	15:00:00 -37.8
22/09/24	15:30:00 -37.8
22/09/24	16:00:00 -37.9
22/09/24	16:30:00 -37.8
22/09/24	17:00:00 -37.9
22/09/24	17:30:00 -37.8
22/09/24	18:00:00 -37.8
22/09/24	18:30:00 -37.8
22/09/24	19:00:00 -37.8
22/09/24	19:30:00 -37.9
22/09/24	20:00:00 -37.9
22/09/24	20:30:00 -37.9
22/09/24	21:00:00 -37.8
22/09/24	21:30:00 -37.9
22/09/24	22:00:00 -37.8
22/09/24	22:30:00 -37.8
22/09/24	23:00:00 -37.9
22/09/24	23:30:00 -37.9
23/09/24	00:00:00 -37.9
23/09/24	00:30:00 -37.8
23/09/24	01:00:00 -37.9
23/09/24	01:30:00 -37.8
23/09/24	02:00:00 -37.9
23/09/24	02:30:00 -37.8
23/09/24	03:00:00 -37.8
23/09/24	03:30:00 -37.9
23/09/24	04:00:00 -37.9
23/09/24	04:30:00 -37.9
23/09/24	05:00:00 -37.8
23/09/24	05:30:00 -37.8
23/09/24	06:00:00 -37.9
23/09/24	06:30:00 -37.9
23/09/24	07:00:00 -37.9
23/09/24	07:30:00 -37.9
23/09/24	08:00:00 -37.8
23/09/24	08:30:00 -37.9
23/09/24	09:00:00 -37.9
23/09/24	09:30:00 -37.8
23/09/24	10:00:00 -37.9
23/09/24	10:30:00 -37.9
23/09/24	11:00:00 -37.6
23/09/24	11:30:00 -37.6
23/09/24	12:00:00 -37.7
23/09/24	12:30:00 -37.8
23/09/24	13:00:00 -37.9
23/09/24	13:30:00 -37.9
23/09/24	14:00:00 -37.9
23/09/24	14:30:00 -37.9
23/09/24	15:00:00 -37.9



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
23/09/24 15:30:00	-37.9
23/09/24 16:00:00	-37.9
23/09/24 16:30:00	-37.8
23/09/24 17:00:00	-37.8
23/09/24 17:30:00	-37.9
23/09/24 18:00:00	-37.8
23/09/24 18:30:00	-37.8
23/09/24 19:00:00	-37.9
23/09/24 19:30:00	-37.9
23/09/24 20:00:00	-37.9
23/09/24 20:30:00	-37.9
23/09/24 21:00:00	-37.9
23/09/24 21:30:00	-37.8
23/09/24 22:00:00	-37.9
23/09/24 22:30:00	-37.9
23/09/24 23:00:00	-37.9
23/09/24 23:30:00	-37.9
24/09/24 00:00:00	-37.9
24/09/24 00:30:00	-37.9
24/09/24 01:00:00	-37.9
24/09/24 01:30:00	-37.9
24/09/24 02:00:00	-37.9
24/09/24 02:30:00	-37.8
24/09/24 03:00:00	-37.9
24/09/24 03:30:00	-37.8
24/09/24 04:00:00	-37.8
24/09/24 04:30:00	-37.9
24/09/24 05:00:00	-37.9
24/09/24 05:30:00	-37.9
24/09/24 06:00:00	-37.9
24/09/24 06:30:00	-37.9
24/09/24 07:00:00	-37.9
24/09/24 07:30:00	-37.9
24/09/24 08:00:00	-37.9
24/09/24 08:30:00	-37.9
24/09/24 09:00:00	-37.9
24/09/24 09:30:00	-37.9
24/09/24 10:00:00	-37.8
24/09/24 10:30:00	-37.7
24/09/24 11:00:00	-37.9
24/09/24 11:30:00	-37.9
24/09/24 12:00:00	-37.9
24/09/24 12:30:00	-37.9
24/09/24 13:00:00	-37.8
24/09/24 13:30:00	-37.9
24/09/24 14:00:00	-37.9
24/09/24 14:30:00	-37.8
24/09/24 15:00:00	-37.8
24/09/24 15:30:00	-37.8
24/09/24 16:00:00	-37.9



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
24/09/24	16:30:00 -37.8
24/09/24	17:00:00 -37.8
24/09/24	17:30:00 -37.8
24/09/24	18:00:00 -37.9
24/09/24	18:30:00 -37.9
24/09/24	19:00:00 -37.8
24/09/24	19:30:00 -37.9
24/09/24	20:00:00 -37.9
24/09/24	20:30:00 -37.9
24/09/24	21:00:00 -37.8
24/09/24	21:30:00 -37.8
24/09/24	22:00:00 -37.9
24/09/24	22:30:00 -37.9
24/09/24	23:00:00 -37.9
24/09/24	23:30:00 -37.9
25/09/24	00:00:00 -37.9
25/09/24	00:30:00 -37.9
25/09/24	01:00:00 -37.9
25/09/24	01:30:00 -37.9
25/09/24	02:00:00 -37.8
25/09/24	02:30:00 -37.9
25/09/24	03:00:00 -37.8
25/09/24	03:30:00 -37.9
25/09/24	04:00:00 -37.9
25/09/24	04:30:00 -37.9
25/09/24	05:00:00 -37.9
25/09/24	05:30:00 -37.9
25/09/24	06:00:00 -37.9
25/09/24	06:30:00 -37.8
25/09/24	07:00:00 -37.9
25/09/24	07:30:00 -37.9
25/09/24	08:00:00 -37.9
25/09/24	08:30:00 -37.8
25/09/24	09:00:00 -37.9
25/09/24	09:30:00 -37.8
25/09/24	10:00:00 -37.7
25/09/24	10:30:00 -37.7
25/09/24	11:00:00 -37.8
25/09/24	11:30:00 -37.8
25/09/24	12:00:00 -37.7
25/09/24	12:30:00 -37.7
25/09/24	13:00:00 -37.7
25/09/24	13:30:00 -37.7
25/09/24	14:00:00 -37.7
25/09/24	14:30:00 -37.7
25/09/24	15:00:00 -37.8
25/09/24	15:30:00 -37.7
25/09/24	16:00:00 -37.8
25/09/24	16:30:00 -37.7
25/09/24	17:00:00 -37.7



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
25/09/24 17:30:00	-37.7
25/09/24 18:00:00	-37.7
25/09/24 18:30:00	-37.7
25/09/24 19:00:00	-37.7
25/09/24 19:30:00	-37.7
25/09/24 20:00:00	-37.7
25/09/24 20:30:00	-37.8
25/09/24 21:00:00	-37.7
25/09/24 21:30:00	-37.7
25/09/24 22:00:00	-37.8
25/09/24 22:30:00	-37.7
25/09/24 23:00:00	-37.7
25/09/24 23:30:00	-37.7
26/09/24 00:00:00	-37.8
26/09/24 00:30:00	-37.7
26/09/24 01:00:00	-37.8
26/09/24 01:30:00	-37.7
26/09/24 02:00:00	-37.7
26/09/24 02:30:00	-37.7
26/09/24 03:00:00	-37.8
26/09/24 03:30:00	-37.7
26/09/24 04:00:00	-37.7
26/09/24 04:30:00	-37.8
26/09/24 05:00:00	-37.7
26/09/24 05:30:00	-37.7
26/09/24 06:00:00	-37.7
26/09/24 06:30:00	-37.7
26/09/24 07:00:00	-37.7
26/09/24 07:30:00	-37.7
26/09/24 08:00:00	-37.7
26/09/24 08:30:00	-37.7
26/09/24 09:00:00	-37.7
26/09/24 09:30:00	-37.8
26/09/24 10:00:00	-37.7
26/09/24 10:30:00	-37.7
26/09/24 11:00:00	-37.7
26/09/24 11:30:00	-37.6
26/09/24 12:00:00	-37.7
26/09/24 12:30:00	-37.7
26/09/24 13:00:00	-37.7
26/09/24 13:30:00	-37.7
26/09/24 14:00:00	-37.7
26/09/24 14:30:00	-37.7
26/09/24 15:00:00	-37.7
26/09/24 15:30:00	-37.8
26/09/24 16:00:00	-37.7
26/09/24 16:30:00	-37.7
26/09/24 17:00:00	-37.7
26/09/24 17:30:00	-37.7
26/09/24 18:00:00	-37.7



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
26/09/24	18:30:00 -37.7
26/09/24	19:00:00 -37.7
26/09/24	19:30:00 -37.7
26/09/24	20:00:00 -37.7
26/09/24	20:30:00 -37.7
26/09/24	21:00:00 -37.7
26/09/24	21:30:00 -37.7
26/09/24	22:00:00 -37.7
26/09/24	22:30:00 -37.7
26/09/24	23:00:00 -37.7
26/09/24	23:30:00 -37.8
27/09/24	00:00:00 -37.7
27/09/24	00:30:00 -37.7
27/09/24	01:00:00 -37.7
27/09/24	01:30:00 -37.7
27/09/24	02:00:00 -37.7
27/09/24	02:30:00 -37.7
27/09/24	03:00:00 -37.7
27/09/24	03:30:00 -37.7
27/09/24	04:00:00 -37.7
27/09/24	04:30:00 -37.8
27/09/24	05:00:00 -37.7
27/09/24	05:30:00 -37.8
27/09/24	06:00:00 -37.7
27/09/24	06:30:00 -37.8
27/09/24	07:00:00 -37.7
27/09/24	07:30:00 -37.8
27/09/24	08:00:00 -37.7
27/09/24	08:30:00 -37.7
27/09/24	09:00:00 -37.7
27/09/24	09:30:00 -37.7
27/09/24	10:00:00 -37.7
27/09/24	10:30:00 -37.7
27/09/24	11:00:00 -37.7
27/09/24	11:30:00 -37.6
27/09/24	12:00:00 -37.7
27/09/24	12:30:00 -37.6
27/09/24	13:00:00 -37.7
27/09/24	13:30:00 -37.6
27/09/24	14:00:00 -37.7
27/09/24	14:30:00 -37.7
27/09/24	15:00:00 -37.7
27/09/24	15:30:00 -37.7
27/09/24	16:00:00 -37.7
27/09/24	16:30:00 -37.7
27/09/24	17:00:00 -37.7
27/09/24	17:30:00 -37.7
27/09/24	18:00:00 -37.7
27/09/24	18:30:00 -37.8
27/09/24	19:00:00 -37.7



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
27/09/24	19:30:00 -37.7
27/09/24	20:00:00 -37.7
27/09/24	20:30:00 -37.8
27/09/24	21:00:00 -37.7
27/09/24	21:30:00 -37.7
27/09/24	22:00:00 -37.8
27/09/24	22:30:00 -37.7
27/09/24	23:00:00 -37.7
27/09/24	23:30:00 -37.7
28/09/24	00:00:00 -37.7
28/09/24	00:30:00 -37.8
28/09/24	01:00:00 -37.8
28/09/24	01:30:00 -37.7
28/09/24	02:00:00 -37.7
28/09/24	02:30:00 -37.7
28/09/24	03:00:00 -37.7
28/09/24	03:30:00 -37.8
28/09/24	04:00:00 -37.7
28/09/24	04:30:00 -37.7
28/09/24	05:00:00 -37.7
28/09/24	05:30:00 -37.8
28/09/24	06:00:00 -37.7
28/09/24	06:30:00 -37.7
28/09/24	07:00:00 -37.7
28/09/24	07:30:00 -37.7
28/09/24	08:00:00 -37.8
28/09/24	08:30:00 -37.7
28/09/24	09:00:00 -37.8
28/09/24	09:30:00 -37.8
28/09/24	10:00:00 -37.8
28/09/24	10:30:00 -37.7
28/09/24	11:00:00 -37.7
28/09/24	11:30:00 -37.8
28/09/24	12:00:00 -37.7
28/09/24	12:30:00 -37.7
28/09/24	13:00:00 -37.7
28/09/24	13:30:00 -37.8
28/09/24	14:00:00 -37.7
28/09/24	14:30:00 -37.8
28/09/24	15:00:00 -37.7
28/09/24	15:30:00 -37.7
28/09/24	16:00:00 -37.7
28/09/24	16:30:00 -37.8
28/09/24	17:00:00 -37.7
28/09/24	17:30:00 -37.8
28/09/24	18:00:00 -37.8
28/09/24	18:30:00 -37.8
28/09/24	19:00:00 -37.7
28/09/24	19:30:00 -37.7
28/09/24	20:00:00 -37.7



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
28/09/24	20:30:00 -37.8
28/09/24	21:00:00 -37.7
28/09/24	21:30:00 -37.8
28/09/24	22:00:00 -37.8
28/09/24	22:30:00 -37.8
28/09/24	23:00:00 -37.8
28/09/24	23:30:00 -37.7
29/09/24	00:00:00 -37.7
29/09/24	00:30:00 -37.8
29/09/24	01:00:00 -37.8
29/09/24	01:30:00 -37.8
29/09/24	02:00:00 -37.7
29/09/24	02:30:00 -37.7
29/09/24	03:00:00 -37.7
29/09/24	03:30:00 -37.8
29/09/24	04:00:00 -37.7
29/09/24	04:30:00 -37.7
29/09/24	05:00:00 -37.8
29/09/24	05:30:00 -37.7
29/09/24	06:00:00 -37.7
29/09/24	06:30:00 -37.7
29/09/24	07:00:00 -37.7
29/09/24	07:30:00 -37.7
29/09/24	08:00:00 -37.7
29/09/24	08:30:00 -37.8
29/09/24	09:00:00 -37.7
29/09/24	09:30:00 -37.7
29/09/24	10:00:00 -37.8
29/09/24	10:30:00 -37.7
29/09/24	11:00:00 -37.7
29/09/24	11:30:00 -37.7
29/09/24	12:00:00 -37.8
29/09/24	12:30:00 -37.7
29/09/24	13:00:00 -37.8
29/09/24	13:30:00 -37.8
29/09/24	14:00:00 -37.8
29/09/24	14:30:00 -37.7
29/09/24	15:00:00 -37.7
29/09/24	15:30:00 -37.7
29/09/24	16:00:00 -37.8
29/09/24	16:30:00 -37.8
29/09/24	17:00:00 -37.8
29/09/24	17:30:00 -37.7
29/09/24	18:00:00 -37.7
29/09/24	18:30:00 -37.8
29/09/24	19:00:00 -37.8
29/09/24	19:30:00 -37.7
29/09/24	20:00:00 -37.7
29/09/24	20:30:00 -37.8
29/09/24	21:00:00 -37.7



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
29/09/24	21:30:00 -37.8
29/09/24	22:00:00 -37.7
29/09/24	22:30:00 -37.7
29/09/24	23:00:00 -37.8
29/09/24	23:30:00 -37.7
30/09/24	00:00:00 -37.7
30/09/24	00:30:00 -37.7
30/09/24	01:00:00 -37.8
30/09/24	01:30:00 -37.7
30/09/24	02:00:00 -37.8
30/09/24	02:30:00 -37.7
30/09/24	03:00:00 -37.8
30/09/24	03:30:00 -37.7
30/09/24	04:00:00 -37.7
30/09/24	04:30:00 -37.7
30/09/24	05:00:00 -37.7
30/09/24	05:30:00 -37.8
30/09/24	06:00:00 -37.7
30/09/24	06:30:00 -37.7
30/09/24	07:00:00 -37.7
30/09/24	07:30:00 -37.8
30/09/24	08:00:00 -37.7
30/09/24	08:30:00 -37.8
30/09/24	09:00:00 -37.7
30/09/24	09:30:00 -37.7
30/09/24	10:00:00 -37.7
30/09/24	10:30:00 -37.7
30/09/24	11:00:00 -37.7
30/09/24	11:30:00 -37.7
30/09/24	12:00:00 -37.6
30/09/24	12:30:00 -37.7
30/09/24	13:00:00 -37.7
30/09/24	13:30:00 -37.7
30/09/24	14:00:00 -37.7
30/09/24	14:30:00 -37.7
30/09/24	15:00:00 -37.7
30/09/24	15:30:00 -37.6
30/09/24	16:00:00 -37.7
30/09/24	16:30:00 -37.7
30/09/24	17:00:00 -37.7
30/09/24	17:30:00 -37.7
30/09/24	18:00:00 -37.7
30/09/24	18:30:00 -37.6
30/09/24	19:00:00 -37.7
30/09/24	19:30:00 -37.7
30/09/24	20:00:00 -37.7
30/09/24	20:30:00 -37.7
30/09/24	21:00:00 -37.7
30/09/24	21:30:00 -37.8
30/09/24	22:00:00 -37.7



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/09/24 00:00:00 - 01/10/24 00:00:00

Date created 01/10/24 06:04:24

Created by Account Owner

위치		임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
30/09/24	22:30:00	-37.7
30/09/24	23:00:00	-37.7
30/09/24	23:30:00	-37.7
01/10/24	00:00:00	-37.7