

IP STORAGE TEMPERATURE LOG

Storage Subject	Description	Medical Freezer	Storage Space	냉동고3 (대여)
	Manufacturer	Global Cooling Inc.	Storage Period	2024.10
	Model Name	ULT-25NEU	Investigational Product	AMG133
	Serial Number	20050-00642	Temperature Range	-85~-30°C
	Date of Performance Qualification	2024.2.27	Setting Point	-38.0°C
	Date of PQ Due	2025.2.27	Note	>-24.4°C or <-85.5°C 즉시 이탈 보고
	PQ Certificate No.	FC24-0104-001		
Calibration Subject	Description	온라인데이터로거	Min/Max Record	기기로 Min/Max 확인방법 없으며, 온도이탈시 알람, 지난 온도기록 이후 알람 없음을 확인 후 진행(월별 Min/Max : 다운로드 기록지 2페이지에 표기)
	Manufacturer	TESTO		
	Model Name	Saveris2-T3		
	Serial Number	54704396		
	Sensor Channel	CH1	Alarm Range	<-39.5°C, >-30.0°C, 즉시
	Date of Calibration	2023.11.9	Alarm Method	Mail, SMS to Pharmacist
	Date of Calibration Due	2024.11.9	Alarm Clear	NA
	Certificate No.	SS-231108-0169		

Date	Time	Temperature(°C)			Verified by	Comment
		Min	Max	Current		
2024.10.01						국군의날, 임시공휴일
2024.10.02	P:30			-37.8	김영진	
2024.10.03						개천절
2024.10.04	P:30			-37.8	김영진	
2024.10.05						
2024.10.06						
2024.10.07	P:30			-37.7	김영진	
2024.10.08	P:30			-37.7	김영진	
2024.10.09						한글날
2024.10.10	P:30			-37.7	김영진	
2024.10.11	P:30			-37.7	김영진	
2024.10.12						
2024.10.13						
2024.10.14	P:30			-37.7	김영진	
2024.10.15	P:30			-39.3	김영진	
2024.10.16	P:30			-39.3	김영진	
2024.10.17	P:30			-39.2	김영진	
2024.10.18	P:30			-36.0	김영진	
2024.10.19						
2024.10.20						
2024.10.21	P:30			-36.7	김영진	
2024.10.22	P:30			-36.7	김영진	
2024.10.23	P:30			-36.7	김영진	
2024.10.24	P:30			-36.4	김영진	
2024.10.25	P:30			-36.4	김영진	
2024.10.26						
2024.10.27						
2024.10.28	P:30			-36.4	김영진	
2024.10.29	P:30			-36.4	김영진	
2024.10.30	P:30			-36.5	김영진	
2024.10.31	P:30			-36.4	김영진	

date of copying

동국대학교 일산병원 임상시험센터 약국

sign




임상시험약 보관장소(냉동 -85~-30°C) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner





임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

측정된 값

위치 측정 포인트 그룹 지역	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]	
하한 값		-39.5
상한 값		-30.0
평균 값		-37.4
최소 값		-39.8
최대 값		-36.0
01/10/24	00:00:00	-37.7
01/10/24	00:30:00	-37.7
01/10/24	01:00:00	-37.7
01/10/24	01:30:00	-37.7
01/10/24	02:00:00	-37.7
01/10/24	02:30:00	-37.8
01/10/24	03:00:00	-37.7
01/10/24	03:30:00	-37.7
01/10/24	04:00:00	-37.7
01/10/24	04:30:00	-37.7
01/10/24	05:00:00	-37.7
01/10/24	05:30:00	-37.8
01/10/24	06:00:00	-37.8
01/10/24	06:30:00	-37.7
01/10/24	07:00:00	-37.7
01/10/24	07:30:00	-37.7
01/10/24	08:00:00	-37.7
01/10/24	08:30:00	-37.7
01/10/24	09:00:00	-37.7
01/10/24	09:30:00	-37.7
01/10/24	10:00:00	-37.8
01/10/24	10:30:00	-37.7
01/10/24	11:00:00	-37.8
01/10/24	11:30:00	-37.7
01/10/24	12:00:00	-37.7
01/10/24	12:30:00	-37.8
01/10/24	13:00:00	-37.7
01/10/24	13:30:00	-37.7
01/10/24	14:00:00	-37.7
01/10/24	14:30:00	-37.7
01/10/24	15:00:00	-37.8
01/10/24	15:30:00	-37.7
01/10/24	16:00:00	-37.7
01/10/24	16:30:00	-37.7
01/10/24	17:00:00	-37.7
01/10/24	17:30:00	-37.7
01/10/24	18:00:00	-37.7
01/10/24	18:30:00	-37.8



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
01/10/24 19:00:00	-37.7
01/10/24 19:30:00	-37.8
01/10/24 20:00:00	-37.7
01/10/24 20:30:00	-37.8
01/10/24 21:00:00	-37.7
01/10/24 21:30:00	-37.8
01/10/24 22:00:00	-37.7
01/10/24 22:30:00	-37.7
01/10/24 23:00:00	-37.8
01/10/24 23:30:00	-37.7
02/10/24 00:00:00	-37.7
02/10/24 00:30:00	-37.7
02/10/24 01:00:00	-37.8
02/10/24 01:30:00	-37.7
02/10/24 02:00:00	-37.7
02/10/24 02:30:00	-37.7
02/10/24 03:00:00	-37.7
02/10/24 03:30:00	-37.7
02/10/24 04:00:00	-37.7
02/10/24 04:30:00	-37.8
02/10/24 05:00:00	-37.7
02/10/24 05:30:00	-37.8
02/10/24 06:00:00	-37.7
02/10/24 06:30:00	-37.7
02/10/24 07:00:00	-37.8
02/10/24 07:30:00	-37.7
02/10/24 08:00:00	-37.7
02/10/24 08:30:00	-37.8
02/10/24 09:00:00	-37.7
02/10/24 09:30:00	-37.7
02/10/24 10:00:00	-37.8
02/10/24 10:30:00	-37.7
02/10/24 11:00:00	-37.7
02/10/24 11:30:00	-37.7
02/10/24 12:00:00	-37.7
02/10/24 12:30:00	-37.7
02/10/24 13:00:00	-37.8
02/10/24 13:30:00	-37.8
02/10/24 14:00:00	-37.8
02/10/24 14:30:00	-37.8
02/10/24 15:00:00	-37.7
02/10/24 15:30:00	-37.7
02/10/24 16:00:00	-37.6
02/10/24 16:30:00	-37.7
02/10/24 17:00:00	-37.8
02/10/24 17:30:00	-37.8
02/10/24 18:00:00	-37.6
02/10/24 18:30:00	-37.8
02/10/24 19:00:00	-37.8
02/10/24 19:30:00	-37.7



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
02/10/24 20:00:00	-37.8
02/10/24 20:30:00	-37.8
02/10/24 21:00:00	-37.7
02/10/24 21:30:00	-37.7
02/10/24 22:00:00	-37.8
02/10/24 22:30:00	-37.7
02/10/24 23:00:00	-37.7
02/10/24 23:30:00	-37.9
03/10/24 00:00:00	-37.7
03/10/24 00:30:00	-37.8
03/10/24 01:00:00	-37.7
03/10/24 01:30:00	-37.8
03/10/24 02:00:00	-37.8
03/10/24 02:30:00	-37.7
03/10/24 03:00:00	-37.8
03/10/24 03:30:00	-37.8
03/10/24 04:00:00	-37.7
03/10/24 04:30:00	-37.9
03/10/24 05:00:00	-37.7
03/10/24 05:30:00	-37.8
03/10/24 06:00:00	-37.7
03/10/24 06:30:00	-37.7
03/10/24 07:00:00	-37.8
03/10/24 07:30:00	-37.8
03/10/24 08:00:00	-37.7
03/10/24 08:30:00	-37.8
03/10/24 09:00:00	-37.7
03/10/24 09:30:00	-37.8
03/10/24 10:00:00	-37.7
03/10/24 10:30:00	-37.8
03/10/24 11:00:00	-37.7
03/10/24 11:30:00	-37.7
03/10/24 12:00:00	-37.7
03/10/24 12:30:00	-37.7
03/10/24 13:00:00	-37.7
03/10/24 13:30:00	-37.8
03/10/24 14:00:00	-37.6
03/10/24 14:30:00	-37.7
03/10/24 15:00:00	-37.7
03/10/24 15:30:00	-37.8
03/10/24 16:00:00	-37.7
03/10/24 16:30:00	-37.8
03/10/24 17:00:00	-37.7
03/10/24 17:30:00	-37.7
03/10/24 18:00:00	-37.7
03/10/24 18:30:00	-37.8
03/10/24 19:00:00	-37.7
03/10/24 19:30:00	-37.8
03/10/24 20:00:00	-37.7
03/10/24 20:30:00	-37.7



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
03/10/24	21:00:00 -37.8
03/10/24	21:30:00 -37.8
03/10/24	22:00:00 -37.6
03/10/24	22:30:00 -37.8
03/10/24	23:00:00 -37.7
03/10/24	23:30:00 -37.6
04/10/24	00:00:00 -37.8
04/10/24	00:30:00 -37.8
04/10/24	01:00:00 -37.6
04/10/24	01:30:00 -37.7
04/10/24	02:00:00 -37.7
04/10/24	02:30:00 -37.7
04/10/24	03:00:00 -37.8
04/10/24	03:30:00 -37.8
04/10/24	04:00:00 -37.6
04/10/24	04:30:00 -37.8
04/10/24	05:00:00 -37.7
04/10/24	05:30:00 -37.6
04/10/24	06:00:00 -37.7
04/10/24	06:30:00 -37.6
04/10/24	07:00:00 -37.7
04/10/24	07:30:00 -37.8
04/10/24	08:00:00 -37.5
04/10/24	08:30:00 -37.6
04/10/24	09:00:00 -37.7
04/10/24	09:30:00 -37.8
04/10/24	10:00:00 -37.7
04/10/24	10:30:00 -37.7
04/10/24	11:00:00 -37.7
04/10/24	11:30:00 -37.7
04/10/24	12:00:00 -37.7
04/10/24	12:30:00 -37.7
04/10/24	13:00:00 -37.7
04/10/24	13:30:00 -37.7
04/10/24	14:00:00 -37.7
04/10/24	14:30:00 -37.7
04/10/24	15:00:00 -37.7
04/10/24	15:30:00 -37.7
04/10/24	16:00:00 -37.6
04/10/24	16:30:00 -37.7
04/10/24	17:00:00 -37.7
04/10/24	17:30:00 -37.7
04/10/24	18:00:00 -37.7
04/10/24	18:30:00 -37.7
04/10/24	19:00:00 -37.7
04/10/24	19:30:00 -37.7
04/10/24	20:00:00 -37.7
04/10/24	20:30:00 -37.7
04/10/24	21:00:00 -37.8
04/10/24	21:30:00 -37.8



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
04/10/24 22:00:00	-37.8
04/10/24 22:30:00	-37.8
04/10/24 23:00:00	-37.8
04/10/24 23:30:00	-37.8
05/10/24 00:00:00	-37.7
05/10/24 00:30:00	-37.7
05/10/24 01:00:00	-37.7
05/10/24 01:30:00	-37.7
05/10/24 02:00:00	-37.7
05/10/24 02:30:00	-37.7
05/10/24 03:00:00	-37.7
05/10/24 03:30:00	-37.8
05/10/24 04:00:00	-37.7
05/10/24 04:30:00	-37.7
05/10/24 05:00:00	-37.8
05/10/24 05:30:00	-37.7
05/10/24 06:00:00	-37.7
05/10/24 06:30:00	-37.7
05/10/24 07:00:00	-37.8
05/10/24 07:30:00	-37.7
05/10/24 08:00:00	-37.7
05/10/24 08:30:00	-37.7
05/10/24 09:00:00	-37.7
05/10/24 09:30:00	-37.7
05/10/24 10:00:00	-37.7
05/10/24 10:30:00	-37.8
05/10/24 11:00:00	-37.7
05/10/24 11:30:00	-37.7
05/10/24 12:00:00	-37.7
05/10/24 12:30:00	-37.7
05/10/24 13:00:00	-37.7
05/10/24 13:30:00	-37.8
05/10/24 14:00:00	-37.7
05/10/24 14:30:00	-37.7
05/10/24 15:00:00	-37.8
05/10/24 15:30:00	-37.7
05/10/24 16:00:00	-37.7
05/10/24 16:30:00	-37.8
05/10/24 17:00:00	-37.7
05/10/24 17:30:00	-37.7
05/10/24 18:00:00	-37.7
05/10/24 18:30:00	-37.8
05/10/24 19:00:00	-37.7
05/10/24 19:30:00	-37.7
05/10/24 20:00:00	-37.7
05/10/24 20:30:00	-37.7
05/10/24 21:00:00	-37.7
05/10/24 21:30:00	-37.7
05/10/24 22:00:00	-37.7
05/10/24 22:30:00	-37.7



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
05/10/24	23:00:00 -37.7
05/10/24	23:30:00 -37.8
06/10/24	00:00:00 -37.7
06/10/24	00:30:00 -37.7
06/10/24	01:00:00 -37.7
06/10/24	01:30:00 -37.7
06/10/24	02:00:00 -37.7
06/10/24	02:30:00 -37.7
06/10/24	03:00:00 -37.8
06/10/24	03:30:00 -37.8
06/10/24	04:00:00 -37.7
06/10/24	04:30:00 -37.7
06/10/24	05:00:00 -37.6
06/10/24	05:30:00 -37.7
06/10/24	06:00:00 -37.7
06/10/24	06:30:00 -37.7
06/10/24	07:00:00 -37.8
06/10/24	07:30:00 -37.7
06/10/24	08:00:00 -37.7
06/10/24	08:30:00 -37.7
06/10/24	09:00:00 -37.7
06/10/24	09:30:00 -37.8
06/10/24	10:00:00 -37.7
06/10/24	10:30:00 -37.8
06/10/24	11:00:00 -37.7
06/10/24	11:30:00 -37.7
06/10/24	12:00:00 -37.8
06/10/24	12:30:00 -37.7
06/10/24	13:00:00 -37.7
06/10/24	13:30:00 -37.7
06/10/24	14:00:00 -37.6
06/10/24	14:30:00 -37.8
06/10/24	15:00:00 -37.7
06/10/24	15:30:00 -37.8
06/10/24	16:00:00 -37.7
06/10/24	16:30:00 -37.8
06/10/24	17:00:00 -37.8
06/10/24	17:30:00 -37.7
06/10/24	18:00:00 -37.7
06/10/24	18:30:00 -37.8
06/10/24	19:00:00 -37.7
06/10/24	19:30:00 -37.7
06/10/24	20:00:00 -37.8
06/10/24	20:30:00 -37.7
06/10/24	21:00:00 -37.7
06/10/24	21:30:00 -37.7
06/10/24	22:00:00 -37.8
06/10/24	22:30:00 -37.7
06/10/24	23:00:00 -37.7
06/10/24	23:30:00 -37.7



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
07/10/24 00:00:00	-37.7
07/10/24 00:30:00	-37.7
07/10/24 01:00:00	-37.7
07/10/24 01:30:00	-37.8
07/10/24 02:00:00	-37.8
07/10/24 02:30:00	-37.7
07/10/24 03:00:00	-37.7
07/10/24 03:30:00	-37.7
07/10/24 04:00:00	-37.7
07/10/24 04:30:00	-37.7
07/10/24 05:00:00	-37.7
07/10/24 05:30:00	-37.7
07/10/24 06:00:00	-37.7
07/10/24 06:30:00	-37.7
07/10/24 07:00:00	-37.7
07/10/24 07:30:00	-37.7
07/10/24 08:00:00	-37.7
07/10/24 08:30:00	-37.8
07/10/24 09:00:00	-37.7
07/10/24 09:30:00	-37.7
07/10/24 10:00:00	-37.7
07/10/24 10:30:00	-37.7
07/10/24 11:00:00	-37.7
07/10/24 11:30:00	-37.7
07/10/24 12:00:00	-37.6
07/10/24 12:30:00	-37.7
07/10/24 13:00:00	-37.6
07/10/24 13:30:00	-37.6
07/10/24 14:00:00	-37.7
07/10/24 14:30:00	-37.7
07/10/24 15:00:00	-37.7
07/10/24 15:30:00	-37.7
07/10/24 16:00:00	-37.7
07/10/24 16:30:00	-37.6
07/10/24 17:00:00	-37.7
07/10/24 17:30:00	-37.7
07/10/24 18:00:00	-37.7
07/10/24 18:30:00	-37.7
07/10/24 19:00:00	-37.7
07/10/24 19:30:00	-37.8
07/10/24 20:00:00	-37.7
07/10/24 20:30:00	-37.7
07/10/24 21:00:00	-37.7
07/10/24 21:30:00	-37.7
07/10/24 22:00:00	-37.7
07/10/24 22:30:00	-37.7
07/10/24 23:00:00	-37.7
07/10/24 23:30:00	-37.7
08/10/24 00:00:00	-37.7
08/10/24 00:30:00	-37.7



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
08/10/24 01:00:00	-37.6
08/10/24 01:30:00	-37.7
08/10/24 02:00:00	-37.7
08/10/24 02:30:00	-37.8
08/10/24 03:00:00	-37.7
08/10/24 03:30:00	-37.7
08/10/24 04:00:00	-37.7
08/10/24 04:30:00	-37.7
08/10/24 05:00:00	-37.7
08/10/24 05:30:00	-37.8
08/10/24 06:00:00	-37.7
08/10/24 06:30:00	-37.7
08/10/24 07:00:00	-37.7
08/10/24 07:30:00	-37.7
08/10/24 08:00:00	-37.7
08/10/24 08:30:00	-37.7
08/10/24 09:00:00	-37.7
08/10/24 09:30:00	-37.7
08/10/24 10:00:00	-37.7
08/10/24 10:30:00	-37.7
08/10/24 11:00:00	-37.7
08/10/24 11:30:00	-37.6
08/10/24 12:00:00	-37.6
08/10/24 12:30:00	-37.6
08/10/24 13:00:00	-37.6
08/10/24 13:30:00	-37.7
08/10/24 14:00:00	-37.7
08/10/24 14:30:00	-37.6
08/10/24 15:00:00	-37.7
08/10/24 15:30:00	-37.7
08/10/24 16:00:00	-37.7
08/10/24 16:30:00	-37.6
08/10/24 17:00:00	-37.7
08/10/24 17:30:00	-37.7
08/10/24 18:00:00	-37.7
08/10/24 18:30:00	-37.7
08/10/24 19:00:00	-37.7
08/10/24 19:30:00	-37.7
08/10/24 20:00:00	-37.8
08/10/24 20:30:00	-37.7
08/10/24 21:00:00	-37.7
08/10/24 21:30:00	-37.7
08/10/24 22:00:00	-37.8
08/10/24 22:30:00	-37.7
08/10/24 23:00:00	-37.7
08/10/24 23:30:00	-37.8
09/10/24 00:00:00	-37.7
09/10/24 00:30:00	-37.7
09/10/24 01:00:00	-37.7
09/10/24 01:30:00	-37.7



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
09/10/24 02:00:00	-37.7
09/10/24 02:30:00	-37.8
09/10/24 03:00:00	-37.7
09/10/24 03:30:00	-37.7
09/10/24 04:00:00	-37.7
09/10/24 04:30:00	-37.8
09/10/24 05:00:00	-37.7
09/10/24 05:30:00	-37.7
09/10/24 06:00:00	-37.7
09/10/24 06:30:00	-37.7
09/10/24 07:00:00	-37.7
09/10/24 07:30:00	-37.7
09/10/24 08:00:00	-37.7
09/10/24 08:30:00	-37.7
09/10/24 09:00:00	-37.7
09/10/24 09:30:00	-37.7
09/10/24 10:00:00	-37.8
09/10/24 10:30:00	-37.7
09/10/24 11:00:00	-37.7
09/10/24 11:30:00	-37.7
09/10/24 12:00:00	-37.7
09/10/24 12:30:00	-37.8
09/10/24 13:00:00	-37.7
09/10/24 13:30:00	-37.7
09/10/24 14:00:00	-37.7
09/10/24 14:30:00	-37.7
09/10/24 15:00:00	-37.7
09/10/24 15:30:00	-37.7
09/10/24 16:00:00	-37.7
09/10/24 16:30:00	-37.8
09/10/24 17:00:00	-37.7
09/10/24 17:30:00	-37.7
09/10/24 18:00:00	-37.7
09/10/24 18:30:00	-37.7
09/10/24 19:00:00	-37.7
09/10/24 19:30:00	-37.7
09/10/24 20:00:00	-37.7
09/10/24 20:30:00	-37.7
09/10/24 21:00:00	-37.7
09/10/24 21:30:00	-37.7
09/10/24 22:00:00	-37.7
09/10/24 22:30:00	-37.7
09/10/24 23:00:00	-37.7
09/10/24 23:30:00	-37.7
10/10/24 00:00:00	-37.7
10/10/24 00:30:00	-37.8
10/10/24 01:00:00	-37.7
10/10/24 01:30:00	-37.7
10/10/24 02:00:00	-37.7
10/10/24 02:30:00	-37.8



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
10/10/24	03:00:00 -37.7
10/10/24	03:30:00 -37.7
10/10/24	04:00:00 -37.7
10/10/24	04:30:00 -37.7
10/10/24	05:00:00 -37.7
10/10/24	05:30:00 -37.7
10/10/24	06:00:00 -37.7
10/10/24	06:30:00 -37.7
10/10/24	07:00:00 -37.7
10/10/24	07:30:00 -37.7
10/10/24	08:00:00 -37.7
10/10/24	08:30:00 -37.7
10/10/24	09:00:00 -37.7
10/10/24	09:30:00 -37.7
10/10/24	10:00:00 -37.7
10/10/24	10:30:00 -37.7
10/10/24	11:00:00 -37.7
10/10/24	11:30:00 -37.7
10/10/24	12:00:00 -37.6
10/10/24	12:30:00 -37.7
10/10/24	13:00:00 -37.7
10/10/24	13:30:00 -37.7
10/10/24	14:00:00 -37.6
10/10/24	14:30:00 -37.6
10/10/24	15:00:00 -37.7
10/10/24	15:30:00 -37.7
10/10/24	16:00:00 -37.6
10/10/24	16:30:00 -37.7
10/10/24	17:00:00 -37.7
10/10/24	17:30:00 -37.7
10/10/24	18:00:00 -37.7
10/10/24	18:30:00 -37.6
10/10/24	19:00:00 -37.7
10/10/24	19:30:00 -37.7
10/10/24	20:00:00 -37.7
10/10/24	20:30:00 -37.7
10/10/24	21:00:00 -37.7
10/10/24	21:30:00 -37.7
10/10/24	22:00:00 -37.7
10/10/24	22:30:00 -37.7
10/10/24	23:00:00 -37.7
10/10/24	23:30:00 -37.7
11/10/24	00:00:00 -37.7
11/10/24	00:30:00 -37.7
11/10/24	01:00:00 -37.7
11/10/24	01:30:00 -37.7
11/10/24	02:00:00 -37.7
11/10/24	02:30:00 -37.7
11/10/24	03:00:00 -37.7
11/10/24	03:30:00 -37.7



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
11/10/24 04:00:00	-37.7
11/10/24 04:30:00	-37.7
11/10/24 05:00:00	-37.7
11/10/24 05:30:00	-37.7
11/10/24 06:00:00	-37.7
11/10/24 06:30:00	-37.7
11/10/24 07:00:00	-37.7
11/10/24 07:30:00	-37.7
11/10/24 08:00:00	-37.7
11/10/24 08:30:00	-37.8
11/10/24 09:00:00	-37.7
11/10/24 09:30:00	-37.7
11/10/24 10:00:00	-37.6
11/10/24 10:30:00	-37.7
11/10/24 11:00:00	-37.6
11/10/24 11:30:00	-37.7
11/10/24 12:00:00	-37.7
11/10/24 12:30:00	-37.7
11/10/24 13:00:00	-37.7
11/10/24 13:30:00	-37.7
11/10/24 14:00:00	-37.7
11/10/24 14:30:00	-37.7
11/10/24 15:00:00	-37.7
11/10/24 15:30:00	-37.7
11/10/24 16:00:00	-37.7
11/10/24 16:30:00	-37.7
11/10/24 17:00:00	-37.6
11/10/24 17:30:00	-37.7
11/10/24 18:00:00	-37.6
11/10/24 18:30:00	-37.7
11/10/24 19:00:00	-37.7
11/10/24 19:30:00	-37.7
11/10/24 20:00:00	-37.7
11/10/24 20:30:00	-37.7
11/10/24 21:00:00	-37.7
11/10/24 21:30:00	-37.7
11/10/24 22:00:00	-37.7
11/10/24 22:30:00	-37.7
11/10/24 23:00:00	-37.6
11/10/24 23:30:00	-37.7
12/10/24 00:00:00	-37.7
12/10/24 00:30:00	-37.7
12/10/24 01:00:00	-37.7
12/10/24 01:30:00	-37.7
12/10/24 02:00:00	-37.7
12/10/24 02:30:00	-37.8
12/10/24 03:00:00	-37.7
12/10/24 03:30:00	-37.7
12/10/24 04:00:00	-37.7
12/10/24 04:30:00	-37.7



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
12/10/24	05:00:00 -37.7
12/10/24	05:30:00 -37.7
12/10/24	06:00:00 -37.7
12/10/24	06:30:00 -37.7
12/10/24	07:00:00 -37.7
12/10/24	07:30:00 -37.7
12/10/24	08:00:00 -37.7
12/10/24	08:30:00 -37.7
12/10/24	09:00:00 -37.7
12/10/24	09:30:00 -37.8
12/10/24	10:00:00 -37.7
12/10/24	10:30:00 -37.7
12/10/24	11:00:00 -37.8
12/10/24	11:30:00 -37.7
12/10/24	12:00:00 -37.7
12/10/24	12:30:00 -37.7
12/10/24	13:00:00 -37.7
12/10/24	13:30:00 -37.7
12/10/24	14:00:00 -37.7
12/10/24	14:30:00 -37.7
12/10/24	15:00:00 -37.7
12/10/24	15:30:00 -37.7
12/10/24	16:00:00 -37.7
12/10/24	16:30:00 -37.7
12/10/24	17:00:00 -37.7
12/10/24	17:30:00 -37.7
12/10/24	18:00:00 -37.7
12/10/24	18:30:00 -37.7
12/10/24	19:00:00 -37.8
12/10/24	19:30:00 -37.8
12/10/24	20:00:00 -37.7
12/10/24	20:30:00 -37.7
12/10/24	21:00:00 -37.8
12/10/24	21:30:00 -37.8
12/10/24	22:00:00 -37.8
12/10/24	22:30:00 -37.7
12/10/24	23:00:00 -37.7
12/10/24	23:30:00 -37.7
13/10/24	00:00:00 -37.7
13/10/24	00:30:00 -37.7
13/10/24	01:00:00 -37.7
13/10/24	01:30:00 -37.7
13/10/24	02:00:00 -37.7
13/10/24	02:30:00 -37.7
13/10/24	03:00:00 -37.7
13/10/24	03:30:00 -37.7
13/10/24	04:00:00 -37.7
13/10/24	04:30:00 -37.7
13/10/24	05:00:00 -37.7
13/10/24	05:30:00 -37.7



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
13/10/24 06:00:00	-37.7
13/10/24 06:30:00	-37.7
13/10/24 07:00:00	-37.7
13/10/24 07:30:00	-37.7
13/10/24 08:00:00	-37.7
13/10/24 08:30:00	-37.7
13/10/24 09:00:00	-37.7
13/10/24 09:30:00	-37.7
13/10/24 10:00:00	-37.7
13/10/24 10:30:00	-37.7
13/10/24 11:00:00	-37.7
13/10/24 11:30:00	-37.7
13/10/24 12:00:00	-37.7
13/10/24 12:30:00	-37.6
13/10/24 13:00:00	-37.7
13/10/24 13:30:00	-37.7
13/10/24 14:00:00	-37.7
13/10/24 14:30:00	-37.7
13/10/24 15:00:00	-37.7
13/10/24 15:30:00	-37.7
13/10/24 16:00:00	-37.7
13/10/24 16:30:00	-37.7
13/10/24 17:00:00	-37.7
13/10/24 17:30:00	-37.7
13/10/24 18:00:00	-37.8
13/10/24 18:30:00	-37.7
13/10/24 19:00:00	-37.7
13/10/24 19:30:00	-37.8
13/10/24 20:00:00	-37.7
13/10/24 20:30:00	-37.7
13/10/24 21:00:00	-37.7
13/10/24 21:30:00	-37.7
13/10/24 22:00:00	-37.7
13/10/24 22:30:00	-37.7
13/10/24 23:00:00	-37.7
13/10/24 23:30:00	-37.7
14/10/24 00:00:00	-37.7
14/10/24 00:30:00	-37.7
14/10/24 01:00:00	-37.7
14/10/24 01:30:00	-37.7
14/10/24 02:00:00	-37.7
14/10/24 02:30:00	-37.7
14/10/24 03:00:00	-37.7
14/10/24 03:30:00	-37.7
14/10/24 04:00:00	-37.7
14/10/24 04:30:00	-37.8
14/10/24 05:00:00	-37.7
14/10/24 05:30:00	-37.7
14/10/24 06:00:00	-37.7
14/10/24 06:30:00	-37.7



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
14/10/24	07:00:00 -37.7
14/10/24	07:30:00 -37.7
14/10/24	08:00:00 -37.7
14/10/24	08:30:00 -37.8
14/10/24	09:00:00 -37.7
14/10/24	09:30:00 -37.7
14/10/24	10:00:00 -38.5
14/10/24	10:30:00 -39.0
14/10/24	11:00:00 -39.1
14/10/24	11:30:00 -39.1
14/10/24	12:00:00 -39.2
14/10/24	12:30:00 -39.2
14/10/24	13:00:00 -39.2
14/10/24	13:30:00 -39.2
14/10/24	14:00:00 -39.2
14/10/24	14:30:00 -39.2
14/10/24	15:00:00 -39.2
14/10/24	15:30:00 -39.2
14/10/24	16:00:00 -39.3
14/10/24	16:30:00 -39.3
14/10/24	17:00:00 -39.2
14/10/24	17:30:00 -39.2
14/10/24	18:00:00 -39.2
14/10/24	18:30:00 -39.2
14/10/24	19:00:00 -39.2
14/10/24	19:30:00 -39.3
14/10/24	20:00:00 -39.3
14/10/24	20:30:00 -39.3
14/10/24	21:00:00 -39.2
14/10/24	21:30:00 -39.2
14/10/24	22:00:00 -39.3
14/10/24	22:30:00 -39.3
14/10/24	23:00:00 -39.3
14/10/24	23:30:00 -39.2
15/10/24	00:00:00 -39.3
15/10/24	00:30:00 -39.3
15/10/24	01:00:00 -39.3
15/10/24	01:30:00 -39.2
15/10/24	02:00:00 -39.2
15/10/24	02:30:00 -39.2
15/10/24	03:00:00 -39.2
15/10/24	03:30:00 -39.2
15/10/24	04:00:00 -39.2
15/10/24	04:30:00 -39.2
15/10/24	05:00:00 -39.2
15/10/24	05:30:00 -39.3
15/10/24	06:00:00 -39.2
15/10/24	06:30:00 -39.3
15/10/24	07:00:00 -39.3
15/10/24	07:30:00 -39.2



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
15/10/24	08:00:00 -39.2
15/10/24	08:30:00 -39.2
15/10/24	09:00:00 -39.3
15/10/24	09:30:00 -39.3
15/10/24	10:00:00 -39.3
15/10/24	10:30:00 -39.3
15/10/24	11:00:00 -39.2
15/10/24	11:30:00 -39.2
15/10/24	12:00:00 -39.3
15/10/24	12:30:00 -39.2
15/10/24	13:00:00 -39.3
15/10/24	13:30:00 -39.2
15/10/24	14:00:00 -39.2
15/10/24	14:30:00 -39.2
15/10/24	15:00:00 -39.2
15/10/24	15:30:00 -39.3
15/10/24	16:00:00 -39.2
15/10/24	16:30:00 -39.2
15/10/24	17:00:00 -39.2
15/10/24	17:30:00 -39.3
15/10/24	18:00:00 -39.2
15/10/24	18:30:00 -39.2
15/10/24	19:00:00 -39.3
15/10/24	19:30:00 -39.3
15/10/24	20:00:00 -39.3
15/10/24	20:30:00 -39.2
15/10/24	21:00:00 -39.3
15/10/24	21:30:00 -39.2
15/10/24	22:00:00 -39.2
15/10/24	22:30:00 -39.2
15/10/24	23:00:00 -39.3
15/10/24	23:30:00 -39.3
16/10/24	00:00:00 -39.2
16/10/24	00:30:00 -39.3
16/10/24	01:00:00 -39.2
16/10/24	01:30:00 -39.3
16/10/24	02:00:00 -39.2
16/10/24	02:30:00 -39.3
16/10/24	03:00:00 -39.3
16/10/24	03:30:00 -39.3
16/10/24	04:00:00 -39.2
16/10/24	04:30:00 -39.3
16/10/24	05:00:00 -39.3
16/10/24	05:30:00 -39.3
16/10/24	06:00:00 -39.3
16/10/24	06:30:00 -39.3
16/10/24	07:00:00 -39.3
16/10/24	07:30:00 -39.2
16/10/24	08:00:00 -39.3
16/10/24	08:30:00 -39.3



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
16/10/24 09:00:00	-39.3
16/10/24 09:30:00	-39.3
16/10/24 10:00:00	-39.2
16/10/24 10:30:00	-39.2
16/10/24 11:00:00	-39.3
16/10/24 11:30:00	-39.2
16/10/24 12:00:00	-39.2
16/10/24 12:30:00	-39.2
16/10/24 13:00:00	-39.2
16/10/24 13:30:00	-39.2
16/10/24 14:00:00	-39.2
16/10/24 14:30:00	-39.2
16/10/24 15:00:00	-39.3
16/10/24 15:30:00	-39.2
16/10/24 16:00:00	-39.2
16/10/24 16:30:00	-39.3
16/10/24 17:00:00	-39.3
16/10/24 17:30:00	-39.2
16/10/24 18:00:00	-39.2
16/10/24 18:30:00	-39.3
16/10/24 19:00:00	-39.3
16/10/24 19:30:00	-39.3
16/10/24 20:00:00	-39.2
16/10/24 20:30:00	-39.3
16/10/24 21:00:00	-39.2
16/10/24 21:30:00	-39.2
16/10/24 22:00:00	-39.3
16/10/24 22:30:00	-39.3
16/10/24 23:00:00	-39.2
16/10/24 23:30:00	-39.3
17/10/24 00:00:00	-39.2
17/10/24 00:30:00	-39.3
17/10/24 01:00:00	-39.3
17/10/24 01:30:00	-39.3
17/10/24 02:00:00	-39.2
17/10/24 02:30:00	-39.3
17/10/24 03:00:00	-39.3
17/10/24 03:30:00	-39.3
17/10/24 04:00:00	-39.3
17/10/24 04:30:00	-39.2
17/10/24 05:00:00	-39.3
17/10/24 05:30:00	-39.3
17/10/24 06:00:00	-39.3
17/10/24 06:30:00	-39.2
17/10/24 07:00:00	-39.2
17/10/24 07:30:00	-39.3
17/10/24 08:00:00	-39.2
17/10/24 08:30:00	-39.2
17/10/24 09:00:00	-39.2
17/10/24 09:30:00	-39.2



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
17/10/24 10:00:00	-39.2
17/10/24 10:30:00	-39.3
17/10/24 11:00:00	-39.2
17/10/24 11:30:00	-39.2
17/10/24 12:00:00	-39.2
17/10/24 12:30:00	-39.2
17/10/24 13:00:00	-39.2
17/10/24 13:30:00	-39.2
17/10/24 14:00:00	-39.2
17/10/24 14:30:00	-39.2
17/10/24 15:00:00	-39.2
17/10/24 15:30:00	-39.2
17/10/24 16:00:00	-39.2
17/10/24 16:30:00	-39.3
17/10/24 17:00:00	-39.2
17/10/24 17:30:00	-39.2
17/10/24 18:00:00	-39.3
17/10/24 18:30:00	-39.3
17/10/24 19:00:00	-39.3
17/10/24 19:30:00	-39.6
17/10/24 20:00:00	-39.5
17/10/24 20:30:00	-39.5
17/10/24 21:00:00	-39.5
17/10/24 21:30:00	-39.4
17/10/24 22:00:00	-39.5
17/10/24 22:30:00	-39.5
17/10/24 23:00:00	-39.5
17/10/24 23:30:00	-39.5
18/10/24 00:00:00	-39.5
18/10/24 00:30:00	-39.6
18/10/24 01:00:00	-39.6
18/10/24 01:30:00	-39.7
18/10/24 02:00:00	-39.6
18/10/24 02:30:00	-39.7
18/10/24 03:00:00	-39.7
18/10/24 03:30:00	-39.8
18/10/24 04:00:00	-39.7
18/10/24 04:30:00	-39.7
18/10/24 05:00:00	-39.7
18/10/24 05:30:00	-39.7
18/10/24 06:00:00	-39.7
18/10/24 06:30:00	-39.6
18/10/24 07:00:00	-39.7
18/10/24 07:30:00	-39.7
18/10/24 08:00:00	-39.7
18/10/24 08:30:00	-36.7
18/10/24 09:00:00	-36.0
18/10/24 09:30:00	-36.2
18/10/24 10:00:00	-36.3
18/10/24 10:30:00	-36.4



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
18/10/24	11:00:00 -36.5
18/10/24	11:30:00 -36.6
18/10/24	12:00:00 -36.6
18/10/24	12:30:00 -36.6
18/10/24	13:00:00 -36.6
18/10/24	13:30:00 -36.5
18/10/24	14:00:00 -36.4
18/10/24	14:30:00 -36.5
18/10/24	15:00:00 -36.5
18/10/24	15:30:00 -36.5
18/10/24	16:00:00 -36.6
18/10/24	16:30:00 -36.6
18/10/24	17:00:00 -36.6
18/10/24	17:30:00 -36.6
18/10/24	18:00:00 -36.6
18/10/24	18:30:00 -36.6
18/10/24	19:00:00 -36.6
18/10/24	19:30:00 -36.6
18/10/24	20:00:00 -36.6
18/10/24	20:30:00 -36.5
18/10/24	21:00:00 -36.6
18/10/24	21:30:00 -36.5
18/10/24	22:00:00 -36.5
18/10/24	22:30:00 -36.6
18/10/24	23:00:00 -36.5
18/10/24	23:30:00 -36.5
19/10/24	00:00:00 -36.6
19/10/24	00:30:00 -36.6
19/10/24	01:00:00 -36.6
19/10/24	01:30:00 -36.6
19/10/24	02:00:00 -36.6
19/10/24	02:30:00 -36.6
19/10/24	03:00:00 -36.6
19/10/24	03:30:00 -36.6
19/10/24	04:00:00 -36.6
19/10/24	04:30:00 -36.7
19/10/24	05:00:00 -36.5
19/10/24	05:30:00 -36.6
19/10/24	06:00:00 -36.6
19/10/24	06:30:00 -36.6
19/10/24	07:00:00 -36.6
19/10/24	07:30:00 -36.6
19/10/24	08:00:00 -36.6
19/10/24	08:30:00 -36.5
19/10/24	09:00:00 -36.5
19/10/24	09:30:00 -36.7
19/10/24	10:00:00 -36.6
19/10/24	10:30:00 -36.6
19/10/24	11:00:00 -36.6
19/10/24	11:30:00 -36.5



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
19/10/24 12:00:00	-36.6
19/10/24 12:30:00	-36.5
19/10/24 13:00:00	-36.7
19/10/24 13:30:00	-36.6
19/10/24 14:00:00	-36.6
19/10/24 14:30:00	-36.6
19/10/24 15:00:00	-36.6
19/10/24 15:30:00	-36.7
19/10/24 16:00:00	-36.6
19/10/24 16:30:00	-36.6
19/10/24 17:00:00	-36.6
19/10/24 17:30:00	-36.5
19/10/24 18:00:00	-36.6
19/10/24 18:30:00	-36.6
19/10/24 19:00:00	-36.7
19/10/24 19:30:00	-36.7
19/10/24 20:00:00	-36.6
19/10/24 20:30:00	-36.6
19/10/24 21:00:00	-36.6
19/10/24 21:30:00	-36.7
19/10/24 22:00:00	-36.5
19/10/24 22:30:00	-36.6
19/10/24 23:00:00	-36.6
19/10/24 23:30:00	-36.6
20/10/24 00:00:00	-36.5
20/10/24 00:30:00	-36.6
20/10/24 01:00:00	-36.7
20/10/24 01:30:00	-36.6
20/10/24 02:00:00	-36.6
20/10/24 02:30:00	-36.7
20/10/24 03:00:00	-36.7
20/10/24 03:30:00	-36.7
20/10/24 04:00:00	-36.6
20/10/24 04:30:00	-36.7
20/10/24 05:00:00	-36.7
20/10/24 05:30:00	-36.7
20/10/24 06:00:00	-36.7
20/10/24 06:30:00	-36.6
20/10/24 07:00:00	-36.7
20/10/24 07:30:00	-36.6
20/10/24 08:00:00	-36.5
20/10/24 08:30:00	-36.6
20/10/24 09:00:00	-36.6
20/10/24 09:30:00	-36.6
20/10/24 10:00:00	-36.6
20/10/24 10:30:00	-36.6
20/10/24 11:00:00	-36.6
20/10/24 11:30:00	-36.7
20/10/24 12:00:00	-36.6
20/10/24 12:30:00	-36.6



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
20/10/24 13:00:00	-36.7
20/10/24 13:30:00	-36.7
20/10/24 14:00:00	-36.7
20/10/24 14:30:00	-36.6
20/10/24 15:00:00	-36.7
20/10/24 15:30:00	-36.7
20/10/24 16:00:00	-36.7
20/10/24 16:30:00	-36.6
20/10/24 17:00:00	-36.7
20/10/24 17:30:00	-36.8
20/10/24 18:00:00	-36.6
20/10/24 18:30:00	-36.6
20/10/24 19:00:00	-36.6
20/10/24 19:30:00	-36.6
20/10/24 20:00:00	-36.6
20/10/24 20:30:00	-36.6
20/10/24 21:00:00	-36.7
20/10/24 21:30:00	-36.8
20/10/24 22:00:00	-36.6
20/10/24 22:30:00	-36.7
20/10/24 23:00:00	-36.8
20/10/24 23:30:00	-36.6
21/10/24 00:00:00	-36.7
21/10/24 00:30:00	-36.7
21/10/24 01:00:00	-36.7
21/10/24 01:30:00	-36.7
21/10/24 02:00:00	-36.7
21/10/24 02:30:00	-36.8
21/10/24 03:00:00	-36.7
21/10/24 03:30:00	-36.7
21/10/24 04:00:00	-36.8
21/10/24 04:30:00	-36.8
21/10/24 05:00:00	-36.7
21/10/24 05:30:00	-36.8
21/10/24 06:00:00	-36.8
21/10/24 06:30:00	-36.8
21/10/24 07:00:00	-36.7
21/10/24 07:30:00	-36.7
21/10/24 08:00:00	-36.7
21/10/24 08:30:00	-36.7
21/10/24 09:00:00	-36.7
21/10/24 09:30:00	-36.7
21/10/24 10:00:00	-36.7
21/10/24 10:30:00	-36.7
21/10/24 11:00:00	-36.6
21/10/24 11:30:00	-36.7
21/10/24 12:00:00	-36.7
21/10/24 12:30:00	-36.7
21/10/24 13:00:00	-36.7
21/10/24 13:30:00	-36.7



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
21/10/24 14:00:00	-36.7
21/10/24 14:30:00	-36.7
21/10/24 15:00:00	-36.7
21/10/24 15:30:00	-36.7
21/10/24 16:00:00	-36.6
21/10/24 16:30:00	-36.7
21/10/24 17:00:00	-36.7
21/10/24 17:30:00	-36.7
21/10/24 18:00:00	-36.7
21/10/24 18:30:00	-36.7
21/10/24 19:00:00	-36.6
21/10/24 19:30:00	-36.8
21/10/24 20:00:00	-36.8
21/10/24 20:30:00	-36.8
21/10/24 21:00:00	-36.8
21/10/24 21:30:00	-36.8
21/10/24 22:00:00	-36.7
21/10/24 22:30:00	-36.8
21/10/24 23:00:00	-36.8
21/10/24 23:30:00	-36.8
22/10/24 00:00:00	-36.7
22/10/24 00:30:00	-36.8
22/10/24 01:00:00	-36.8
22/10/24 01:30:00	-36.8
22/10/24 02:00:00	-36.8
22/10/24 02:30:00	-36.7
22/10/24 03:00:00	-36.8
22/10/24 03:30:00	-36.8
22/10/24 04:00:00	-36.8
22/10/24 04:30:00	-36.8
22/10/24 05:00:00	-36.8
22/10/24 05:30:00	-36.7
22/10/24 06:00:00	-36.8
22/10/24 06:30:00	-36.8
22/10/24 07:00:00	-36.8
22/10/24 07:30:00	-36.7
22/10/24 08:00:00	-36.7
22/10/24 08:30:00	-36.8
22/10/24 09:00:00	-36.7
22/10/24 09:30:00	-36.8
22/10/24 10:00:00	-36.7
22/10/24 10:30:00	-36.7
22/10/24 11:00:00	-36.7
22/10/24 11:30:00	-36.7
22/10/24 12:00:00	-36.7
22/10/24 12:30:00	-36.7
22/10/24 13:00:00	-36.7
22/10/24 13:30:00	-36.7
22/10/24 14:00:00	-36.7
22/10/24 14:30:00	-36.7



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
22/10/24 15:00:00	-36.7
22/10/24 15:30:00	-36.6
22/10/24 16:00:00	-36.7
22/10/24 16:30:00	-36.7
22/10/24 17:00:00	-36.8
22/10/24 17:30:00	-36.8
22/10/24 18:00:00	-36.7
22/10/24 18:30:00	-36.7
22/10/24 19:00:00	-36.7
22/10/24 19:30:00	-36.7
22/10/24 20:00:00	-36.7
22/10/24 20:30:00	-36.8
22/10/24 21:00:00	-36.7
22/10/24 21:30:00	-36.7
22/10/24 22:00:00	-36.8
22/10/24 22:30:00	-36.7
22/10/24 23:00:00	-36.7
22/10/24 23:30:00	-36.7
23/10/24 00:00:00	-36.8
23/10/24 00:30:00	-36.7
23/10/24 01:00:00	-36.7
23/10/24 01:30:00	-36.8
23/10/24 02:00:00	-36.7
23/10/24 02:30:00	-36.7
23/10/24 03:00:00	-36.7
23/10/24 03:30:00	-36.8
23/10/24 04:00:00	-36.7
23/10/24 04:30:00	-36.8
23/10/24 05:00:00	-36.7
23/10/24 05:30:00	-36.7
23/10/24 06:00:00	-36.7
23/10/24 06:30:00	-36.8
23/10/24 07:00:00	-36.7
23/10/24 07:30:00	-36.8
23/10/24 08:00:00	-36.8
23/10/24 08:30:00	-36.8
23/10/24 09:00:00	-36.7
23/10/24 09:30:00	-36.7
23/10/24 10:00:00	-36.8
23/10/24 10:30:00	-36.8
23/10/24 11:00:00	-36.7
23/10/24 11:30:00	-36.6
23/10/24 12:00:00	-36.3
23/10/24 12:30:00	-36.4
23/10/24 13:00:00	-36.5
23/10/24 13:30:00	-36.4
23/10/24 14:00:00	-36.7
23/10/24 14:30:00	-36.4
23/10/24 15:00:00	-36.4
23/10/24 15:30:00	-36.6



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
23/10/24 16:00:00	-36.6
23/10/24 16:30:00	-36.4
23/10/24 17:00:00	-36.6
23/10/24 17:30:00	-36.4
23/10/24 18:00:00	-36.4
23/10/24 18:30:00	-36.4
23/10/24 19:00:00	-36.4
23/10/24 19:30:00	-36.4
23/10/24 20:00:00	-36.5
23/10/24 20:30:00	-36.4
23/10/24 21:00:00	-36.4
23/10/24 21:30:00	-36.4
23/10/24 22:00:00	-36.4
23/10/24 22:30:00	-36.4
23/10/24 23:00:00	-36.4
23/10/24 23:30:00	-36.4
24/10/24 00:00:00	-36.4
24/10/24 00:30:00	-36.5
24/10/24 01:00:00	-36.5
24/10/24 01:30:00	-36.4
24/10/24 02:00:00	-36.4
24/10/24 02:30:00	-36.4
24/10/24 03:00:00	-36.4
24/10/24 03:30:00	-36.5
24/10/24 04:00:00	-36.4
24/10/24 04:30:00	-36.4
24/10/24 05:00:00	-36.4
24/10/24 05:30:00	-36.4
24/10/24 06:00:00	-36.4
24/10/24 06:30:00	-36.4
24/10/24 07:00:00	-36.4
24/10/24 07:30:00	-36.4
24/10/24 08:00:00	-36.4
24/10/24 08:30:00	-36.4
24/10/24 09:00:00	-36.4
24/10/24 09:30:00	-36.4
24/10/24 10:00:00	-36.4
24/10/24 10:30:00	-36.4
24/10/24 11:00:00	-36.4
24/10/24 11:30:00	-36.4
24/10/24 12:00:00	-36.4
24/10/24 12:30:00	-36.4
24/10/24 13:00:00	-36.4
24/10/24 13:30:00	-36.4
24/10/24 14:00:00	-36.4
24/10/24 14:30:00	-36.5
24/10/24 15:00:00	-36.4
24/10/24 15:30:00	-36.4
24/10/24 16:00:00	-36.4
24/10/24 16:30:00	-36.4



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
24/10/24 17:00:00	-36.4
24/10/24 17:30:00	-36.3
24/10/24 18:00:00	-36.4
24/10/24 18:30:00	-36.4
24/10/24 19:00:00	-36.4
24/10/24 19:30:00	-36.4
24/10/24 20:00:00	-36.4
24/10/24 20:30:00	-36.4
24/10/24 21:00:00	-36.4
24/10/24 21:30:00	-36.3
24/10/24 22:00:00	-36.4
24/10/24 22:30:00	-36.4
24/10/24 23:00:00	-36.4
24/10/24 23:30:00	-36.4
25/10/24 00:00:00	-36.4
25/10/24 00:30:00	-36.4
25/10/24 01:00:00	-36.4
25/10/24 01:30:00	-36.4
25/10/24 02:00:00	-36.4
25/10/24 02:30:00	-36.4
25/10/24 03:00:00	-36.3
25/10/24 03:30:00	-36.4
25/10/24 04:00:00	-36.4
25/10/24 04:30:00	-36.4
25/10/24 05:00:00	-36.4
25/10/24 05:30:00	-36.4
25/10/24 06:00:00	-36.4
25/10/24 06:30:00	-36.4
25/10/24 07:00:00	-36.5
25/10/24 07:30:00	-36.4
25/10/24 08:00:00	-36.5
25/10/24 08:30:00	-36.3
25/10/24 09:00:00	-36.4
25/10/24 09:30:00	-36.4
25/10/24 10:00:00	-36.5
25/10/24 10:30:00	-36.4
25/10/24 11:00:00	-36.4
25/10/24 11:30:00	-36.4
25/10/24 12:00:00	-36.4
25/10/24 12:30:00	-36.4
25/10/24 13:00:00	-36.4
25/10/24 13:30:00	-36.4
25/10/24 14:00:00	-36.3
25/10/24 14:30:00	-36.4
25/10/24 15:00:00	-36.3
25/10/24 15:30:00	-36.4
25/10/24 16:00:00	-36.3
25/10/24 16:30:00	-36.4
25/10/24 17:00:00	-36.4
25/10/24 17:30:00	-36.4



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
25/10/24 18:00:00	-36.4
25/10/24 18:30:00	-36.4
25/10/24 19:00:00	-36.4
25/10/24 19:30:00	-36.4
25/10/24 20:00:00	-36.5
25/10/24 20:30:00	-36.4
25/10/24 21:00:00	-36.4
25/10/24 21:30:00	-36.5
25/10/24 22:00:00	-36.4
25/10/24 22:30:00	-36.4
25/10/24 23:00:00	-36.4
25/10/24 23:30:00	-36.4
26/10/24 00:00:00	-36.4
26/10/24 00:30:00	-36.4
26/10/24 01:00:00	-36.4
26/10/24 01:30:00	-36.4
26/10/24 02:00:00	-36.4
26/10/24 02:30:00	-36.4
26/10/24 03:00:00	-36.4
26/10/24 03:30:00	-36.4
26/10/24 04:00:00	-36.5
26/10/24 04:30:00	-36.4
26/10/24 05:00:00	-36.4
26/10/24 05:30:00	-36.5
26/10/24 06:00:00	-36.4
26/10/24 06:30:00	-36.4
26/10/24 07:00:00	-36.4
26/10/24 07:30:00	-36.4
26/10/24 08:00:00	-36.4
26/10/24 08:30:00	-36.4
26/10/24 09:00:00	-36.4
26/10/24 09:30:00	-36.5
26/10/24 10:00:00	-36.5
26/10/24 10:30:00	-36.4
26/10/24 11:00:00	-36.4
26/10/24 11:30:00	-36.4
26/10/24 12:00:00	-36.5
26/10/24 12:30:00	-36.4
26/10/24 13:00:00	-36.4
26/10/24 13:30:00	-36.4
26/10/24 14:00:00	-36.4
26/10/24 14:30:00	-36.5
26/10/24 15:00:00	-36.5
26/10/24 15:30:00	-36.5
26/10/24 16:00:00	-36.4
26/10/24 16:30:00	-36.5
26/10/24 17:00:00	-36.4
26/10/24 17:30:00	-36.4
26/10/24 18:00:00	-36.4
26/10/24 18:30:00	-36.5



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
26/10/24 19:00:00	-36.4
26/10/24 19:30:00	-36.4
26/10/24 20:00:00	-36.5
26/10/24 20:30:00	-36.5
26/10/24 21:00:00	-36.5
26/10/24 21:30:00	-36.6
26/10/24 22:00:00	-36.5
26/10/24 22:30:00	-36.4
26/10/24 23:00:00	-36.4
26/10/24 23:30:00	-36.5
27/10/24 00:00:00	-36.5
27/10/24 00:30:00	-36.5
27/10/24 01:00:00	-36.5
27/10/24 01:30:00	-36.5
27/10/24 02:00:00	-36.4
27/10/24 02:30:00	-36.5
27/10/24 03:00:00	-36.5
27/10/24 03:30:00	-36.4
27/10/24 04:00:00	-36.5
27/10/24 04:30:00	-36.4
27/10/24 05:00:00	-36.5
27/10/24 05:30:00	-36.5
27/10/24 06:00:00	-36.5
27/10/24 06:30:00	-36.5
27/10/24 07:00:00	-36.5
27/10/24 07:30:00	-36.5
27/10/24 08:00:00	-36.5
27/10/24 08:30:00	-36.4
27/10/24 09:00:00	-36.5
27/10/24 09:30:00	-36.5
27/10/24 10:00:00	-36.4
27/10/24 10:30:00	-36.5
27/10/24 11:00:00	-36.4
27/10/24 11:30:00	-36.4
27/10/24 12:00:00	-36.5
27/10/24 12:30:00	-36.4
27/10/24 13:00:00	-36.4
27/10/24 13:30:00	-36.4
27/10/24 14:00:00	-36.4
27/10/24 14:30:00	-36.5
27/10/24 15:00:00	-36.5
27/10/24 15:30:00	-36.4
27/10/24 16:00:00	-36.5
27/10/24 16:30:00	-36.5
27/10/24 17:00:00	-36.4
27/10/24 17:30:00	-36.4
27/10/24 18:00:00	-36.4
27/10/24 18:30:00	-36.5
27/10/24 19:00:00	-36.4
27/10/24 19:30:00	-36.4



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
27/10/24 20:00:00	-36.5
27/10/24 20:30:00	-36.4
27/10/24 21:00:00	-36.4
27/10/24 21:30:00	-36.4
27/10/24 22:00:00	-36.4
27/10/24 22:30:00	-36.4
27/10/24 23:00:00	-36.4
27/10/24 23:30:00	-36.5
28/10/24 00:00:00	-36.4
28/10/24 00:30:00	-36.4
28/10/24 01:00:00	-36.4
28/10/24 01:30:00	-36.4
28/10/24 02:00:00	-36.4
28/10/24 02:30:00	-36.4
28/10/24 03:00:00	-36.4
28/10/24 03:30:00	-36.4
28/10/24 04:00:00	-36.5
28/10/24 04:30:00	-36.5
28/10/24 05:00:00	-36.4
28/10/24 05:30:00	-36.4
28/10/24 06:00:00	-36.4
28/10/24 06:30:00	-36.4
28/10/24 07:00:00	-36.4
28/10/24 07:30:00	-36.4
28/10/24 08:00:00	-36.4
28/10/24 08:30:00	-36.5
28/10/24 09:00:00	-36.4
28/10/24 09:30:00	-36.4
28/10/24 10:00:00	-36.4
28/10/24 10:30:00	-36.4
28/10/24 11:00:00	-36.4
28/10/24 11:30:00	-36.4
28/10/24 12:00:00	-36.4
28/10/24 12:30:00	-36.5
28/10/24 13:00:00	-36.4
28/10/24 13:30:00	-36.4
28/10/24 14:00:00	-36.5
28/10/24 14:30:00	-36.4
28/10/24 15:00:00	-36.4
28/10/24 15:30:00	-36.5
28/10/24 16:00:00	-36.5
28/10/24 16:30:00	-36.4
28/10/24 17:00:00	-36.4
28/10/24 17:30:00	-36.4
28/10/24 18:00:00	-36.5
28/10/24 18:30:00	-36.4
28/10/24 19:00:00	-36.4
28/10/24 19:30:00	-36.4
28/10/24 20:00:00	-36.4
28/10/24 20:30:00	-36.4



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
28/10/24	21:00:00 -36.4
28/10/24	21:30:00 -36.4
28/10/24	22:00:00 -36.4
28/10/24	22:30:00 -36.5
28/10/24	23:00:00 -36.4
28/10/24	23:30:00 -36.4
29/10/24	00:00:00 -36.4
29/10/24	00:30:00 -36.4
29/10/24	01:00:00 -36.4
29/10/24	01:30:00 -36.4
29/10/24	02:00:00 -36.4
29/10/24	02:30:00 -36.5
29/10/24	03:00:00 -36.4
29/10/24	03:30:00 -36.4
29/10/24	04:00:00 -36.4
29/10/24	04:30:00 -36.4
29/10/24	05:00:00 -36.5
29/10/24	05:30:00 -36.5
29/10/24	06:00:00 -36.4
29/10/24	06:30:00 -36.4
29/10/24	07:00:00 -36.4
29/10/24	07:30:00 -36.4
29/10/24	08:00:00 -36.4
29/10/24	08:30:00 -36.4
29/10/24	09:00:00 -36.4
29/10/24	09:30:00 -36.4
29/10/24	10:00:00 -36.4
29/10/24	10:30:00 -36.4
29/10/24	11:00:00 -36.4
29/10/24	11:30:00 -36.4
29/10/24	12:00:00 -36.4
29/10/24	12:30:00 -36.4
29/10/24	13:00:00 -36.4
29/10/24	13:30:00 -36.4
29/10/24	14:00:00 -36.5
29/10/24	14:30:00 -36.4
29/10/24	15:00:00 -36.4
29/10/24	15:30:00 -36.4
29/10/24	16:00:00 -36.5
29/10/24	16:30:00 -36.4
29/10/24	17:00:00 -36.4
29/10/24	17:30:00 -36.6
29/10/24	18:00:00 -36.5
29/10/24	18:30:00 -36.4
29/10/24	19:00:00 -36.6
29/10/24	19:30:00 -36.6
29/10/24	20:00:00 -36.5
29/10/24	20:30:00 -36.5
29/10/24	21:00:00 -36.5
29/10/24	21:30:00 -36.7



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
29/10/24 22:00:00	-36.5
29/10/24 22:30:00	-36.6
29/10/24 23:00:00	-36.6
29/10/24 23:30:00	-36.5
30/10/24 00:00:00	-36.5
30/10/24 00:30:00	-36.5
30/10/24 01:00:00	-36.5
30/10/24 01:30:00	-36.5
30/10/24 02:00:00	-36.5
30/10/24 02:30:00	-36.5
30/10/24 03:00:00	-36.6
30/10/24 03:30:00	-36.6
30/10/24 04:00:00	-36.6
30/10/24 04:30:00	-36.6
30/10/24 05:00:00	-36.5
30/10/24 05:30:00	-36.6
30/10/24 06:00:00	-36.5
30/10/24 06:30:00	-36.5
30/10/24 07:00:00	-36.5
30/10/24 07:30:00	-36.5
30/10/24 08:00:00	-36.5
30/10/24 08:30:00	-36.6
30/10/24 09:00:00	-36.5
30/10/24 09:30:00	-36.6
30/10/24 10:00:00	-36.5
30/10/24 10:30:00	-36.5
30/10/24 11:00:00	-36.4
30/10/24 11:30:00	-36.4
30/10/24 12:00:00	-36.4
30/10/24 12:30:00	-36.4
30/10/24 13:00:00	-36.4
30/10/24 13:30:00	-36.5
30/10/24 14:00:00	-36.4
30/10/24 14:30:00	-36.4
30/10/24 15:00:00	-36.4
30/10/24 15:30:00	-36.4
30/10/24 16:00:00	-36.3
30/10/24 16:30:00	-36.4
30/10/24 17:00:00	-36.4
30/10/24 17:30:00	-36.4
30/10/24 18:00:00	-36.4
30/10/24 18:30:00	-36.4
30/10/24 19:00:00	-36.4
30/10/24 19:30:00	-36.5
30/10/24 20:00:00	-36.4
30/10/24 20:30:00	-36.5
30/10/24 21:00:00	-36.5
30/10/24 21:30:00	-36.5
30/10/24 22:00:00	-36.4
30/10/24 22:30:00	-36.5



임상시험약 보관장소(냉동 -85~-30℃) _CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치	임상시험약 보관장소(냉동 -85~-30℃) _CH1 [°C]
30/10/24	23:00:00 -36.4
30/10/24	23:30:00 -36.5
31/10/24	00:00:00 -36.5
31/10/24	00:30:00 -36.5
31/10/24	01:00:00 -36.4
31/10/24	01:30:00 -36.4
31/10/24	02:00:00 -36.4
31/10/24	02:30:00 -36.5
31/10/24	03:00:00 -36.5
31/10/24	03:30:00 -36.4
31/10/24	04:00:00 -36.5
31/10/24	04:30:00 -36.4
31/10/24	05:00:00 -36.4
31/10/24	05:30:00 -36.4
31/10/24	06:00:00 -36.4
31/10/24	06:30:00 -36.5
31/10/24	07:00:00 -36.4
31/10/24	07:30:00 -36.4
31/10/24	08:00:00 -36.5
31/10/24	08:30:00 -36.5
31/10/24	09:00:00 -36.4
31/10/24	09:30:00 -36.4
31/10/24	09:53:31 -37.7
31/10/24	10:00:00 -37.8
31/10/24	10:30:00 -38.0
31/10/24	11:00:00 -38.1
31/10/24	11:30:00 -38.0
31/10/24	12:00:00 -38.0
31/10/24	12:30:00 -38.1
31/10/24	13:00:00 -38.0
31/10/24	13:30:00 -38.1
31/10/24	14:00:00 -37.9
31/10/24	14:30:00 -38.0
31/10/24	15:00:00 -38.0
31/10/24	15:30:00 -37.9
31/10/24	16:00:00 -38.0
31/10/24	16:30:00 -38.0
31/10/24	17:00:00 -37.9
31/10/24	17:30:00 -38.0
31/10/24	18:00:00 -38.1
31/10/24	18:30:00 -38.0
31/10/24	19:00:00 -38.0
31/10/24	19:30:00 -37.9
31/10/24	20:00:00 -38.0
31/10/24	20:30:00 -38.0
31/10/24	21:00:00 -38.0
31/10/24	21:30:00 -38.0
31/10/24	22:00:00 -38.0
31/10/24	22:30:00 -38.0
31/10/24	23:00:00 -38.0



임상시험약 보관장소(냉동 -85~-30℃)_CH1_온도기록지

01/10/24 00:00:00 - 01/11/24 00:00:00

Date created 01/11/24 06:04:37

Created by Account Owner

위치		임상시험약 보관장소(냉동 -85~-30℃)_CH1 [°C]
31/10/24	23:30:00	-38.1
01/11/24	00:00:00	-38.0