

Period of Record	Year, Month	2026.8	
Storage	Location	동국대학교일산병원 임상시험센터 약국	9134Room
	Description	Pharmaceutical Refrigerator	냉장고A
	Manufacturer	SGM	
	Model Name	CS-1300P	
	Serial Number	K1300P0292510M	
Thermometer	Description	Digital Thermometer	
	Manufacturer	SATO	
	Model Name	PC-3500	
	Serial Number	812370	
Calibration certification	Date of Calibration	2026.1.27	
	Date of Calibration Due	2027.1.27	
	Certificate No.	SC2601-02474-3	
Temperature deviation alarm system	Temperature Range	2~8℃	
	Setting Point	4.0℃	
	Min/Max Record	Reset after recording	
	Manufacturer	Daeil Tech	
	Model Name	ACMS-DT01	
	Serial Number	DT15-ACMS-000348-K	
	Alarm threshold	Lower : 2℃, Upper : 8℃, alarm in 5 minutes	
	Alarm Method	Call to Pharmacists	
	Alarm Clear Method	000	

Date	Time	Temperature(℃)			Verified by	Comment
		Current	Min	Max		
2026.08.01						
2026.08.02						
2026.08.03						
2026.08.04						
2026.08.05						
2026.08.06						
2026.08.07						
2026.08.08						
2026.08.09						
2026.08.10						
2026.08.11						
2026.08.12						
2026.08.13						
2026.08.14						
2026.08.15						광복절
2026.08.16						
2026.08.17						대체공휴일
2026.08.18						
2026.08.19						
2026.08.20						
2026.08.21						
2026.08.22						
2026.08.23						
2026.08.24	p: 20	5	5	5	mf	무시계 온도
2026.08.25	p: 20	5	5	5	mf	
2026.08.26	p: 10	5	5	5	mf	
2026.08.27	p: 20	5	5	5	mf	
2026.08.28	p: 20	5	5	5	mf	
2026.08.29						
2026.08.30						
2026.08.31	p: 20	5	5	5	mf	

IP STORAGE TEMPERATURE LOG

Period of Record	Year. Month	2026.8	
Storage	Location	동국대학교일산병원 임상시험센터 약국	9134Room
	Description	Pharmaceutical Refrigerator	냉장고A
	Manufacturer	SGM	
	Model Name	CS-1300P	
	Serial Number	K1300P0292510M	
	Temperature Range	2~8℃	
	Setting Point	4.0℃	
Thermometer (including alarm system)	Description	Wi-Fi data logger	
	Manufacturer	Testo Korea	
	Model Name	Saveris2-T3	
	Serial Number	0054857013	
	Sensor Channel	Channel 1	
Thermometer Calibration Certification	Min/Max Record	Monthly report	This month Min (5.0)℃, Max(5.5)℃
	Date of Calibration	2025.10.1	
	Date of Calibration Due	2026.10.1	
Alarm System	Certificate No.	A25-1985-001	
	Alarm Threshold	Lower : 2.5℃, Upper : 7.5℃, immediate alarm without delay	
	Alarm Method	Mail, SMS to Pharmacists	

Date	Time	Temperature(℃)	Deviation	Verified by	Comment
2026.08.01			☐ Y / ☐ N		
2026.08.02			☐ Y / ☐ N		
2026.08.03	p:20	5.1	☐ Y / ☒ N	ml	
2026.08.04	p:20	5.0	☐ Y / ☒ N	ml	
2026.08.05	p:05	5.1	☐ Y / ☒ N	ml	
2026.08.06	p:20	5.3	☐ Y / ☒ N	ml	
2026.08.07	p:30	5.2	☐ Y / ☒ N	김홍민	
2026.08.08			☐ Y / ☐ N		
2026.08.09			☐ Y / ☐ N		
2026.08.10	p:20	5.3	☐ Y / ☒ N	ml	
2026.08.11	p:20	5.2	☐ Y / ☒ N	ml	
2026.08.12	p:20	5.3	☐ Y / ☒ N	ml	
2026.08.13	p:20	5.3	☐ Y / ☒ N	ml	
2026.08.14	p:20	5.2	☐ Y / ☒ N	ml	
2026.08.15			☐ Y / ☐ N		광복절
2026.08.16			☐ Y / ☐ N		
2026.08.17			☐ Y / ☐ N		대체공휴일
2026.08.18	p:20	5.3	☐ Y / ☒ N	ml	
2026.08.19	p:20	5.2	☐ Y / ☒ N	ml	
2026.08.20	p:20	5.3	☐ Y / ☒ N	ml	
2026.08.21	p:20	5.3	☐ Y / ☒ N	ml	
2026.08.22			☐ Y / ☐ N		
2026.08.23			☐ Y / ☐ N		
2026.08.24	p:20	5.3	☐ Y / ☒ N	ml	윤리계 인력
2026.08.25			☐ Y / ☐ N		
2026.08.26			☐ Y / ☐ N		
2026.08.27			☐ Y / ☐ N		
2026.08.28			☐ Y / ☐ N		
2026.08.29			☐ Y / ☐ N		
2026.08.30			☐ Y / ☐ N		
2026.08.31			☐ Y / ☐ N		

date of copying


sign



내용

동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1

임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1





테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
Min	5.0
Max	5.5
Average	5.2
26. 8. 1. 오전 12:00:00	5.1
26. 8. 1. 오전 12:30:00	5.1
26. 8. 1. 오전 1:00:00	5.1
26. 8. 1. 오전 1:30:00	5.1
26. 8. 1. 오전 2:00:00	5.1
26. 8. 1. 오전 2:30:00	5.1
26. 8. 1. 오전 3:00:00	5.1
26. 8. 1. 오전 3:30:00	5.1
26. 8. 1. 오전 4:00:00	5.3
26. 8. 1. 오전 4:30:00	5.1
26. 8. 1. 오전 5:00:00	5.1
26. 8. 1. 오전 5:30:00	5.0
26. 8. 1. 오전 6:00:00	5.1
26. 8. 1. 오전 6:30:00	5.1
26. 8. 1. 오전 7:00:00	5.1
26. 8. 1. 오전 7:30:00	5.1
26. 8. 1. 오전 8:00:00	5.1
26. 8. 1. 오전 8:30:00	5.2
26. 8. 1. 오전 9:00:00	5.1
26. 8. 1. 오전 9:30:00	5.0
26. 8. 1. 오전 10:00:00	5.0
26. 8. 1. 오전 10:30:00	5.1
26. 8. 1. 오전 11:00:00	5.1
26. 8. 1. 오전 11:30:00	5.1
26. 8. 1. 오후 12:00:00	5.0
26. 8. 1. 오후 12:30:00	5.1
26. 8. 1. 오후 1:00:00	5.1
26. 8. 1. 오후 1:30:00	5.0



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 1. 오후 2:00:00	5.1
26. 8. 1. 오후 2:30:00	5.2
26. 8. 1. 오후 3:00:00	5.2
26. 8. 1. 오후 3:30:00	5.1
26. 8. 1. 오후 4:00:00	5.2
26. 8. 1. 오후 4:30:00	5.2
26. 8. 1. 오후 5:00:00	5.2
26. 8. 1. 오후 5:30:00	5.2
26. 8. 1. 오후 6:00:00	5.2
26. 8. 1. 오후 6:30:00	5.2
26. 8. 1. 오후 7:00:00	5.1
26. 8. 1. 오후 7:30:00	5.2
26. 8. 1. 오후 8:00:00	5.2
26. 8. 1. 오후 8:30:00	5.1
26. 8. 1. 오후 9:00:00	5.1
26. 8. 1. 오후 9:30:00	5.2
26. 8. 1. 오후 10:00:00	5.2
26. 8. 1. 오후 10:30:00	5.1
26. 8. 1. 오후 11:00:00	5.2
26. 8. 1. 오후 11:30:00	5.3
26. 8. 2. 오전 12:00:00	5.2
26. 8. 2. 오전 12:30:00	5.1
26. 8. 2. 오전 1:00:00	5.2
26. 8. 2. 오전 1:30:00	5.2
26. 8. 2. 오전 2:00:00	5.1
26. 8. 2. 오전 2:30:00	5.1
26. 8. 2. 오전 3:00:00	5.2
26. 8. 2. 오전 3:30:00	5.2
26. 8. 2. 오전 4:00:00	5.1
26. 8. 2. 오전 4:30:00	5.1
26. 8. 2. 오전 5:00:00	5.1



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 2. 오전 5:30:00	5.1
26. 8. 2. 오전 6:00:00	5.0
26. 8. 2. 오전 6:30:00	5.0
26. 8. 2. 오전 7:00:00	5.1
26. 8. 2. 오전 7:30:00	5.1
26. 8. 2. 오전 8:00:00	5.1
26. 8. 2. 오전 8:30:00	5.2
26. 8. 2. 오전 9:00:00	5.1
26. 8. 2. 오전 9:30:00	5.1
26. 8. 2. 오전 10:00:00	5.1
26. 8. 2. 오전 10:30:00	5.1
26. 8. 2. 오전 11:00:00	5.0
26. 8. 2. 오전 11:30:00	5.1
26. 8. 2. 오후 12:00:00	5.1
26. 8. 2. 오후 12:30:00	5.0
26. 8. 2. 오후 1:00:00	5.0
26. 8. 2. 오후 1:30:00	5.1
26. 8. 2. 오후 2:00:00	5.1
26. 8. 2. 오후 2:30:00	5.1
26. 8. 2. 오후 3:00:00	5.1
26. 8. 2. 오후 3:30:00	5.1
26. 8. 2. 오후 4:00:00	5.1
26. 8. 2. 오후 4:30:00	5.2
26. 8. 2. 오후 5:00:00	5.2
26. 8. 2. 오후 5:30:00	5.2
26. 8. 2. 오후 6:00:00	5.2
26. 8. 2. 오후 6:30:00	5.2
26. 8. 2. 오후 7:00:00	5.3
26. 8. 2. 오후 7:30:00	5.2
26. 8. 2. 오후 8:00:00	5.2
26. 8. 2. 오후 8:30:00	5.2



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 2. 오후 9:00:00	5.2
26. 8. 2. 오후 9:30:00	5.2
26. 8. 2. 오후 10:00:00	5.1
26. 8. 2. 오후 10:30:00	5.3
26. 8. 2. 오후 11:00:00	5.2
26. 8. 2. 오후 11:30:00	5.2
26. 8. 3. 오전 12:00:00	5.3
26. 8. 3. 오전 12:30:00	5.3
26. 8. 3. 오전 1:00:00	5.2
26. 8. 3. 오전 1:30:00	5.1
26. 8. 3. 오전 2:00:00	5.0
26. 8. 3. 오전 2:30:00	5.1
26. 8. 3. 오전 3:00:00	5.2
26. 8. 3. 오전 3:30:00	5.2
26. 8. 3. 오전 4:00:00	5.2
26. 8. 3. 오전 4:30:00	5.2
26. 8. 3. 오전 5:00:00	5.2
26. 8. 3. 오전 5:30:00	5.1
26. 8. 3. 오전 6:00:00	5.1
26. 8. 3. 오전 6:30:00	5.1
26. 8. 3. 오전 7:00:00	5.1
26. 8. 3. 오전 7:30:00	5.0
26. 8. 3. 오전 8:00:00	5.1
26. 8. 3. 오전 8:30:00	5.1
26. 8. 3. 오전 9:00:00	5.1
26. 8. 3. 오전 9:30:00	5.2
26. 8. 3. 오전 10:00:00	5.2
26. 8. 3. 오전 10:30:00	5.3
26. 8. 3. 오전 11:00:00	5.1
26. 8. 3. 오전 11:30:00	5.1
26. 8. 3. 오후 12:00:00	5.2



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 3. 오후 12:30:00	5.2
26. 8. 3. 오후 1:00:00	5.1
26. 8. 3. 오후 1:30:00	5.1
26. 8. 3. 오후 2:00:00	5.1
26. 8. 3. 오후 2:30:00	5.1
26. 8. 3. 오후 3:00:00	5.0
26. 8. 3. 오후 3:30:00	5.0
26. 8. 3. 오후 4:00:00	5.0
26. 8. 3. 오후 4:30:00	5.2
26. 8. 3. 오후 5:00:00	5.2
26. 8. 3. 오후 5:30:00	5.2
26. 8. 3. 오후 6:00:00	5.1
26. 8. 3. 오후 6:30:00	5.1
26. 8. 3. 오후 7:00:00	5.1
26. 8. 3. 오후 7:30:00	5.1
26. 8. 3. 오후 8:00:00	5.1
26. 8. 3. 오후 8:30:00	5.1
26. 8. 3. 오후 9:00:00	5.1
26. 8. 3. 오후 9:30:00	5.1
26. 8. 3. 오후 10:00:00	5.0
26. 8. 3. 오후 10:30:00	5.2
26. 8. 3. 오후 11:00:00	5.1
26. 8. 3. 오후 11:30:00	5.2
26. 8. 4. 오전 12:00:00	5.1
26. 8. 4. 오전 12:30:00	5.1
26. 8. 4. 오전 1:00:00	5.1
26. 8. 4. 오전 1:30:00	5.2
26. 8. 4. 오전 2:00:00	5.1
26. 8. 4. 오전 2:30:00	5.1
26. 8. 4. 오전 3:00:00	5.2
26. 8. 4. 오전 3:30:00	5.2



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 4. 오전 4:00:00	5.2
26. 8. 4. 오전 4:30:00	5.2
26. 8. 4. 오전 5:00:00	5.2
26. 8. 4. 오전 5:30:00	5.3
26. 8. 4. 오전 6:00:00	5.3
26. 8. 4. 오전 6:30:00	5.2
26. 8. 4. 오전 7:00:00	5.1
26. 8. 4. 오전 7:30:00	5.2
26. 8. 4. 오전 8:00:00	5.2
26. 8. 4. 오전 8:30:00	5.1
26. 8. 4. 오전 9:00:00	5.0
26. 8. 4. 오전 9:30:00	5.1
26. 8. 4. 오전 10:00:00	5.1
26. 8. 4. 오전 10:30:00	5.0
26. 8. 4. 오전 11:00:00	5.1
26. 8. 4. 오전 11:30:00	5.2
26. 8. 4. 오후 12:00:00	5.2
26. 8. 4. 오후 12:30:00	5.1
26. 8. 4. 오후 1:00:00	5.1
26. 8. 4. 오후 1:30:00	5.2
26. 8. 4. 오후 2:00:00	5.2
26. 8. 4. 오후 2:30:00	5.3
26. 8. 4. 오후 3:00:00	5.3
26. 8. 4. 오후 3:30:00	5.3
26. 8. 4. 오후 4:00:00	5.2
26. 8. 4. 오후 4:30:00	5.3
26. 8. 4. 오후 5:00:00	5.3
26. 8. 4. 오후 5:30:00	5.3
26. 8. 4. 오후 6:00:00	5.3
26. 8. 4. 오후 6:30:00	5.3
26. 8. 4. 오후 7:00:00	5.2



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 4. 오후 7:30:00	5.2
26. 8. 4. 오후 8:00:00	5.2
26. 8. 4. 오후 8:30:00	5.1
26. 8. 4. 오후 9:00:00	5.1
26. 8. 4. 오후 9:30:00	5.0
26. 8. 4. 오후 10:00:00	5.1
26. 8. 4. 오후 10:30:00	5.1
26. 8. 4. 오후 11:00:00	5.2
26. 8. 4. 오후 11:30:00	5.2
26. 8. 5. 오전 12:00:00	5.2
26. 8. 5. 오전 12:30:00	5.2
26. 8. 5. 오전 1:00:00	5.2
26. 8. 5. 오전 1:30:00	5.2
26. 8. 5. 오전 2:00:00	5.2
26. 8. 5. 오전 2:30:00	5.1
26. 8. 5. 오전 3:00:00	5.1
26. 8. 5. 오전 3:30:00	5.1
26. 8. 5. 오전 4:00:00	5.1
26. 8. 5. 오전 4:30:00	5.1
26. 8. 5. 오전 5:00:00	5.2
26. 8. 5. 오전 5:30:00	5.1
26. 8. 5. 오전 6:00:00	5.1
26. 8. 5. 오전 6:30:00	5.1
26. 8. 5. 오전 7:00:00	5.2
26. 8. 5. 오전 7:30:00	5.0
26. 8. 5. 오전 8:00:00	5.0
26. 8. 5. 오전 8:30:00	5.0
26. 8. 5. 오전 9:00:00	5.1
26. 8. 5. 오전 9:30:00	5.2
26. 8. 5. 오전 10:00:00	5.0
26. 8. 5. 오전 10:30:00	5.1



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 5. 오전 11:00:00	5.4
26. 8. 5. 오전 11:30:00	5.4
26. 8. 5. 오후 12:00:00	5.3
26. 8. 5. 오후 12:30:00	5.2
26. 8. 5. 오후 1:00:00	5.2
26. 8. 5. 오후 1:30:00	5.3
26. 8. 5. 오후 2:00:00	5.2
26. 8. 5. 오후 2:30:00	5.2
26. 8. 5. 오후 3:00:00	5.1
26. 8. 5. 오후 3:30:00	5.1
26. 8. 5. 오후 4:00:00	5.2
26. 8. 5. 오후 4:30:00	5.2
26. 8. 5. 오후 5:00:00	5.2
26. 8. 5. 오후 5:30:00	5.2
26. 8. 5. 오후 6:00:00	5.2
26. 8. 5. 오후 6:30:00	5.1
26. 8. 5. 오후 7:00:00	5.1
26. 8. 5. 오후 7:30:00	5.1
26. 8. 5. 오후 8:00:00	5.1
26. 8. 5. 오후 8:30:00	5.1
26. 8. 5. 오후 9:00:00	5.1
26. 8. 5. 오후 9:30:00	5.0
26. 8. 5. 오후 10:00:00	5.0
26. 8. 5. 오후 10:30:00	5.1
26. 8. 5. 오후 11:00:00	5.1
26. 8. 5. 오후 11:30:00	5.1
26. 8. 6. 오전 12:00:00	5.2
26. 8. 6. 오전 12:30:00	5.1
26. 8. 6. 오전 1:00:00	5.0
26. 8. 6. 오전 1:30:00	5.1
26. 8. 6. 오전 2:00:00	5.1



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 6. 오전 2:30:00	5.2
26. 8. 6. 오전 3:00:00	5.1
26. 8. 6. 오전 3:30:00	5.1
26. 8. 6. 오전 4:00:00	5.2
26. 8. 6. 오전 4:30:00	5.2
26. 8. 6. 오전 5:00:00	5.1
26. 8. 6. 오전 5:30:00	5.1
26. 8. 6. 오전 6:00:00	5.3
26. 8. 6. 오전 6:30:00	5.2
26. 8. 6. 오전 7:00:00	5.2
26. 8. 6. 오전 7:30:00	5.2
26. 8. 6. 오전 8:00:00	5.3
26. 8. 6. 오전 8:30:00	5.3
26. 8. 6. 오전 9:00:00	5.3
26. 8. 6. 오전 9:30:00	5.3
26. 8. 6. 오전 10:00:00	5.4
26. 8. 6. 오전 10:30:00	5.3
26. 8. 6. 오전 11:00:00	5.4
26. 8. 6. 오전 11:30:00	5.3
26. 8. 6. 오후 12:00:00	5.3
26. 8. 6. 오후 12:30:00	5.4
26. 8. 6. 오후 1:00:00	5.4
26. 8. 6. 오후 1:30:00	5.3
26. 8. 6. 오후 2:00:00	5.3
26. 8. 6. 오후 2:30:00	5.3
26. 8. 6. 오후 3:00:00	5.4
26. 8. 6. 오후 3:30:00	5.4
26. 8. 6. 오후 4:00:00	5.4
26. 8. 6. 오후 4:30:00	5.3
26. 8. 6. 오후 5:00:00	5.5
26. 8. 6. 오후 5:30:00	5.3



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 6. 오후 6:00:00	5.3
26. 8. 6. 오후 6:30:00	5.2
26. 8. 6. 오후 7:00:00	5.1
26. 8. 6. 오후 7:30:00	5.2
26. 8. 6. 오후 8:00:00	5.3
26. 8. 6. 오후 8:30:00	5.3
26. 8. 6. 오후 9:00:00	5.2
26. 8. 6. 오후 9:30:00	5.1
26. 8. 6. 오후 10:00:00	5.2
26. 8. 6. 오후 10:30:00	5.3
26. 8. 6. 오후 11:00:00	5.4
26. 8. 6. 오후 11:30:00	5.2
26. 8. 7. 오전 12:00:00	5.2
26. 8. 7. 오전 12:30:00	5.3
26. 8. 7. 오전 1:00:00	5.2
26. 8. 7. 오전 1:30:00	5.2
26. 8. 7. 오전 2:00:00	5.3
26. 8. 7. 오전 2:30:00	5.2
26. 8. 7. 오전 3:00:00	5.2
26. 8. 7. 오전 3:30:00	5.2
26. 8. 7. 오전 4:00:00	5.3
26. 8. 7. 오전 4:30:00	5.3
26. 8. 7. 오전 5:00:00	5.3
26. 8. 7. 오전 5:30:00	5.3
26. 8. 7. 오전 6:00:00	5.4
26. 8. 7. 오전 6:30:00	5.3
26. 8. 7. 오전 7:00:00	5.3
26. 8. 7. 오전 7:30:00	5.3
26. 8. 7. 오전 8:00:00	5.3
26. 8. 7. 오전 8:30:00	5.3
26. 8. 7. 오전 9:00:00	5.3



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 7. 오전 9:30:00	5.2
26. 8. 7. 오전 10:00:00	5.2
26. 8. 7. 오전 10:30:00	5.2
26. 8. 7. 오전 11:00:00	5.2
26. 8. 7. 오전 11:30:00	5.3
26. 8. 7. 오후 12:00:00	5.2
26. 8. 7. 오후 12:30:00	5.2
26. 8. 7. 오후 1:00:00	5.1
26. 8. 7. 오후 1:30:00	5.2
26. 8. 7. 오후 2:00:00	5.2
26. 8. 7. 오후 2:30:00	5.1
26. 8. 7. 오후 3:00:00	5.1
26. 8. 7. 오후 3:30:00	5.2
26. 8. 7. 오후 4:00:00	5.3
26. 8. 7. 오후 4:30:00	5.2
26. 8. 7. 오후 5:00:00	5.2
26. 8. 7. 오후 5:30:00	5.3
26. 8. 7. 오후 6:00:00	5.2
26. 8. 7. 오후 6:30:00	5.1
26. 8. 7. 오후 7:00:00	5.1
26. 8. 7. 오후 7:30:00	5.2
26. 8. 7. 오후 8:00:00	5.2
26. 8. 7. 오후 8:30:00	5.2
26. 8. 7. 오후 9:00:00	5.1
26. 8. 7. 오후 9:30:00	5.2
26. 8. 7. 오후 10:00:00	5.2
26. 8. 7. 오후 10:30:00	5.2
26. 8. 7. 오후 11:00:00	5.3
26. 8. 7. 오후 11:30:00	5.3
26. 8. 8. 오전 12:00:00	5.2
26. 8. 8. 오전 12:30:00	5.2



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 8. 오전 1:00:00	5.2
26. 8. 8. 오전 1:30:00	5.2
26. 8. 8. 오전 2:00:00	5.2
26. 8. 8. 오전 2:30:00	5.2
26. 8. 8. 오전 3:00:00	5.2
26. 8. 8. 오전 3:30:00	5.1
26. 8. 8. 오전 4:00:00	5.2
26. 8. 8. 오전 4:30:00	5.2
26. 8. 8. 오전 5:00:00	5.2
26. 8. 8. 오전 5:30:00	5.3
26. 8. 8. 오전 6:00:00	5.2
26. 8. 8. 오전 6:30:00	5.2
26. 8. 8. 오전 7:00:00	5.3
26. 8. 8. 오전 7:30:00	5.1
26. 8. 8. 오전 8:00:00	5.1
26. 8. 8. 오전 8:30:00	5.2
26. 8. 8. 오전 9:00:00	5.2
26. 8. 8. 오전 9:30:00	5.2
26. 8. 8. 오전 10:00:00	5.2
26. 8. 8. 오전 10:30:00	5.3
26. 8. 8. 오전 11:00:00	5.3
26. 8. 8. 오전 11:30:00	5.3
26. 8. 8. 오후 12:00:00	5.2
26. 8. 8. 오후 12:30:00	5.2
26. 8. 8. 오후 1:00:00	5.3
26. 8. 8. 오후 1:30:00	5.3
26. 8. 8. 오후 2:00:00	5.4
26. 8. 8. 오후 2:30:00	5.4
26. 8. 8. 오후 3:00:00	5.4
26. 8. 8. 오후 3:30:00	5.4
26. 8. 8. 오후 4:00:00	5.4



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 8. 오후 4:30:00	5.3
26. 8. 8. 오후 5:00:00	5.3
26. 8. 8. 오후 5:30:00	5.4
26. 8. 8. 오후 6:00:00	5.3
26. 8. 8. 오후 6:30:00	5.4
26. 8. 8. 오후 7:00:00	5.3
26. 8. 8. 오후 7:30:00	5.3
26. 8. 8. 오후 8:00:00	5.3
26. 8. 8. 오후 8:30:00	5.2
26. 8. 8. 오후 9:00:00	5.2
26. 8. 8. 오후 9:30:00	5.3
26. 8. 8. 오후 10:00:00	5.2
26. 8. 8. 오후 10:30:00	5.3
26. 8. 8. 오후 11:00:00	5.2
26. 8. 8. 오후 11:30:00	5.3
26. 8. 9. 오전 12:00:00	5.3
26. 8. 9. 오전 12:30:00	5.3
26. 8. 9. 오전 1:00:00	5.3
26. 8. 9. 오전 1:30:00	5.3
26. 8. 9. 오전 2:00:00	5.3
26. 8. 9. 오전 2:30:00	5.3
26. 8. 9. 오전 3:00:00	5.3
26. 8. 9. 오전 3:30:00	5.3
26. 8. 9. 오전 4:00:00	5.3
26. 8. 9. 오전 4:30:00	5.3
26. 8. 9. 오전 5:00:00	5.3
26. 8. 9. 오전 5:30:00	5.3
26. 8. 9. 오전 6:00:00	5.3
26. 8. 9. 오전 6:30:00	5.2
26. 8. 9. 오전 7:00:00	5.2
26. 8. 9. 오전 7:30:00	5.2



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 9. 오전 8:00:00	5.3
26. 8. 9. 오전 8:30:00	5.3
26. 8. 9. 오전 9:00:00	5.2
26. 8. 9. 오전 9:30:00	5.2
26. 8. 9. 오전 10:00:00	5.2
26. 8. 9. 오전 10:30:00	5.3
26. 8. 9. 오전 11:00:00	5.2
26. 8. 9. 오전 11:30:00	5.2
26. 8. 9. 오후 12:00:00	5.3
26. 8. 9. 오후 12:30:00	5.3
26. 8. 9. 오후 1:00:00	5.3
26. 8. 9. 오후 1:30:00	5.3
26. 8. 9. 오후 2:00:00	5.3
26. 8. 9. 오후 2:30:00	5.3
26. 8. 9. 오후 3:00:00	5.3
26. 8. 9. 오후 3:30:00	5.3
26. 8. 9. 오후 4:00:00	5.3
26. 8. 9. 오후 4:30:00	5.3
26. 8. 9. 오후 5:00:00	5.3
26. 8. 9. 오후 5:30:00	5.3
26. 8. 9. 오후 6:00:00	5.3
26. 8. 9. 오후 6:30:00	5.4
26. 8. 9. 오후 7:00:00	5.3
26. 8. 9. 오후 7:30:00	5.2
26. 8. 9. 오후 8:00:00	5.2
26. 8. 9. 오후 8:30:00	5.3
26. 8. 9. 오후 9:00:00	5.3
26. 8. 9. 오후 9:30:00	5.3
26. 8. 9. 오후 10:00:00	5.3
26. 8. 9. 오후 10:30:00	5.3
26. 8. 9. 오후 11:00:00	5.3



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 9. 오후 11:30:00	5.3
26. 8. 10. 오전 12:00:00	5.3
26. 8. 10. 오전 12:30:00	5.2
26. 8. 10. 오전 1:00:00	5.1
26. 8. 10. 오전 1:30:00	5.1
26. 8. 10. 오전 2:00:00	5.2
26. 8. 10. 오전 2:30:00	5.0
26. 8. 10. 오전 3:00:00	5.1
26. 8. 10. 오전 3:30:00	5.1
26. 8. 10. 오전 4:00:00	5.1
26. 8. 10. 오전 4:30:00	5.1
26. 8. 10. 오전 5:00:00	5.2
26. 8. 10. 오전 5:30:00	5.2
26. 8. 10. 오전 6:00:00	5.2
26. 8. 10. 오전 6:30:00	5.3
26. 8. 10. 오전 7:00:00	5.2
26. 8. 10. 오전 7:30:00	5.2
26. 8. 10. 오전 8:00:00	5.2
26. 8. 10. 오전 8:30:00	5.3
26. 8. 10. 오전 9:00:00	5.3
26. 8. 10. 오전 9:30:00	5.2
26. 8. 10. 오전 10:00:00	5.3
26. 8. 10. 오전 10:30:00	5.3
26. 8. 10. 오전 11:00:00	5.3
26. 8. 10. 오전 11:30:00	5.3
26. 8. 10. 오후 12:00:00	5.4
26. 8. 10. 오후 12:30:00	5.2
26. 8. 10. 오후 1:00:00	5.3
26. 8. 10. 오후 1:30:00	5.3
26. 8. 10. 오후 2:00:00	5.3
26. 8. 10. 오후 2:30:00	5.2



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 10. 오후 3:00:00	5.2
26. 8. 10. 오후 3:30:00	5.3
26. 8. 10. 오후 4:00:00	5.3
26. 8. 10. 오후 4:30:00	5.3
26. 8. 10. 오후 5:00:00	5.2
26. 8. 10. 오후 5:30:00	5.2
26. 8. 10. 오후 6:00:00	5.3
26. 8. 10. 오후 6:30:00	5.2
26. 8. 10. 오후 7:00:00	5.2
26. 8. 10. 오후 7:30:00	5.2
26. 8. 10. 오후 8:00:00	5.2
26. 8. 10. 오후 8:30:00	5.1
26. 8. 10. 오후 9:00:00	5.1
26. 8. 10. 오후 9:30:00	5.1
26. 8. 10. 오후 10:00:00	5.2
26. 8. 10. 오후 10:30:00	5.1
26. 8. 10. 오후 11:00:00	5.1
26. 8. 10. 오후 11:30:00	5.1
26. 8. 11. 오전 12:00:00	5.2
26. 8. 11. 오전 12:30:00	5.3
26. 8. 11. 오전 1:00:00	5.3
26. 8. 11. 오전 1:30:00	5.3
26. 8. 11. 오전 2:00:00	5.3
26. 8. 11. 오전 2:30:00	5.3
26. 8. 11. 오전 3:00:00	5.2
26. 8. 11. 오전 3:30:00	5.2
26. 8. 11. 오전 4:00:00	5.2
26. 8. 11. 오전 4:30:00	5.3
26. 8. 11. 오전 5:00:00	5.3
26. 8. 11. 오전 5:30:00	5.3
26. 8. 11. 오전 6:00:00	5.3



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 11. 오전 6:30:00	5.4
26. 8. 11. 오전 7:00:00	5.2
26. 8. 11. 오전 7:30:00	5.2
26. 8. 11. 오전 8:00:00	5.3
26. 8. 11. 오전 8:30:00	5.3
26. 8. 11. 오전 9:00:00	5.2
26. 8. 11. 오전 9:30:00	5.2
26. 8. 11. 오전 10:00:00	5.2
26. 8. 11. 오전 10:30:00	5.3
26. 8. 11. 오전 11:00:00	5.3
26. 8. 11. 오전 11:30:00	5.3
26. 8. 11. 오후 12:00:00	5.4
26. 8. 11. 오후 12:30:00	5.3
26. 8. 11. 오후 1:00:00	5.3
26. 8. 11. 오후 1:30:00	5.2
26. 8. 11. 오후 2:00:00	5.2
26. 8. 11. 오후 2:30:00	5.3
26. 8. 11. 오후 3:00:00	5.3
26. 8. 11. 오후 3:30:00	5.3
26. 8. 11. 오후 4:00:00	5.3
26. 8. 11. 오후 4:30:00	5.3
26. 8. 11. 오후 5:00:00	5.3
26. 8. 11. 오후 5:30:00	5.3
26. 8. 11. 오후 6:00:00	5.5
26. 8. 11. 오후 6:30:00	5.4
26. 8. 11. 오후 7:00:00	5.4
26. 8. 11. 오후 7:30:00	5.3
26. 8. 11. 오후 8:00:00	5.3
26. 8. 11. 오후 8:30:00	5.3
26. 8. 11. 오후 9:00:00	5.3
26. 8. 11. 오후 9:30:00	5.2



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 11. 오후 10:00:00	5.3
26. 8. 11. 오후 10:30:00	5.3
26. 8. 11. 오후 11:00:00	5.3
26. 8. 11. 오후 11:30:00	5.2
26. 8. 12. 오전 12:00:00	5.3
26. 8. 12. 오전 12:30:00	5.3
26. 8. 12. 오전 1:00:00	5.3
26. 8. 12. 오전 1:30:00	5.3
26. 8. 12. 오전 2:00:00	5.3
26. 8. 12. 오전 2:30:00	5.4
26. 8. 12. 오전 3:00:00	5.3
26. 8. 12. 오전 3:30:00	5.3
26. 8. 12. 오전 4:00:00	5.4
26. 8. 12. 오전 4:30:00	5.3
26. 8. 12. 오전 5:00:00	5.2
26. 8. 12. 오전 5:30:00	5.3
26. 8. 12. 오전 6:00:00	5.4
26. 8. 12. 오전 6:30:00	5.3
26. 8. 12. 오전 7:00:00	5.3
26. 8. 12. 오전 7:30:00	5.3
26. 8. 12. 오전 8:00:00	5.3
26. 8. 12. 오전 8:30:00	5.3
26. 8. 12. 오전 9:00:00	5.3
26. 8. 12. 오전 9:30:00	5.2
26. 8. 12. 오전 10:00:00	5.3
26. 8. 12. 오전 10:30:00	5.3
26. 8. 12. 오전 11:00:00	5.2
26. 8. 12. 오전 11:30:00	5.2
26. 8. 12. 오후 12:00:00	5.2
26. 8. 12. 오후 12:30:00	5.3
26. 8. 12. 오후 1:00:00	5.3



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 12. 오후 1:30:00	5.3
26. 8. 12. 오후 2:00:00	5.4
26. 8. 12. 오후 2:30:00	5.3
26. 8. 12. 오후 3:00:00	5.3
26. 8. 12. 오후 3:30:00	5.3
26. 8. 12. 오후 4:00:00	5.4
26. 8. 12. 오후 4:30:00	5.3
26. 8. 12. 오후 5:00:00	5.3
26. 8. 12. 오후 5:30:00	5.3
26. 8. 12. 오후 6:00:00	5.3
26. 8. 12. 오후 6:30:00	5.4
26. 8. 12. 오후 7:00:00	5.4
26. 8. 12. 오후 7:30:00	5.4
26. 8. 12. 오후 8:00:00	5.4
26. 8. 12. 오후 8:30:00	5.4
26. 8. 12. 오후 9:00:00	5.4
26. 8. 12. 오후 9:30:00	5.3
26. 8. 12. 오후 10:00:00	5.3
26. 8. 12. 오후 10:30:00	5.2
26. 8. 12. 오후 11:00:00	5.2
26. 8. 12. 오후 11:30:00	5.3
26. 8. 13. 오전 12:00:00	5.2
26. 8. 13. 오전 12:30:00	5.3
26. 8. 13. 오전 1:00:00	5.4
26. 8. 13. 오전 1:30:00	5.4
26. 8. 13. 오전 2:00:00	5.3
26. 8. 13. 오전 2:30:00	5.4
26. 8. 13. 오전 3:00:00	5.4
26. 8. 13. 오전 3:30:00	5.3
26. 8. 13. 오전 4:00:00	5.3
26. 8. 13. 오전 4:30:00	5.3



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 13. 오전 5:00:00	5.3
26. 8. 13. 오전 5:30:00	5.3
26. 8. 13. 오전 6:00:00	5.2
26. 8. 13. 오전 6:30:00	5.3
26. 8. 13. 오전 7:00:00	5.3
26. 8. 13. 오전 7:30:00	5.3
26. 8. 13. 오전 8:00:00	5.2
26. 8. 13. 오전 8:30:00	5.2
26. 8. 13. 오전 9:00:00	5.3
26. 8. 13. 오전 9:30:00	5.4
26. 8. 13. 오전 10:00:00	5.3
26. 8. 13. 오전 10:30:00	5.3
26. 8. 13. 오전 11:00:00	5.3
26. 8. 13. 오전 11:30:00	5.3
26. 8. 13. 오후 12:00:00	5.4
26. 8. 13. 오후 12:30:00	5.4
26. 8. 13. 오후 1:00:00	5.3
26. 8. 13. 오후 1:30:00	5.3
26. 8. 13. 오후 2:00:00	5.3
26. 8. 13. 오후 2:30:00	5.2
26. 8. 13. 오후 3:00:00	5.2
26. 8. 13. 오후 3:30:00	5.1
26. 8. 13. 오후 4:00:00	5.1
26. 8. 13. 오후 4:30:00	5.2
26. 8. 13. 오후 5:00:00	5.2
26. 8. 13. 오후 5:30:00	5.2
26. 8. 13. 오후 6:00:00	5.1
26. 8. 13. 오후 6:30:00	5.1
26. 8. 13. 오후 7:00:00	5.0
26. 8. 13. 오후 7:30:00	5.1
26. 8. 13. 오후 8:00:00	5.2



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 13. 오후 8:30:00	5.2
26. 8. 13. 오후 9:00:00	5.1
26. 8. 13. 오후 9:30:00	5.2
26. 8. 13. 오후 10:00:00	5.1
26. 8. 13. 오후 10:30:00	5.1
26. 8. 13. 오후 11:00:00	5.1
26. 8. 13. 오후 11:30:00	5.2
26. 8. 14. 오전 12:00:00	5.2
26. 8. 14. 오전 12:30:00	5.2
26. 8. 14. 오전 1:00:00	5.2
26. 8. 14. 오전 1:30:00	5.3
26. 8. 14. 오전 2:00:00	5.2
26. 8. 14. 오전 2:30:00	5.2
26. 8. 14. 오전 3:00:00	5.2
26. 8. 14. 오전 3:30:00	5.2
26. 8. 14. 오전 4:00:00	5.1
26. 8. 14. 오전 4:30:00	5.1
26. 8. 14. 오전 5:00:00	5.2
26. 8. 14. 오전 5:30:00	5.2
26. 8. 14. 오전 6:00:00	5.2
26. 8. 14. 오전 6:30:00	5.4
26. 8. 14. 오전 7:00:00	5.2
26. 8. 14. 오전 7:30:00	5.2
26. 8. 14. 오전 8:00:00	5.2
26. 8. 14. 오전 8:30:00	5.2
26. 8. 14. 오전 9:00:00	5.2
26. 8. 14. 오전 9:30:00	5.1
26. 8. 14. 오전 10:00:00	5.2
26. 8. 14. 오전 10:30:00	5.3
26. 8. 14. 오전 11:00:00	5.3
26. 8. 14. 오전 11:30:00	5.3



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 14. 오후 12:00:00	5.2
26. 8. 14. 오후 12:30:00	5.3
26. 8. 14. 오후 1:00:00	5.3
26. 8. 14. 오후 1:30:00	5.2
26. 8. 14. 오후 2:00:00	5.3
26. 8. 14. 오후 2:30:00	5.4
26. 8. 14. 오후 3:00:00	5.3
26. 8. 14. 오후 3:30:00	5.4
26. 8. 14. 오후 4:00:00	5.3
26. 8. 14. 오후 4:30:00	5.3
26. 8. 14. 오후 5:00:00	5.3
26. 8. 14. 오후 5:30:00	5.3
26. 8. 14. 오후 6:00:00	5.3
26. 8. 14. 오후 6:30:00	5.3
26. 8. 14. 오후 7:00:00	5.3
26. 8. 14. 오후 7:30:00	5.3
26. 8. 14. 오후 8:00:00	5.3
26. 8. 14. 오후 8:30:00	5.3
26. 8. 14. 오후 9:00:00	5.3
26. 8. 14. 오후 9:30:00	5.3
26. 8. 14. 오후 10:00:00	5.3
26. 8. 14. 오후 10:30:00	5.3
26. 8. 14. 오후 11:00:00	5.3
26. 8. 14. 오후 11:30:00	5.3
26. 8. 15. 오전 12:00:00	5.2
26. 8. 15. 오전 12:30:00	5.3
26. 8. 15. 오전 1:00:00	5.3
26. 8. 15. 오전 1:30:00	5.3
26. 8. 15. 오전 2:00:00	5.3
26. 8. 15. 오전 2:30:00	5.3
26. 8. 15. 오전 3:00:00	5.3



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 15. 오전 3:30:00	5.3
26. 8. 15. 오전 4:00:00	5.3
26. 8. 15. 오전 4:30:00	5.3
26. 8. 15. 오전 5:00:00	5.3
26. 8. 15. 오전 5:30:00	5.3
26. 8. 15. 오전 6:00:00	5.3
26. 8. 15. 오전 6:30:00	5.3
26. 8. 15. 오전 7:00:00	5.4
26. 8. 15. 오전 7:30:00	5.3
26. 8. 15. 오전 8:00:00	5.3
26. 8. 15. 오전 8:30:00	5.3
26. 8. 15. 오전 9:00:00	5.3
26. 8. 15. 오전 9:30:00	5.3
26. 8. 15. 오전 10:00:00	5.2
26. 8. 15. 오전 10:30:00	5.3
26. 8. 15. 오전 11:00:00	5.3
26. 8. 15. 오전 11:30:00	5.3
26. 8. 15. 오후 12:00:00	5.2
26. 8. 15. 오후 12:30:00	5.3
26. 8. 15. 오후 1:00:00	5.3
26. 8. 15. 오후 1:30:00	5.3
26. 8. 15. 오후 2:00:00	5.2
26. 8. 15. 오후 2:30:00	5.3
26. 8. 15. 오후 3:00:00	5.4
26. 8. 15. 오후 3:30:00	5.5
26. 8. 15. 오후 4:00:00	5.4
26. 8. 15. 오후 4:30:00	5.4
26. 8. 15. 오후 5:00:00	5.3
26. 8. 15. 오후 5:30:00	5.4
26. 8. 15. 오후 6:00:00	5.3
26. 8. 15. 오후 6:30:00	5.3



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 15. 오후 7:00:00	5.4
26. 8. 15. 오후 7:30:00	5.3
26. 8. 15. 오후 8:00:00	5.3
26. 8. 15. 오후 8:30:00	5.2
26. 8. 15. 오후 9:00:00	5.2
26. 8. 15. 오후 9:30:00	5.3
26. 8. 15. 오후 10:00:00	5.3
26. 8. 15. 오후 10:30:00	5.3
26. 8. 15. 오후 11:00:00	5.3
26. 8. 15. 오후 11:30:00	5.3
26. 8. 16. 오전 12:00:00	5.3
26. 8. 16. 오전 12:30:00	5.3
26. 8. 16. 오전 1:00:00	5.3
26. 8. 16. 오전 1:30:00	5.3
26. 8. 16. 오전 2:00:00	5.3
26. 8. 16. 오전 2:30:00	5.3
26. 8. 16. 오전 3:00:00	5.3
26. 8. 16. 오전 3:30:00	5.3
26. 8. 16. 오전 4:00:00	5.3
26. 8. 16. 오전 4:30:00	5.3
26. 8. 16. 오전 5:00:00	5.3
26. 8. 16. 오전 5:30:00	5.3
26. 8. 16. 오전 6:00:00	5.3
26. 8. 16. 오전 6:30:00	5.3
26. 8. 16. 오전 7:00:00	5.3
26. 8. 16. 오전 7:30:00	5.3
26. 8. 16. 오전 8:00:00	5.2
26. 8. 16. 오전 8:30:00	5.3
26. 8. 16. 오전 9:00:00	5.3
26. 8. 16. 오전 9:30:00	5.3
26. 8. 16. 오전 10:00:00	5.3



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 16. 오전 10:30:00	5.3
26. 8. 16. 오전 11:00:00	5.3
26. 8. 16. 오전 11:30:00	5.3
26. 8. 16. 오후 12:00:00	5.3
26. 8. 16. 오후 12:30:00	5.3
26. 8. 16. 오후 1:00:00	5.3
26. 8. 16. 오후 1:30:00	5.4
26. 8. 16. 오후 2:00:00	5.3
26. 8. 16. 오후 2:30:00	5.3
26. 8. 16. 오후 3:00:00	5.3
26. 8. 16. 오후 3:30:00	5.4
26. 8. 16. 오후 4:00:00	5.3
26. 8. 16. 오후 4:30:00	5.3
26. 8. 16. 오후 5:00:00	5.3
26. 8. 16. 오후 5:30:00	5.4
26. 8. 16. 오후 6:00:00	5.3
26. 8. 16. 오후 6:30:00	5.3
26. 8. 16. 오후 7:00:00	5.3
26. 8. 16. 오후 7:30:00	5.3
26. 8. 16. 오후 8:00:00	5.3
26. 8. 16. 오후 8:30:00	5.2
26. 8. 16. 오후 9:00:00	5.3
26. 8. 16. 오후 9:30:00	5.3
26. 8. 16. 오후 10:00:00	5.3
26. 8. 16. 오후 10:30:00	5.3
26. 8. 16. 오후 11:00:00	5.3
26. 8. 16. 오후 11:30:00	5.3
26. 8. 17. 오전 12:00:00	5.3
26. 8. 17. 오전 12:30:00	5.3
26. 8. 17. 오전 1:00:00	5.3
26. 8. 17. 오전 1:30:00	5.3



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 17. 오전 2:00:00	5.3
26. 8. 17. 오전 2:30:00	5.3
26. 8. 17. 오전 3:00:00	5.3
26. 8. 17. 오전 3:30:00	5.2
26. 8. 17. 오전 4:00:00	5.2
26. 8. 17. 오전 4:30:00	5.3
26. 8. 17. 오전 5:00:00	5.3
26. 8. 17. 오전 5:30:00	5.3
26. 8. 17. 오전 6:00:00	5.3
26. 8. 17. 오전 6:30:00	5.3
26. 8. 17. 오전 7:00:00	5.4
26. 8. 17. 오전 7:30:00	5.4
26. 8. 17. 오전 8:00:00	5.4
26. 8. 17. 오전 8:30:00	5.3
26. 8. 17. 오전 9:00:00	5.3
26. 8. 17. 오전 9:30:00	5.3
26. 8. 17. 오전 10:00:00	5.2
26. 8. 17. 오전 10:30:00	5.3
26. 8. 17. 오전 11:00:00	5.2
26. 8. 17. 오전 11:30:00	5.3
26. 8. 17. 오후 12:00:00	5.4
26. 8. 17. 오후 12:30:00	5.3
26. 8. 17. 오후 1:00:00	5.4
26. 8. 17. 오후 1:30:00	5.3
26. 8. 17. 오후 2:00:00	5.3
26. 8. 17. 오후 2:30:00	5.3
26. 8. 17. 오후 3:00:00	5.3
26. 8. 17. 오후 3:30:00	5.3
26. 8. 17. 오후 4:00:00	5.3
26. 8. 17. 오후 4:30:00	5.2
26. 8. 17. 오후 5:00:00	5.3



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 17. 오후 5:30:00	5.4
26. 8. 17. 오후 6:00:00	5.3
26. 8. 17. 오후 6:30:00	5.3
26. 8. 17. 오후 7:00:00	5.3
26. 8. 17. 오후 7:30:00	5.4
26. 8. 17. 오후 8:00:00	5.4
26. 8. 17. 오후 8:30:00	5.3
26. 8. 17. 오후 9:00:00	5.2
26. 8. 17. 오후 9:30:00	5.3
26. 8. 17. 오후 10:00:00	5.4
26. 8. 17. 오후 10:30:00	5.3
26. 8. 17. 오후 11:00:00	5.3
26. 8. 17. 오후 11:30:00	5.3
26. 8. 18. 오전 12:00:00	5.3
26. 8. 18. 오전 12:30:00	5.2
26. 8. 18. 오전 1:00:00	5.3
26. 8. 18. 오전 1:30:00	5.3
26. 8. 18. 오전 2:00:00	5.3
26. 8. 18. 오전 2:30:00	5.2
26. 8. 18. 오전 3:00:00	5.2
26. 8. 18. 오전 3:30:00	5.3
26. 8. 18. 오전 4:00:00	5.3
26. 8. 18. 오전 4:30:00	5.2
26. 8. 18. 오전 5:00:00	5.3
26. 8. 18. 오전 5:30:00	5.3
26. 8. 18. 오전 6:00:00	5.2
26. 8. 18. 오전 6:30:00	5.2
26. 8. 18. 오전 7:00:00	5.3
26. 8. 18. 오전 7:30:00	5.3
26. 8. 18. 오전 8:00:00	5.3
26. 8. 18. 오전 8:30:00	5.3



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 18. 오전 9:00:00	5.3
26. 8. 18. 오전 9:30:00	5.2
26. 8. 18. 오전 10:00:00	5.3
26. 8. 18. 오전 10:30:00	5.3
26. 8. 18. 오전 11:00:00	5.4
26. 8. 18. 오전 11:30:00	5.4
26. 8. 18. 오후 12:00:00	5.3
26. 8. 18. 오후 12:30:00	5.3
26. 8. 18. 오후 1:00:00	5.4
26. 8. 18. 오후 1:30:00	5.4
26. 8. 18. 오후 2:00:00	5.3
26. 8. 18. 오후 2:30:00	5.3
26. 8. 18. 오후 3:00:00	5.4
26. 8. 18. 오후 3:30:00	5.3
26. 8. 18. 오후 4:00:00	5.4
26. 8. 18. 오후 4:30:00	5.4
26. 8. 18. 오후 5:00:00	5.3
26. 8. 18. 오후 5:30:00	5.3
26. 8. 18. 오후 6:00:00	5.4
26. 8. 18. 오후 6:30:00	5.4
26. 8. 18. 오후 7:00:00	5.3
26. 8. 18. 오후 7:30:00	5.3
26. 8. 18. 오후 8:00:00	5.3
26. 8. 18. 오후 8:30:00	5.3
26. 8. 18. 오후 9:00:00	5.2
26. 8. 18. 오후 9:30:00	5.2
26. 8. 18. 오후 10:00:00	5.3
26. 8. 18. 오후 10:30:00	5.3
26. 8. 18. 오후 11:00:00	5.2
26. 8. 18. 오후 11:30:00	5.2
26. 8. 19. 오전 12:00:00	5.3



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 19. 오전 12:30:00	5.3
26. 8. 19. 오전 1:00:00	5.3
26. 8. 19. 오전 1:30:00	5.3
26. 8. 19. 오전 2:00:00	5.3
26. 8. 19. 오전 2:30:00	5.2
26. 8. 19. 오전 3:00:00	5.2
26. 8. 19. 오전 3:30:00	5.2
26. 8. 19. 오전 4:00:00	5.3
26. 8. 19. 오전 4:30:00	5.2
26. 8. 19. 오전 5:00:00	5.2
26. 8. 19. 오전 5:30:00	5.2
26. 8. 19. 오전 6:00:00	5.2
26. 8. 19. 오전 6:30:00	5.2
26. 8. 19. 오전 7:00:00	5.3
26. 8. 19. 오전 7:30:00	5.3
26. 8. 19. 오전 8:00:00	5.4
26. 8. 19. 오전 8:30:00	5.2
26. 8. 19. 오전 9:00:00	5.2
26. 8. 19. 오전 9:30:00	5.3
26. 8. 19. 오전 10:00:00	5.3
26. 8. 19. 오전 10:30:00	5.4
26. 8. 19. 오전 11:00:00	5.3
26. 8. 19. 오전 11:30:00	5.3
26. 8. 19. 오후 12:00:00	5.3
26. 8. 19. 오후 12:30:00	5.3
26. 8. 19. 오후 1:00:00	5.3
26. 8. 19. 오후 1:30:00	5.3
26. 8. 19. 오후 2:00:00	5.3
26. 8. 19. 오후 2:30:00	5.3
26. 8. 19. 오후 3:00:00	5.3
26. 8. 19. 오후 3:30:00	5.3



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 19. 오후 4:00:00	5.3
26. 8. 19. 오후 4:30:00	5.4
26. 8. 19. 오후 5:00:00	5.4
26. 8. 19. 오후 5:30:00	5.3
26. 8. 19. 오후 6:00:00	5.3
26. 8. 19. 오후 6:30:00	5.4
26. 8. 19. 오후 7:00:00	5.3
26. 8. 19. 오후 7:30:00	5.2
26. 8. 19. 오후 8:00:00	5.3
26. 8. 19. 오후 8:30:00	5.3
26. 8. 19. 오후 9:00:00	5.3
26. 8. 19. 오후 9:30:00	5.3
26. 8. 19. 오후 10:00:00	5.3
26. 8. 19. 오후 10:30:00	5.3
26. 8. 19. 오후 11:00:00	5.3
26. 8. 19. 오후 11:30:00	5.3
26. 8. 20. 오전 12:00:00	5.3
26. 8. 20. 오전 12:30:00	5.3
26. 8. 20. 오전 1:00:00	5.3
26. 8. 20. 오전 1:30:00	5.4
26. 8. 20. 오전 2:00:00	5.3
26. 8. 20. 오전 2:30:00	5.3
26. 8. 20. 오전 3:00:00	5.2
26. 8. 20. 오전 3:30:00	5.3
26. 8. 20. 오전 4:00:00	5.3
26. 8. 20. 오전 4:30:00	5.3
26. 8. 20. 오전 5:00:00	5.2
26. 8. 20. 오전 5:30:00	5.2
26. 8. 20. 오전 6:00:00	5.2
26. 8. 20. 오전 6:30:00	5.3
26. 8. 20. 오전 7:00:00	5.3



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 20. 오전 7:30:00	5.2
26. 8. 20. 오전 8:00:00	5.3
26. 8. 20. 오전 8:30:00	5.4
26. 8. 20. 오전 9:00:00	5.3
26. 8. 20. 오전 9:30:00	5.3
26. 8. 20. 오전 10:00:00	5.4
26. 8. 20. 오전 10:30:00	5.4
26. 8. 20. 오전 11:00:00	5.4
26. 8. 20. 오전 11:30:00	5.3
26. 8. 20. 오후 12:00:00	5.4
26. 8. 20. 오후 12:30:00	5.4
26. 8. 20. 오후 1:00:00	5.4
26. 8. 20. 오후 1:30:00	5.4
26. 8. 20. 오후 2:00:00	5.4
26. 8. 20. 오후 2:30:00	5.4
26. 8. 20. 오후 3:00:00	5.3
26. 8. 20. 오후 3:30:00	5.3
26. 8. 20. 오후 4:00:00	5.4
26. 8. 20. 오후 4:30:00	5.4
26. 8. 20. 오후 5:00:00	5.3
26. 8. 20. 오후 5:30:00	5.3
26. 8. 20. 오후 6:00:00	5.4
26. 8. 20. 오후 6:30:00	5.4
26. 8. 20. 오후 7:00:00	5.3
26. 8. 20. 오후 7:30:00	5.3
26. 8. 20. 오후 8:00:00	5.3
26. 8. 20. 오후 8:30:00	5.3
26. 8. 20. 오후 9:00:00	5.2
26. 8. 20. 오후 9:30:00	5.2
26. 8. 20. 오후 10:00:00	5.3
26. 8. 20. 오후 10:30:00	5.3



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 20. 오후 11:00:00	5.3
26. 8. 20. 오후 11:30:00	5.3
26. 8. 21. 오전 12:00:00	5.3
26. 8. 21. 오전 12:30:00	5.3
26. 8. 21. 오전 1:00:00	5.2
26. 8. 21. 오전 1:30:00	5.3
26. 8. 21. 오전 2:00:00	5.3
26. 8. 21. 오전 2:30:00	5.3
26. 8. 21. 오전 3:00:00	5.3
26. 8. 21. 오전 3:30:00	5.3
26. 8. 21. 오전 4:00:00	5.2
26. 8. 21. 오전 4:30:00	5.2
26. 8. 21. 오전 5:00:00	5.3
26. 8. 21. 오전 5:30:00	5.3
26. 8. 21. 오전 6:00:00	5.3
26. 8. 21. 오전 6:30:00	5.3
26. 8. 21. 오전 7:00:00	5.4
26. 8. 21. 오전 7:30:00	5.3
26. 8. 21. 오전 8:00:00	5.3
26. 8. 21. 오전 8:30:00	5.3
26. 8. 21. 오전 9:00:00	5.3
26. 8. 21. 오전 9:30:00	5.3
26. 8. 21. 오전 10:00:00	5.3
26. 8. 21. 오전 10:30:00	5.2
26. 8. 21. 오전 11:00:00	5.3
26. 8. 21. 오전 11:30:00	5.3
26. 8. 21. 오후 12:00:00	5.3
26. 8. 21. 오후 12:30:00	5.3
26. 8. 21. 오후 1:00:00	5.3
26. 8. 21. 오후 1:30:00	5.3
26. 8. 21. 오후 2:00:00	5.3



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 21. 오후 2:30:00	5.4
26. 8. 21. 오후 3:00:00	5.3
26. 8. 21. 오후 3:30:00	5.3
26. 8. 21. 오후 4:00:00	5.3
26. 8. 21. 오후 4:30:00	5.3
26. 8. 21. 오후 5:00:00	5.3
26. 8. 21. 오후 5:30:00	5.3
26. 8. 21. 오후 6:00:00	5.3
26. 8. 21. 오후 6:30:00	5.3
26. 8. 21. 오후 7:00:00	5.2
26. 8. 21. 오후 7:30:00	5.3
26. 8. 21. 오후 8:00:00	5.3
26. 8. 21. 오후 8:30:00	5.3
26. 8. 21. 오후 9:00:00	5.3
26. 8. 21. 오후 9:30:00	5.3
26. 8. 21. 오후 10:00:00	5.2
26. 8. 21. 오후 10:30:00	5.2
26. 8. 21. 오후 11:00:00	5.3
26. 8. 21. 오후 11:30:00	5.3
26. 8. 22. 오전 12:00:00	5.2
26. 8. 22. 오전 12:30:00	5.2
26. 8. 22. 오전 1:00:00	5.2
26. 8. 22. 오전 1:30:00	5.2
26. 8. 22. 오전 2:00:00	5.3
26. 8. 22. 오전 2:30:00	5.3
26. 8. 22. 오전 3:00:00	5.2
26. 8. 22. 오전 3:30:00	5.3
26. 8. 22. 오전 4:00:00	5.3
26. 8. 22. 오전 4:30:00	5.2
26. 8. 22. 오전 5:00:00	5.3
26. 8. 22. 오전 5:30:00	5.3



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 22. 오전 6:00:00	5.2
26. 8. 22. 오전 6:30:00	5.2
26. 8. 22. 오전 7:00:00	5.3
26. 8. 22. 오전 7:30:00	5.2
26. 8. 22. 오전 8:00:00	5.3
26. 8. 22. 오전 8:30:00	5.3
26. 8. 22. 오전 9:00:00	5.2
26. 8. 22. 오전 9:30:00	5.2
26. 8. 22. 오전 10:00:00	5.3
26. 8. 22. 오전 10:30:00	5.3
26. 8. 22. 오전 11:00:00	5.2
26. 8. 22. 오전 11:30:00	5.2
26. 8. 22. 오후 12:00:00	5.2
26. 8. 22. 오후 12:30:00	5.2
26. 8. 22. 오후 1:00:00	5.2
26. 8. 22. 오후 1:30:00	5.2
26. 8. 22. 오후 2:00:00	5.3
26. 8. 22. 오후 2:30:00	5.3
26. 8. 22. 오후 3:00:00	5.3
26. 8. 22. 오후 3:30:00	5.2
26. 8. 22. 오후 4:00:00	5.3
26. 8. 22. 오후 4:30:00	5.3
26. 8. 22. 오후 5:00:00	5.2
26. 8. 22. 오후 5:30:00	5.2
26. 8. 22. 오후 6:00:00	5.2
26. 8. 22. 오후 6:30:00	5.2
26. 8. 22. 오후 7:00:00	5.2
26. 8. 22. 오후 7:30:00	5.2
26. 8. 22. 오후 8:00:00	5.2
26. 8. 22. 오후 8:30:00	5.3
26. 8. 22. 오후 9:00:00	5.3



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 22. 오후 9:30:00	5.3
26. 8. 22. 오후 10:00:00	5.3
26. 8. 22. 오후 10:30:00	5.3
26. 8. 22. 오후 11:00:00	5.3
26. 8. 22. 오후 11:30:00	5.3
26. 8. 23. 오전 12:00:00	5.3
26. 8. 23. 오전 12:30:00	5.3
26. 8. 23. 오전 1:00:00	5.3
26. 8. 23. 오전 1:30:00	5.3
26. 8. 23. 오전 2:00:00	5.3
26. 8. 23. 오전 2:30:00	5.3
26. 8. 23. 오전 3:00:00	5.3
26. 8. 23. 오전 3:30:00	5.3
26. 8. 23. 오전 4:00:00	5.3
26. 8. 23. 오전 4:30:00	5.3
26. 8. 23. 오전 5:00:00	5.2
26. 8. 23. 오전 5:30:00	5.3
26. 8. 23. 오전 6:00:00	5.2
26. 8. 23. 오전 6:30:00	5.2
26. 8. 23. 오전 7:00:00	5.3
26. 8. 23. 오전 7:30:00	5.3
26. 8. 23. 오전 8:00:00	5.2
26. 8. 23. 오전 8:30:00	5.3
26. 8. 23. 오전 9:00:00	5.2
26. 8. 23. 오전 9:30:00	5.2
26. 8. 23. 오전 10:00:00	5.2
26. 8. 23. 오전 10:30:00	5.3
26. 8. 23. 오전 11:00:00	5.3
26. 8. 23. 오전 11:30:00	5.2
26. 8. 23. 오후 12:00:00	5.2
26. 8. 23. 오후 12:30:00	5.3



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 23. 오후 1:00:00	5.4
26. 8. 23. 오후 1:30:00	5.3
26. 8. 23. 오후 2:00:00	5.3
26. 8. 23. 오후 2:30:00	5.3
26. 8. 23. 오후 3:00:00	5.3
26. 8. 23. 오후 3:30:00	5.3
26. 8. 23. 오후 4:00:00	5.3
26. 8. 23. 오후 4:30:00	5.3
26. 8. 23. 오후 5:00:00	5.3
26. 8. 23. 오후 5:30:00	5.4
26. 8. 23. 오후 6:00:00	5.3
26. 8. 23. 오후 6:30:00	5.3
26. 8. 23. 오후 7:00:00	5.3
26. 8. 23. 오후 7:30:00	5.3
26. 8. 23. 오후 8:00:00	5.3
26. 8. 23. 오후 8:30:00	5.3
26. 8. 23. 오후 9:00:00	5.4
26. 8. 23. 오후 9:30:00	5.3
26. 8. 23. 오후 10:00:00	5.3
26. 8. 23. 오후 10:30:00	5.3
26. 8. 23. 오후 11:00:00	5.3
26. 8. 23. 오후 11:30:00	5.2
26. 8. 24. 오전 12:00:00	5.2
26. 8. 24. 오전 12:30:00	5.2
26. 8. 24. 오전 1:00:00	5.2
26. 8. 24. 오전 1:30:00	5.2
26. 8. 24. 오전 2:00:00	5.2
26. 8. 24. 오전 2:30:00	5.2
26. 8. 24. 오전 3:00:00	5.2
26. 8. 24. 오전 3:30:00	5.3
26. 8. 24. 오전 4:00:00	5.3



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 8월 24일 오전 9시 58분 32초 KST

2026년 8월 1일 오전 12시 0분 0초 KST - 2026년 8월 24일 오전 9시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 8. 24. 오전 4:30:00	5.2
26. 8. 24. 오전 5:00:00	5.2
26. 8. 24. 오전 5:30:00	5.2
26. 8. 24. 오전 6:00:00	5.3
26. 8. 24. 오전 6:30:00	5.2
26. 8. 24. 오전 7:00:00	5.2
26. 8. 24. 오전 7:30:00	5.2
26. 8. 24. 오전 8:00:00	5.2
26. 8. 24. 오전 8:30:00	5.3
26. 8. 24. 오전 9:00:00	5.3
26. 8. 24. 오전 9:30:00	5.2