

IP STORAGE TEMPERATURE LOG

Period of Record	Year. Month	2026.9	
Storage	Location	동국대학교일산병원 임상시험센터 약국	9134Room
	Description	Pharmaceutical Refrigerator	냉장고A
	Manufacturer	SGM	
	Model Name	CS-1300P	
	Serial Number	K1300P0292510M	
	Temperature Range	2~8℃	
	Setting Point	4.0℃	
Thermometer (including alarm system)	Description	Wi-Fi data logger	
	Manufacturer	Testo Korea	
	Model Name	Saveris2-T3	
	Serial Number	0054857013	
	Sensor Channel	Channel 1	
Thermometer Calibration Certification	Min/Max Record	Monthly report	This month Min (4.3)℃, Max(5.3)℃
	Date of Calibration	2026.8.31	
	Date of Calibration Due	2027.8.31	
Alarm System	Certificate No.	A26-2497-001	
	Alarm Threshold	Lower : 2.5℃, Upper : 7.5℃, immediate alarm without delay	
	Alarm Method	Mail, SMS to Pharmacists	

Date	Time	Temperature(℃)	Deviation	Verified by	Comment
2026.09.01			☐ Y / ☐ N		
2026.09.02			☐ Y / ☐ N		
2026.09.03			☐ Y / ☐ N		
2026.09.04			☐ Y / ☐ N		
2026.09.05			☐ Y / ☐ N		
2026.09.06			☐ Y / ☐ N		
2026.09.07			☐ Y / ☐ N		
2026.09.08			☐ Y / ☐ N		
2026.09.09			☐ Y / ☐ N		
2026.09.10	p:20	4.7	☐ Y / ☐ N	ml	20시에 인해.
2026.09.11	p:20	4.4	☐ Y / ☒ N	ml	
2026.09.12			☐ Y / ☐ N		
2026.09.13			☐ Y / ☐ N		
2026.09.14	p:20	4.6	☐ Y / ☒ N	ml	
2026.09.15	p:20	4.5	☐ Y / ☒ N	ml	
2026.09.16	p:20	4.6	☐ Y / ☒ N	ml	
2026.09.17	p:20	4.4	☐ Y / ☒ N	ml	
2026.09.18	p:20	4.4	☐ Y / ☒ N	ml	
2026.09.19			☐ Y / ☐ N		
2026.09.20			☐ Y / ☐ N		
2026.09.21	p:20	4.8	☐ Y / ☒ N	ml	
2026.09.22	p:25	5.2	☐ Y / ☒ N	ml	
2026.09.23	p:20	5.1	☐ Y / ☒ N	ml	
2026.09.24			☐ Y / ☐ N		추석연휴
2026.09.25			☐ Y / ☐ N		추석
2026.09.26			☐ Y / ☐ N		
2026.09.27			☐ Y / ☐ N		
2026.09.28	p:20	4.9	☐ Y / ☒ N	ml	
2026.09.29	p:20	4.7	☐ Y / ☒ N	ml	
2026.09.30	p:10	4.8	☐ Y / ☒ N	ml	
			☐ Y / ☐ N		

date of copying

sign

Period of Record	Year. Month	2026.9	
Storage	Location	동국대학교일산병원 임상시험센터 약국	9134Room
	Description	Pharmaceutical Refrigerator	냉장고A
	Manufacturer	SGM	
	Model Name	CS-1300P	
	Serial Number	K1300P0292510M	
Thermometer	Description	Digital Thermometer	
	Manufacturer	SATO	
	Model Name	PC-3500	
	Serial Number	812370	
Calibration certification	Date of Calibration	2026.1.27	
	Date of Calibration Due	2027.1.27	
	Certificate No.	SC2601-02474-3	
Temperature deviation alarm system	Temperature Range	2~8℃	
	Setting Point	4.0℃	
	Min/Max Record	Reset after recording	
	Manufacturer	Daeil Tech	
	Model Name	ACMS-DT01	
	Serial Number	DT15-ACMS-000348-K	
	Alarm threshold	Lower : 2℃, Upper : 8℃, alarm in 5 minutes	
	Alarm Method	Call to Pharmacists	
	Alarm Clear Method	000	


Date	Time	Temperature(℃)			Verified by	Comment
		Current	Min	Max		
2026.09.01	P: 20	5	5	5		
2026.09.02	P: 10	5	5	5		
2026.09.03	P: 20	5	5	5		
2026.09.04	P: 20	5	5	5		
2026.09.05						
2026.09.06						
2026.09.07	P: 30	5	5	5		
2026.09.08	P: 20	5	5	5		
2026.09.09	P: 30	5	5	5		
2026.09.10	P: 20	4	4	5		문자메시지 보내기
2026.09.11						
2026.09.12						
2026.09.13						
2026.09.14						
2026.09.15						
2026.09.16						
2026.09.17						
2026.09.18						
2026.09.19						
2026.09.20						
2026.09.21						
2026.09.22						
2026.09.23						
2026.09.24						추석연휴
2026.09.25						추석
2026.09.26						
2026.09.27						
2026.09.28						
2026.09.29						
2026.09.30						
1900-01-00						



측정 포인트 요약

동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1

임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1





테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
최소값	4.3
최대값	5.3
평균	4.8
26. 9. 10. 오전 9:00:00	4.7
26. 9. 10. 오전 9:30:00	4.5
26. 9. 10. 오전 10:00:00	4.8
26. 9. 10. 오전 10:30:00	5.1
26. 9. 10. 오전 11:00:00	4.8
26. 9. 10. 오전 11:30:00	4.8
26. 9. 10. 오후 12:00:00	4.5
26. 9. 10. 오후 12:30:00	5.1
26. 9. 10. 오후 1:00:00	5.0
26. 9. 10. 오후 1:30:00	4.6
26. 9. 10. 오후 2:00:00	4.5
26. 9. 10. 오후 2:30:00	4.9
26. 9. 10. 오후 3:00:00	5.1
26. 9. 10. 오후 3:30:00	4.8
26. 9. 10. 오후 4:00:00	4.5
26. 9. 10. 오후 4:30:00	4.8
26. 9. 10. 오후 5:00:00	5.1
26. 9. 10. 오후 5:30:00	4.9
26. 9. 10. 오후 6:00:00	4.5
26. 9. 10. 오후 6:30:00	4.8
26. 9. 10. 오후 7:00:00	5.2
26. 9. 10. 오후 7:30:00	5.0
26. 9. 10. 오후 8:00:00	4.6
26. 9. 10. 오후 8:30:00	4.6
26. 9. 10. 오후 9:00:00	5.1
26. 9. 10. 오후 9:30:00	5.0
26. 9. 10. 오후 10:00:00	4.6
26. 9. 10. 오후 10:30:00	4.6



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 10. 오후 11:00:00	5.1
26. 9. 10. 오후 11:30:00	4.9
26. 9. 11. 오전 12:00:00	4.8
26. 9. 11. 오전 12:30:00	4.5
26. 9. 11. 오전 1:00:00	4.9
26. 9. 11. 오전 1:30:00	5.1
26. 9. 11. 오전 2:00:00	4.8
26. 9. 11. 오전 2:30:00	4.5
26. 9. 11. 오전 3:00:00	4.7
26. 9. 11. 오전 3:30:00	5.1
26. 9. 11. 오전 4:00:00	5.0
26. 9. 11. 오전 4:30:00	4.6
26. 9. 11. 오전 5:00:00	4.6
26. 9. 11. 오전 5:30:00	5.0
26. 9. 11. 오전 6:00:00	4.9
26. 9. 11. 오전 6:30:00	4.5
26. 9. 11. 오전 7:00:00	4.6
26. 9. 11. 오전 7:30:00	5.1
26. 9. 11. 오전 8:00:00	4.9
26. 9. 11. 오전 8:30:00	4.6
26. 9. 11. 오전 9:00:00	4.4
26. 9. 11. 오전 9:30:00	4.8
26. 9. 11. 오전 10:00:00	5.0
26. 9. 11. 오전 10:30:00	4.9
26. 9. 11. 오전 11:00:00	4.6
26. 9. 11. 오전 11:30:00	4.4
26. 9. 11. 오후 12:00:00	4.8
26. 9. 11. 오후 12:30:00	4.5
26. 9. 11. 오후 1:00:00	4.5
26. 9. 11. 오후 1:30:00	4.8
26. 9. 11. 오후 2:00:00	5.1



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 11. 오후 2:30:00	5.0
26. 9. 11. 오후 3:00:00	4.8
26. 9. 11. 오후 3:30:00	4.6
26. 9. 11. 오후 4:00:00	4.6
26. 9. 11. 오후 4:30:00	4.9
26. 9. 11. 오후 5:00:00	5.1
26. 9. 11. 오후 5:30:00	4.9
26. 9. 11. 오후 6:00:00	4.5
26. 9. 11. 오후 6:30:00	4.7
26. 9. 11. 오후 7:00:00	5.1
26. 9. 11. 오후 7:30:00	4.9
26. 9. 11. 오후 8:00:00	4.6
26. 9. 11. 오후 8:30:00	4.6
26. 9. 11. 오후 9:00:00	5.0
26. 9. 11. 오후 9:30:00	5.0
26. 9. 11. 오후 10:00:00	4.7
26. 9. 11. 오후 10:30:00	4.4
26. 9. 11. 오후 11:00:00	4.9
26. 9. 11. 오후 11:30:00	5.0
26. 9. 12. 오전 12:00:00	4.9
26. 9. 12. 오전 12:30:00	4.5
26. 9. 12. 오전 1:00:00	4.5
26. 9. 12. 오전 1:30:00	5.0
26. 9. 12. 오전 2:00:00	4.9
26. 9. 12. 오전 2:30:00	4.5
26. 9. 12. 오전 3:00:00	4.6
26. 9. 12. 오전 3:30:00	5.1
26. 9. 12. 오전 4:00:00	4.9
26. 9. 12. 오전 4:30:00	4.7
26. 9. 12. 오전 5:00:00	4.4
26. 9. 12. 오전 5:30:00	4.7



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 12. 오전 6:00:00	5.0
26. 9. 12. 오전 6:30:00	4.7
26. 9. 12. 오전 7:00:00	4.4
26. 9. 12. 오전 7:30:00	4.7
26. 9. 12. 오전 8:00:00	5.1
26. 9. 12. 오전 8:30:00	4.8
26. 9. 12. 오전 9:00:00	4.4
26. 9. 12. 오전 9:30:00	4.5
26. 9. 12. 오전 10:00:00	4.9
26. 9. 12. 오전 10:30:00	4.9
26. 9. 12. 오전 11:00:00	4.7
26. 9. 12. 오전 11:30:00	4.4
26. 9. 12. 오후 12:00:00	4.6
26. 9. 12. 오후 12:30:00	5.0
26. 9. 12. 오후 1:00:00	5.1
26. 9. 12. 오후 1:30:00	4.9
26. 9. 12. 오후 2:00:00	4.6
26. 9. 12. 오후 2:30:00	4.6
26. 9. 12. 오후 3:00:00	4.9
26. 9. 12. 오후 3:30:00	5.0
26. 9. 12. 오후 4:00:00	4.9
26. 9. 12. 오후 4:30:00	4.6
26. 9. 12. 오후 5:00:00	4.4
26. 9. 12. 오후 5:30:00	4.8
26. 9. 12. 오후 6:00:00	4.8
26. 9. 12. 오후 6:30:00	4.9
26. 9. 12. 오후 7:00:00	4.6
26. 9. 12. 오후 7:30:00	4.5
26. 9. 12. 오후 8:00:00	5.0
26. 9. 12. 오후 8:30:00	5.0
26. 9. 12. 오후 9:00:00	4.7



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 12. 오후 9:30:00	4.5
26. 9. 12. 오후 10:00:00	4.8
26. 9. 12. 오후 10:30:00	5.0
26. 9. 12. 오후 11:00:00	4.9
26. 9. 12. 오후 11:30:00	4.5
26. 9. 13. 오전 12:00:00	5.0
26. 9. 13. 오전 12:30:00	4.8
26. 9. 13. 오전 1:00:00	5.0
26. 9. 13. 오전 1:30:00	4.8
26. 9. 13. 오전 2:00:00	4.5
26. 9. 13. 오전 2:30:00	4.6
26. 9. 13. 오전 3:00:00	5.1
26. 9. 13. 오전 3:30:00	4.9
26. 9. 13. 오전 4:00:00	4.6
26. 9. 13. 오전 4:30:00	4.4
26. 9. 13. 오전 5:00:00	4.9
26. 9. 13. 오전 5:30:00	5.0
26. 9. 13. 오전 6:00:00	5.0
26. 9. 13. 오전 6:30:00	4.5
26. 9. 13. 오전 7:00:00	4.5
26. 9. 13. 오전 7:30:00	5.0
26. 9. 13. 오전 8:00:00	5.1
26. 9. 13. 오전 8:30:00	4.8
26. 9. 13. 오전 9:00:00	4.5
26. 9. 13. 오전 9:30:00	4.8
26. 9. 13. 오전 10:00:00	5.1
26. 9. 13. 오전 10:30:00	4.8
26. 9. 13. 오전 11:00:00	4.5
26. 9. 13. 오전 11:30:00	4.4
26. 9. 13. 오후 12:00:00	4.8
26. 9. 13. 오후 12:30:00	5.0



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 13. 오후 1:00:00	4.7
26. 9. 13. 오후 1:30:00	4.4
26. 9. 13. 오후 2:00:00	4.6
26. 9. 13. 오후 2:30:00	5.0
26. 9. 13. 오후 3:00:00	5.0
26. 9. 13. 오후 3:30:00	4.9
26. 9. 13. 오후 4:00:00	4.6
26. 9. 13. 오후 4:30:00	4.4
26. 9. 13. 오후 5:00:00	4.6
26. 9. 13. 오후 5:30:00	5.0
26. 9. 13. 오후 6:00:00	5.1
26. 9. 13. 오후 6:30:00	4.7
26. 9. 13. 오후 7:00:00	5.1
26. 9. 13. 오후 7:30:00	4.9
26. 9. 13. 오후 8:00:00	4.7
26. 9. 13. 오후 8:30:00	4.4
26. 9. 13. 오후 9:00:00	4.6
26. 9. 13. 오후 9:30:00	5.0
26. 9. 13. 오후 10:00:00	5.0
26. 9. 13. 오후 10:30:00	4.7
26. 9. 13. 오후 11:00:00	4.5
26. 9. 13. 오후 11:30:00	4.6
26. 9. 14. 오전 12:00:00	5.0
26. 9. 14. 오전 12:30:00	5.1
26. 9. 14. 오전 1:00:00	5.0
26. 9. 14. 오전 1:30:00	4.6
26. 9. 14. 오전 2:00:00	4.4
26. 9. 14. 오전 2:30:00	4.7
26. 9. 14. 오전 3:00:00	5.0
26. 9. 14. 오전 3:30:00	4.8
26. 9. 14. 오전 4:00:00	4.4



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 14. 오전 4:30:00	4.7
26. 9. 14. 오전 5:00:00	5.0
26. 9. 14. 오전 5:30:00	4.8
26. 9. 14. 오전 6:00:00	4.4
26. 9. 14. 오전 6:30:00	4.7
26. 9. 14. 오전 7:00:00	4.5
26. 9. 14. 오전 7:30:00	4.5
26. 9. 14. 오전 8:00:00	5.0
26. 9. 14. 오전 8:30:00	4.9
26. 9. 14. 오전 9:00:00	4.6
26. 9. 14. 오전 9:30:00	4.5
26. 9. 14. 오전 10:00:00	4.4
26. 9. 14. 오전 10:30:00	4.5
26. 9. 14. 오전 11:00:00	4.8
26. 9. 14. 오전 11:30:00	5.0
26. 9. 14. 오후 12:00:00	5.0
26. 9. 14. 오후 12:30:00	4.7
26. 9. 14. 오후 1:00:00	4.5
26. 9. 14. 오후 1:30:00	4.4
26. 9. 14. 오후 2:00:00	4.4
26. 9. 14. 오후 2:30:00	4.5
26. 9. 14. 오후 3:00:00	4.7
26. 9. 14. 오후 3:30:00	5.1
26. 9. 14. 오후 4:00:00	5.1
26. 9. 14. 오후 4:30:00	5.0
26. 9. 14. 오후 5:00:00	4.8
26. 9. 14. 오후 5:30:00	4.6
26. 9. 14. 오후 6:00:00	4.5
26. 9. 14. 오후 6:30:00	4.6
26. 9. 14. 오후 7:00:00	4.9
26. 9. 14. 오후 7:30:00	5.1



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 14. 오후 8:00:00	4.9
26. 9. 14. 오후 8:30:00	4.7
26. 9. 14. 오후 9:00:00	4.5
26. 9. 14. 오후 9:30:00	4.8
26. 9. 14. 오후 10:00:00	5.1
26. 9. 14. 오후 10:30:00	4.9
26. 9. 14. 오후 11:00:00	4.5
26. 9. 14. 오후 11:30:00	4.7
26. 9. 15. 오전 12:00:00	5.1
26. 9. 15. 오전 12:30:00	4.5
26. 9. 15. 오전 1:00:00	4.5
26. 9. 15. 오전 1:30:00	4.6
26. 9. 15. 오전 2:00:00	5.0
26. 9. 15. 오전 2:30:00	5.0
26. 9. 15. 오전 3:00:00	4.7
26. 9. 15. 오전 3:30:00	4.4
26. 9. 15. 오전 4:00:00	4.9
26. 9. 15. 오전 4:30:00	5.0
26. 9. 15. 오전 5:00:00	4.6
26. 9. 15. 오전 5:30:00	4.6
26. 9. 15. 오전 6:00:00	5.0
26. 9. 15. 오전 6:30:00	4.6
26. 9. 15. 오전 7:00:00	4.4
26. 9. 15. 오전 7:30:00	4.7
26. 9. 15. 오전 8:00:00	5.0
26. 9. 15. 오전 8:30:00	4.8
26. 9. 15. 오전 9:00:00	4.5
26. 9. 15. 오전 9:30:00	4.7
26. 9. 15. 오전 10:00:00	5.0
26. 9. 15. 오전 10:30:00	5.0
26. 9. 15. 오전 11:00:00	4.9



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 15. 오전 11:30:00	4.7
26. 9. 15. 오후 12:00:00	4.5
26. 9. 15. 오후 12:30:00	4.9
26. 9. 15. 오후 1:00:00	4.4
26. 9. 15. 오후 1:30:00	4.7
26. 9. 15. 오후 2:00:00	5.0
26. 9. 15. 오후 2:30:00	5.1
26. 9. 15. 오후 3:00:00	4.9
26. 9. 15. 오후 3:30:00	4.8
26. 9. 15. 오후 4:00:00	4.6
26. 9. 15. 오후 4:30:00	4.5
26. 9. 15. 오후 5:00:00	4.7
26. 9. 15. 오후 5:30:00	5.0
26. 9. 15. 오후 6:00:00	5.1
26. 9. 15. 오후 6:30:00	5.0
26. 9. 15. 오후 7:00:00	4.8
26. 9. 15. 오후 7:30:00	4.5
26. 9. 15. 오후 8:00:00	4.6
26. 9. 15. 오후 8:30:00	4.9
26. 9. 15. 오후 9:00:00	5.1
26. 9. 15. 오후 9:30:00	4.9
26. 9. 15. 오후 10:00:00	4.5
26. 9. 15. 오후 10:30:00	4.6
26. 9. 15. 오후 11:00:00	5.0
26. 9. 15. 오후 11:30:00	4.9
26. 9. 16. 오전 12:00:00	4.6
26. 9. 16. 오전 12:30:00	4.5
26. 9. 16. 오전 1:00:00	5.1
26. 9. 16. 오전 1:30:00	4.8
26. 9. 16. 오전 2:00:00	4.5
26. 9. 16. 오전 2:30:00	4.9



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 16. 오전 3:00:00	5.0
26. 9. 16. 오전 3:30:00	4.8
26. 9. 16. 오전 4:00:00	4.5
26. 9. 16. 오전 4:30:00	4.6
26. 9. 16. 오전 5:00:00	5.1
26. 9. 16. 오전 5:30:00	5.0
26. 9. 16. 오전 6:00:00	4.5
26. 9. 16. 오전 6:30:00	4.5
26. 9. 16. 오전 7:00:00	4.8
26. 9. 16. 오전 7:30:00	5.0
26. 9. 16. 오전 8:00:00	4.7
26. 9. 16. 오전 8:30:00	4.4
26. 9. 16. 오전 9:00:00	4.6
26. 9. 16. 오전 9:30:00	5.0
26. 9. 16. 오전 10:00:00	5.0
26. 9. 16. 오전 10:30:00	4.8
26. 9. 16. 오전 11:00:00	4.5
26. 9. 16. 오전 11:30:00	4.5
26. 9. 16. 오후 12:00:00	4.7
26. 9. 16. 오후 12:30:00	5.1
26. 9. 16. 오후 1:00:00	4.4
26. 9. 16. 오후 1:30:00	4.6
26. 9. 16. 오후 2:00:00	5.0
26. 9. 16. 오후 2:30:00	5.1
26. 9. 16. 오후 3:00:00	5.0
26. 9. 16. 오후 3:30:00	4.8
26. 9. 16. 오후 4:00:00	4.6
26. 9. 16. 오후 4:30:00	4.6
26. 9. 16. 오후 5:00:00	5.0
26. 9. 16. 오후 5:30:00	5.1
26. 9. 16. 오후 6:00:00	4.9



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 16. 오후 6:30:00	4.5
26. 9. 16. 오후 7:00:00	4.7
26. 9. 16. 오후 7:30:00	4.5
26. 9. 16. 오후 8:00:00	4.8
26. 9. 16. 오후 8:30:00	5.2
26. 9. 16. 오후 9:00:00	4.9
26. 9. 16. 오후 9:30:00	4.6
26. 9. 16. 오후 10:00:00	4.5
26. 9. 16. 오후 10:30:00	4.8
26. 9. 16. 오후 11:00:00	5.1
26. 9. 16. 오후 11:30:00	4.9
26. 9. 17. 오전 12:00:00	4.6
26. 9. 17. 오전 12:30:00	4.5
26. 9. 17. 오전 1:00:00	5.0
26. 9. 17. 오전 1:30:00	5.0
26. 9. 17. 오전 2:00:00	4.8
26. 9. 17. 오전 2:30:00	4.4
26. 9. 17. 오전 3:00:00	4.6
26. 9. 17. 오전 3:30:00	5.1
26. 9. 17. 오전 4:00:00	4.8
26. 9. 17. 오전 4:30:00	4.4
26. 9. 17. 오전 5:00:00	4.8
26. 9. 17. 오전 5:30:00	5.1
26. 9. 17. 오전 6:00:00	4.9
26. 9. 17. 오전 6:30:00	4.5
26. 9. 17. 오전 7:00:00	4.4
26. 9. 17. 오전 7:30:00	4.9
26. 9. 17. 오전 8:00:00	5.0
26. 9. 17. 오전 8:30:00	4.6
26. 9. 17. 오전 9:00:00	4.4
26. 9. 17. 오전 9:30:00	4.6



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 17. 오전 10:00:00	5.0
26. 9. 17. 오전 10:30:00	5.0
26. 9. 17. 오전 11:00:00	4.9
26. 9. 17. 오전 11:30:00	4.8
26. 9. 17. 오후 12:00:00	4.6
26. 9. 17. 오후 12:30:00	4.4
26. 9. 17. 오후 1:00:00	4.5
26. 9. 17. 오후 1:30:00	4.4
26. 9. 17. 오후 2:00:00	4.4
26. 9. 17. 오후 2:30:00	4.4
26. 9. 17. 오후 3:00:00	4.6
26. 9. 17. 오후 3:30:00	4.9
26. 9. 17. 오후 4:00:00	5.1
26. 9. 17. 오후 4:30:00	5.0
26. 9. 17. 오후 5:00:00	4.8
26. 9. 17. 오후 5:30:00	4.5
26. 9. 17. 오후 6:00:00	4.6
26. 9. 17. 오후 6:30:00	5.0
26. 9. 17. 오후 7:00:00	4.8
26. 9. 17. 오후 7:30:00	4.9
26. 9. 17. 오후 8:00:00	4.7
26. 9. 17. 오후 8:30:00	4.4
26. 9. 17. 오후 9:00:00	4.6
26. 9. 17. 오후 9:30:00	4.9
26. 9. 17. 오후 10:00:00	5.0
26. 9. 17. 오후 10:30:00	4.9
26. 9. 17. 오후 11:00:00	4.5
26. 9. 17. 오후 11:30:00	4.5
26. 9. 18. 오전 12:00:00	4.9
26. 9. 18. 오전 12:30:00	5.0
26. 9. 18. 오전 1:00:00	5.1



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 18. 오전 1:30:00	5.0
26. 9. 18. 오전 2:00:00	4.8
26. 9. 18. 오전 2:30:00	4.5
26. 9. 18. 오전 3:00:00	4.6
26. 9. 18. 오전 3:30:00	5.1
26. 9. 18. 오전 4:00:00	4.8
26. 9. 18. 오전 4:30:00	4.5
26. 9. 18. 오전 5:00:00	4.6
26. 9. 18. 오전 5:30:00	5.0
26. 9. 18. 오전 6:00:00	4.9
26. 9. 18. 오전 6:30:00	4.7
26. 9. 18. 오전 7:00:00	4.6
26. 9. 18. 오전 7:30:00	4.9
26. 9. 18. 오전 8:00:00	5.0
26. 9. 18. 오전 8:30:00	4.7
26. 9. 18. 오전 9:00:00	4.4
26. 9. 18. 오전 9:30:00	4.7
26. 9. 18. 오전 10:00:00	5.1
26. 9. 18. 오전 10:30:00	5.0
26. 9. 18. 오전 11:00:00	4.8
26. 9. 18. 오전 11:30:00	4.5
26. 9. 18. 오후 12:00:00	4.5
26. 9. 18. 오후 12:30:00	4.7
26. 9. 18. 오후 1:00:00	4.8
26. 9. 18. 오후 1:30:00	4.8
26. 9. 18. 오후 2:00:00	4.6
26. 9. 18. 오후 2:30:00	4.6
26. 9. 18. 오후 3:00:00	4.6
26. 9. 18. 오후 3:30:00	5.1
26. 9. 18. 오후 4:00:00	5.2
26. 9. 18. 오후 4:30:00	5.0



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 18. 오후 5:00:00	4.7
26. 9. 18. 오후 5:30:00	4.6
26. 9. 18. 오후 6:00:00	5.0
26. 9. 18. 오후 6:30:00	5.2
26. 9. 18. 오후 7:00:00	4.9
26. 9. 18. 오후 7:30:00	5.2
26. 9. 18. 오후 8:00:00	5.0
26. 9. 18. 오후 8:30:00	4.6
26. 9. 18. 오후 9:00:00	4.7
26. 9. 18. 오후 9:30:00	5.1
26. 9. 18. 오후 10:00:00	5.1
26. 9. 18. 오후 10:30:00	4.8
26. 9. 18. 오후 11:00:00	4.5
26. 9. 18. 오후 11:30:00	4.6
26. 9. 19. 오전 12:00:00	5.2
26. 9. 19. 오전 12:30:00	5.1
26. 9. 19. 오전 1:00:00	4.8
26. 9. 19. 오전 1:30:00	5.0
26. 9. 19. 오전 2:00:00	5.0
26. 9. 19. 오전 2:30:00	4.7
26. 9. 19. 오전 3:00:00	4.6
26. 9. 19. 오전 3:30:00	5.0
26. 9. 19. 오전 4:00:00	5.1
26. 9. 19. 오전 4:30:00	4.9
26. 9. 19. 오전 5:00:00	4.5
26. 9. 19. 오전 5:30:00	4.8
26. 9. 19. 오전 6:00:00	5.2
26. 9. 19. 오전 6:30:00	4.9
26. 9. 19. 오전 7:00:00	4.5
26. 9. 19. 오전 7:30:00	4.8
26. 9. 19. 오전 8:00:00	5.1



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 19. 오전 8:30:00	4.8
26. 9. 19. 오전 9:00:00	4.5
26. 9. 19. 오전 9:30:00	4.7
26. 9. 19. 오전 10:00:00	5.2
26. 9. 19. 오전 10:30:00	5.0
26. 9. 19. 오전 11:00:00	4.7
26. 9. 19. 오전 11:30:00	4.5
26. 9. 19. 오후 12:00:00	4.6
26. 9. 19. 오후 12:30:00	4.8
26. 9. 19. 오후 1:00:00	5.0
26. 9. 19. 오후 1:30:00	5.1
26. 9. 19. 오후 2:00:00	5.0
26. 9. 19. 오후 2:30:00	4.9
26. 9. 19. 오후 3:00:00	4.8
26. 9. 19. 오후 3:30:00	4.7
26. 9. 19. 오후 4:00:00	4.9
26. 9. 19. 오후 4:30:00	5.1
26. 9. 19. 오후 5:00:00	5.3
26. 9. 19. 오후 5:30:00	5.2
26. 9. 19. 오후 6:00:00	4.9
26. 9. 19. 오후 6:30:00	4.7
26. 9. 19. 오후 7:00:00	4.6
26. 9. 19. 오후 7:30:00	5.2
26. 9. 19. 오후 8:00:00	5.1
26. 9. 19. 오후 8:30:00	4.8
26. 9. 19. 오후 9:00:00	4.6
26. 9. 19. 오후 9:30:00	4.8
26. 9. 19. 오후 10:00:00	5.2
26. 9. 19. 오후 10:30:00	5.1
26. 9. 19. 오후 11:00:00	4.8
26. 9. 19. 오후 11:30:00	4.5



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 20. 오전 12:00:00	4.8
26. 9. 20. 오전 12:30:00	5.1
26. 9. 20. 오전 1:00:00	4.9
26. 9. 20. 오전 1:30:00	4.5
26. 9. 20. 오전 2:00:00	5.0
26. 9. 20. 오전 2:30:00	5.1
26. 9. 20. 오전 3:00:00	4.9
26. 9. 20. 오전 3:30:00	4.6
26. 9. 20. 오전 4:00:00	4.7
26. 9. 20. 오전 4:30:00	5.2
26. 9. 20. 오전 5:00:00	4.8
26. 9. 20. 오전 5:30:00	4.6
26. 9. 20. 오전 6:00:00	4.9
26. 9. 20. 오전 6:30:00	5.1
26. 9. 20. 오전 7:00:00	4.9
26. 9. 20. 오전 7:30:00	4.4
26. 9. 20. 오전 8:00:00	4.6
26. 9. 20. 오전 8:30:00	5.0
26. 9. 20. 오전 9:00:00	5.1
26. 9. 20. 오전 9:30:00	4.8
26. 9. 20. 오전 10:00:00	4.6
26. 9. 20. 오전 10:30:00	4.5
26. 9. 20. 오전 11:00:00	4.8
26. 9. 20. 오전 11:30:00	5.0
26. 9. 20. 오후 12:00:00	5.2
26. 9. 20. 오후 12:30:00	5.2
26. 9. 20. 오후 1:00:00	5.1
26. 9. 20. 오후 1:30:00	4.9
26. 9. 20. 오후 2:00:00	4.7
26. 9. 20. 오후 2:30:00	4.6
26. 9. 20. 오후 3:00:00	4.6



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 20. 오후 3:30:00	4.7
26. 9. 20. 오후 4:00:00	5.0
26. 9. 20. 오후 4:30:00	5.2
26. 9. 20. 오후 5:00:00	5.2
26. 9. 20. 오후 5:30:00	5.1
26. 9. 20. 오후 6:00:00	4.8
26. 9. 20. 오후 6:30:00	4.5
26. 9. 20. 오후 7:00:00	4.7
26. 9. 20. 오후 7:30:00	4.7
26. 9. 20. 오후 8:00:00	5.0
26. 9. 20. 오후 8:30:00	4.8
26. 9. 20. 오후 9:00:00	4.5
26. 9. 20. 오후 9:30:00	4.9
26. 9. 20. 오후 10:00:00	5.2
26. 9. 20. 오후 10:30:00	5.0
26. 9. 20. 오후 11:00:00	4.7
26. 9. 20. 오후 11:30:00	4.6
26. 9. 21. 오전 12:00:00	4.9
26. 9. 21. 오전 12:30:00	5.2
26. 9. 21. 오전 1:00:00	5.1
26. 9. 21. 오전 1:30:00	4.8
26. 9. 21. 오전 2:00:00	4.6
26. 9. 21. 오전 2:30:00	5.1
26. 9. 21. 오전 3:00:00	5.1
26. 9. 21. 오전 3:30:00	4.8
26. 9. 21. 오전 4:00:00	4.5
26. 9. 21. 오전 4:30:00	4.9
26. 9. 21. 오전 5:00:00	5.1
26. 9. 21. 오전 5:30:00	5.0
26. 9. 21. 오전 6:00:00	4.6
26. 9. 21. 오전 6:30:00	4.6



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 21. 오전 7:00:00	5.1
26. 9. 21. 오전 7:30:00	4.9
26. 9. 21. 오전 8:00:00	5.1
26. 9. 21. 오전 8:30:00	5.0
26. 9. 21. 오전 9:00:00	4.8
26. 9. 21. 오전 9:30:00	4.6
26. 9. 21. 오전 10:00:00	5.0
26. 9. 21. 오전 10:30:00	5.1
26. 9. 21. 오전 11:00:00	5.0
26. 9. 21. 오전 11:30:00	4.8
26. 9. 21. 오후 12:00:00	4.5
26. 9. 21. 오후 12:30:00	4.6
26. 9. 21. 오후 1:00:00	5.0
26. 9. 21. 오후 1:30:00	5.2
26. 9. 21. 오후 2:00:00	4.5
26. 9. 21. 오후 2:30:00	5.1
26. 9. 21. 오후 3:00:00	5.2
26. 9. 21. 오후 3:30:00	5.0
26. 9. 21. 오후 4:00:00	4.9
26. 9. 21. 오후 4:30:00	4.7
26. 9. 21. 오후 5:00:00	4.8
26. 9. 21. 오후 5:30:00	5.1
26. 9. 21. 오후 6:00:00	5.3
26. 9. 21. 오후 6:30:00	5.2
26. 9. 21. 오후 7:00:00	5.0
26. 9. 21. 오후 7:30:00	4.7
26. 9. 21. 오후 8:00:00	4.9
26. 9. 21. 오후 8:30:00	5.3
26. 9. 21. 오후 9:00:00	5.2
26. 9. 21. 오후 9:30:00	4.9
26. 9. 21. 오후 10:00:00	4.6



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 21. 오후 10:30:00	4.8
26. 9. 21. 오후 11:00:00	5.1
26. 9. 21. 오후 11:30:00	5.1
26. 9. 22. 오전 12:00:00	4.9
26. 9. 22. 오전 12:30:00	4.6
26. 9. 22. 오전 1:00:00	4.9
26. 9. 22. 오전 1:30:00	5.1
26. 9. 22. 오전 2:00:00	5.2
26. 9. 22. 오전 2:30:00	5.1
26. 9. 22. 오전 3:00:00	4.7
26. 9. 22. 오전 3:30:00	4.6
26. 9. 22. 오전 4:00:00	5.0
26. 9. 22. 오전 4:30:00	5.2
26. 9. 22. 오전 5:00:00	5.0
26. 9. 22. 오전 5:30:00	4.7
26. 9. 22. 오전 6:00:00	4.6
26. 9. 22. 오전 6:30:00	5.0
26. 9. 22. 오전 7:00:00	5.1
26. 9. 22. 오전 7:30:00	4.8
26. 9. 22. 오전 8:00:00	4.4
26. 9. 22. 오전 8:30:00	4.8
26. 9. 22. 오전 9:00:00	5.2
26. 9. 22. 오전 9:30:00	5.1
26. 9. 22. 오전 10:00:00	4.9
26. 9. 22. 오전 10:30:00	4.7
26. 9. 22. 오전 11:00:00	4.5
26. 9. 22. 오전 11:30:00	4.6
26. 9. 22. 오후 12:00:00	4.8
26. 9. 22. 오후 12:30:00	5.0
26. 9. 22. 오후 1:00:00	5.2
26. 9. 22. 오후 1:30:00	5.2



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 22. 오후 2:00:00	4.5
26. 9. 22. 오후 2:30:00	5.1
26. 9. 22. 오후 3:00:00	5.0
26. 9. 22. 오후 3:30:00	4.9
26. 9. 22. 오후 4:00:00	4.9
26. 9. 22. 오후 4:30:00	4.7
26. 9. 22. 오후 5:00:00	4.5
26. 9. 22. 오후 5:30:00	4.7
26. 9. 22. 오후 6:00:00	4.9
26. 9. 22. 오후 6:30:00	5.2
26. 9. 22. 오후 7:00:00	5.1
26. 9. 22. 오후 7:30:00	5.0
26. 9. 22. 오후 8:00:00	5.1
26. 9. 22. 오후 8:30:00	5.1
26. 9. 22. 오후 9:00:00	4.9
26. 9. 22. 오후 9:30:00	4.6
26. 9. 22. 오후 10:00:00	4.8
26. 9. 22. 오후 10:30:00	5.2
26. 9. 22. 오후 11:00:00	5.1
26. 9. 22. 오후 11:30:00	4.8
26. 9. 23. 오전 12:00:00	4.7
26. 9. 23. 오전 12:30:00	5.0
26. 9. 23. 오전 1:00:00	5.2
26. 9. 23. 오전 1:30:00	5.0
26. 9. 23. 오전 2:00:00	5.1
26. 9. 23. 오전 2:30:00	5.1
26. 9. 23. 오전 3:00:00	4.8
26. 9. 23. 오전 3:30:00	4.5
26. 9. 23. 오전 4:00:00	4.8
26. 9. 23. 오전 4:30:00	5.1
26. 9. 23. 오전 5:00:00	5.0



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 23. 오전 5:30:00	4.7
26. 9. 23. 오전 6:00:00	4.6
26. 9. 23. 오전 6:30:00	5.0
26. 9. 23. 오전 7:00:00	5.0
26. 9. 23. 오전 7:30:00	4.7
26. 9. 23. 오전 8:00:00	4.9
26. 9. 23. 오전 8:30:00	4.9
26. 9. 23. 오전 9:00:00	5.1
26. 9. 23. 오전 9:30:00	5.0
26. 9. 23. 오전 10:00:00	4.8
26. 9. 23. 오전 10:30:00	4.5
26. 9. 23. 오전 11:00:00	4.6
26. 9. 23. 오전 11:30:00	5.0
26. 9. 23. 오후 12:00:00	5.1
26. 9. 23. 오후 12:30:00	5.1
26. 9. 23. 오후 1:00:00	5.1
26. 9. 23. 오후 1:30:00	5.0
26. 9. 23. 오후 2:00:00	4.8
26. 9. 23. 오후 2:30:00	4.7
26. 9. 23. 오후 3:00:00	4.6
26. 9. 23. 오후 3:30:00	4.6
26. 9. 23. 오후 4:00:00	4.7
26. 9. 23. 오후 4:30:00	4.8
26. 9. 23. 오후 5:00:00	5.2
26. 9. 23. 오후 5:30:00	5.2
26. 9. 23. 오후 6:00:00	5.1
26. 9. 23. 오후 6:30:00	4.9
26. 9. 23. 오후 7:00:00	4.6
26. 9. 23. 오후 7:30:00	4.6
26. 9. 23. 오후 8:00:00	5.0
26. 9. 23. 오후 8:30:00	5.3



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 23. 오후 9:00:00	5.1
26. 9. 23. 오후 9:30:00	4.7
26. 9. 23. 오후 10:00:00	4.6
26. 9. 23. 오후 10:30:00	5.1
26. 9. 23. 오후 11:00:00	5.1
26. 9. 23. 오후 11:30:00	5.0
26. 9. 24. 오전 12:00:00	4.8
26. 9. 24. 오전 12:30:00	4.6
26. 9. 24. 오전 1:00:00	4.9
26. 9. 24. 오전 1:30:00	5.2
26. 9. 24. 오전 2:00:00	5.1
26. 9. 24. 오전 2:30:00	5.0
26. 9. 24. 오전 3:00:00	5.1
26. 9. 24. 오전 3:30:00	4.9
26. 9. 24. 오전 4:00:00	4.6
26. 9. 24. 오전 4:30:00	4.7
26. 9. 24. 오전 5:00:00	5.1
26. 9. 24. 오전 5:30:00	5.0
26. 9. 24. 오전 6:00:00	4.6
26. 9. 24. 오전 6:30:00	4.7
26. 9. 24. 오전 7:00:00	5.1
26. 9. 24. 오전 7:30:00	5.0
26. 9. 24. 오전 8:00:00	4.5
26. 9. 24. 오전 8:30:00	5.0
26. 9. 24. 오전 9:00:00	5.1
26. 9. 24. 오전 9:30:00	4.9
26. 9. 24. 오전 10:00:00	4.6
26. 9. 24. 오전 10:30:00	4.8
26. 9. 24. 오전 11:00:00	5.1
26. 9. 24. 오전 11:30:00	5.1
26. 9. 24. 오후 12:00:00	5.0



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 24. 오후 12:30:00	4.8
26. 9. 24. 오후 1:00:00	4.6
26. 9. 24. 오후 1:30:00	4.7
26. 9. 24. 오후 2:00:00	5.1
26. 9. 24. 오후 2:30:00	5.2
26. 9. 24. 오후 3:00:00	5.1
26. 9. 24. 오후 3:30:00	4.9
26. 9. 24. 오후 4:00:00	4.6
26. 9. 24. 오후 4:30:00	4.7
26. 9. 24. 오후 5:00:00	5.2
26. 9. 24. 오후 5:30:00	5.1
26. 9. 24. 오후 6:00:00	4.8
26. 9. 24. 오후 6:30:00	4.6
26. 9. 24. 오후 7:00:00	4.8
26. 9. 24. 오후 7:30:00	5.2
26. 9. 24. 오후 8:00:00	5.0
26. 9. 24. 오후 8:30:00	5.0
26. 9. 24. 오후 9:00:00	5.2
26. 9. 24. 오후 9:30:00	5.0
26. 9. 24. 오후 10:00:00	4.7
26. 9. 24. 오후 10:30:00	4.6
26. 9. 24. 오후 11:00:00	5.0
26. 9. 24. 오후 11:30:00	5.1
26. 9. 25. 오전 12:00:00	4.8
26. 9. 25. 오전 12:30:00	4.5
26. 9. 25. 오전 1:00:00	4.6
26. 9. 25. 오전 1:30:00	5.1
26. 9. 25. 오전 2:00:00	5.0
26. 9. 25. 오전 2:30:00	4.3
26. 9. 25. 오전 3:00:00	4.7
26. 9. 25. 오전 3:30:00	5.1



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 25. 오전 4:00:00	5.1
26. 9. 25. 오전 4:30:00	4.8
26. 9. 25. 오전 5:00:00	4.5
26. 9. 25. 오전 5:30:00	4.8
26. 9. 25. 오전 6:00:00	5.2
26. 9. 25. 오전 6:30:00	5.1
26. 9. 25. 오전 7:00:00	4.8
26. 9. 25. 오전 7:30:00	4.5
26. 9. 25. 오전 8:00:00	4.7
26. 9. 25. 오전 8:30:00	4.7
26. 9. 25. 오전 9:00:00	4.8
26. 9. 25. 오전 9:30:00	4.6
26. 9. 25. 오전 10:00:00	4.7
26. 9. 25. 오전 10:30:00	5.1
26. 9. 25. 오전 11:00:00	5.1
26. 9. 25. 오전 11:30:00	4.9
26. 9. 25. 오후 12:00:00	4.6
26. 9. 25. 오후 12:30:00	4.8
26. 9. 25. 오후 1:00:00	5.2
26. 9. 25. 오후 1:30:00	5.0
26. 9. 25. 오후 2:00:00	4.7
26. 9. 25. 오후 2:30:00	4.9
26. 9. 25. 오후 3:00:00	4.9
26. 9. 25. 오후 3:30:00	4.6
26. 9. 25. 오후 4:00:00	4.7
26. 9. 25. 오후 4:30:00	5.1
26. 9. 25. 오후 5:00:00	5.2
26. 9. 25. 오후 5:30:00	4.9
26. 9. 25. 오후 6:00:00	4.6
26. 9. 25. 오후 6:30:00	4.7
26. 9. 25. 오후 7:00:00	5.1



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 25. 오후 7:30:00	5.1
26. 9. 25. 오후 8:00:00	4.7
26. 9. 25. 오후 8:30:00	5.3
26. 9. 25. 오후 9:00:00	5.0
26. 9. 25. 오후 9:30:00	5.1
26. 9. 25. 오후 10:00:00	4.8
26. 9. 25. 오후 10:30:00	4.6
26. 9. 25. 오후 11:00:00	5.0
26. 9. 25. 오후 11:30:00	5.0
26. 9. 26. 오전 12:00:00	4.7
26. 9. 26. 오전 12:30:00	4.5
26. 9. 26. 오전 1:00:00	4.9
26. 9. 26. 오전 1:30:00	5.1
26. 9. 26. 오전 2:00:00	4.9
26. 9. 26. 오전 2:30:00	5.0
26. 9. 26. 오전 3:00:00	4.5
26. 9. 26. 오전 3:30:00	4.6
26. 9. 26. 오전 4:00:00	5.0
26. 9. 26. 오전 4:30:00	5.2
26. 9. 26. 오전 5:00:00	4.9
26. 9. 26. 오전 5:30:00	4.8
26. 9. 26. 오전 6:00:00	4.6
26. 9. 26. 오전 6:30:00	4.5
26. 9. 26. 오전 7:00:00	4.9
26. 9. 26. 오전 7:30:00	5.2
26. 9. 26. 오전 8:00:00	5.1
26. 9. 26. 오전 8:30:00	4.9
26. 9. 26. 오전 9:00:00	4.7
26. 9. 26. 오전 9:30:00	4.5
26. 9. 26. 오전 10:00:00	4.6
26. 9. 26. 오전 10:30:00	4.8



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 26. 오전 11:00:00	5.1
26. 9. 26. 오전 11:30:00	5.2
26. 9. 26. 오후 12:00:00	5.1
26. 9. 26. 오후 12:30:00	5.0
26. 9. 26. 오후 1:00:00	4.9
26. 9. 26. 오후 1:30:00	4.8
26. 9. 26. 오후 2:00:00	4.7
26. 9. 26. 오후 2:30:00	4.6
26. 9. 26. 오후 3:00:00	5.2
26. 9. 26. 오후 3:30:00	5.2
26. 9. 26. 오후 4:00:00	5.1
26. 9. 26. 오후 4:30:00	5.1
26. 9. 26. 오후 5:00:00	4.9
26. 9. 26. 오후 5:30:00	4.8
26. 9. 26. 오후 6:00:00	4.6
26. 9. 26. 오후 6:30:00	4.7
26. 9. 26. 오후 7:00:00	5.0
26. 9. 26. 오후 7:30:00	5.2
26. 9. 26. 오후 8:00:00	5.1
26. 9. 26. 오후 8:30:00	4.8
26. 9. 26. 오후 9:00:00	4.7
26. 9. 26. 오후 9:30:00	5.1
26. 9. 26. 오후 10:00:00	5.0
26. 9. 26. 오후 10:30:00	4.8
26. 9. 26. 오후 11:00:00	4.6
26. 9. 26. 오후 11:30:00	4.5
26. 9. 27. 오전 12:00:00	4.7
26. 9. 27. 오전 12:30:00	5.0
26. 9. 27. 오전 1:00:00	5.1
26. 9. 27. 오전 1:30:00	5.0
26. 9. 27. 오전 2:00:00	4.8



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 27. 오전 2:30:00	4.7
26. 9. 27. 오전 3:00:00	4.4
26. 9. 27. 오전 3:30:00	4.5
26. 9. 27. 오전 4:00:00	4.9
26. 9. 27. 오전 4:30:00	5.1
26. 9. 27. 오전 5:00:00	5.1
26. 9. 27. 오전 5:30:00	4.9
26. 9. 27. 오전 6:00:00	4.8
26. 9. 27. 오전 6:30:00	4.6
26. 9. 27. 오전 7:00:00	4.6
26. 9. 27. 오전 7:30:00	4.9
26. 9. 27. 오전 8:00:00	5.2
26. 9. 27. 오전 8:30:00	5.1
26. 9. 27. 오전 9:00:00	5.0
26. 9. 27. 오전 9:30:00	4.8
26. 9. 27. 오전 10:00:00	4.6
26. 9. 27. 오전 10:30:00	4.6
26. 9. 27. 오전 11:00:00	4.6
26. 9. 27. 오전 11:30:00	4.7
26. 9. 27. 오후 12:00:00	4.9
26. 9. 27. 오후 12:30:00	5.0
26. 9. 27. 오후 1:00:00	5.1
26. 9. 27. 오후 1:30:00	5.1
26. 9. 27. 오후 2:00:00	5.2
26. 9. 27. 오후 2:30:00	5.2
26. 9. 27. 오후 3:00:00	4.4
26. 9. 27. 오후 3:30:00	4.5
26. 9. 27. 오후 4:00:00	4.6
26. 9. 27. 오후 4:30:00	4.8
26. 9. 27. 오후 5:00:00	5.0
26. 9. 27. 오후 5:30:00	5.2



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 27. 오후 6:00:00	5.2
26. 9. 27. 오후 6:30:00	5.2
26. 9. 27. 오후 7:00:00	5.0
26. 9. 27. 오후 7:30:00	4.8
26. 9. 27. 오후 8:00:00	4.6
26. 9. 27. 오후 8:30:00	4.7
26. 9. 27. 오후 9:00:00	4.6
26. 9. 27. 오후 9:30:00	4.7
26. 9. 27. 오후 10:00:00	4.6
26. 9. 27. 오후 10:30:00	4.8
26. 9. 27. 오후 11:00:00	5.2
26. 9. 27. 오후 11:30:00	5.0
26. 9. 28. 오전 12:00:00	4.8
26. 9. 28. 오전 12:30:00	4.5
26. 9. 28. 오전 1:00:00	4.6
26. 9. 28. 오전 1:30:00	4.8
26. 9. 28. 오전 2:00:00	5.1
26. 9. 28. 오전 2:30:00	5.0
26. 9. 28. 오전 3:00:00	4.6
26. 9. 28. 오전 3:30:00	4.5
26. 9. 28. 오전 4:00:00	4.6
26. 9. 28. 오전 4:30:00	4.9
26. 9. 28. 오전 5:00:00	5.2
26. 9. 28. 오전 5:30:00	5.1
26. 9. 28. 오전 6:00:00	4.9
26. 9. 28. 오전 6:30:00	4.7
26. 9. 28. 오전 7:00:00	4.6
26. 9. 28. 오전 7:30:00	4.9
26. 9. 28. 오전 8:00:00	5.3
26. 9. 28. 오전 8:30:00	5.0
26. 9. 28. 오전 9:00:00	4.9



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 28. 오전 9:30:00	4.7
26. 9. 28. 오전 10:00:00	4.6
26. 9. 28. 오전 10:30:00	4.6
26. 9. 28. 오전 11:00:00	4.9
26. 9. 28. 오전 11:30:00	5.2
26. 9. 28. 오후 12:00:00	5.2
26. 9. 28. 오후 12:30:00	5.1
26. 9. 28. 오후 1:00:00	4.9
26. 9. 28. 오후 1:30:00	4.8
26. 9. 28. 오후 2:00:00	4.6
26. 9. 28. 오후 2:30:00	4.7
26. 9. 28. 오후 3:00:00	4.9
26. 9. 28. 오후 3:30:00	4.9
26. 9. 28. 오후 4:00:00	5.2
26. 9. 28. 오후 4:30:00	5.2
26. 9. 28. 오후 5:00:00	5.0
26. 9. 28. 오후 5:30:00	4.8
26. 9. 28. 오후 6:00:00	4.7
26. 9. 28. 오후 6:30:00	5.1
26. 9. 28. 오후 7:00:00	5.2
26. 9. 28. 오후 7:30:00	5.0
26. 9. 28. 오후 8:00:00	4.7
26. 9. 28. 오후 8:30:00	4.7
26. 9. 28. 오후 9:00:00	5.0
26. 9. 28. 오후 9:30:00	4.7
26. 9. 28. 오후 10:00:00	5.2
26. 9. 28. 오후 10:30:00	5.1
26. 9. 28. 오후 11:00:00	4.8
26. 9. 28. 오후 11:30:00	4.7
26. 9. 29. 오전 12:00:00	5.2
26. 9. 29. 오전 12:30:00	5.1



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 29. 오전 1:00:00	4.8
26. 9. 29. 오전 1:30:00	4.6
26. 9. 29. 오전 2:00:00	5.0
26. 9. 29. 오전 2:30:00	5.1
26. 9. 29. 오전 3:00:00	4.9
26. 9. 29. 오전 3:30:00	5.2
26. 9. 29. 오전 4:00:00	4.9
26. 9. 29. 오전 4:30:00	4.6
26. 9. 29. 오전 5:00:00	5.0
26. 9. 29. 오전 5:30:00	5.0
26. 9. 29. 오전 6:00:00	4.8
26. 9. 29. 오전 6:30:00	4.5
26. 9. 29. 오전 7:00:00	5.0
26. 9. 29. 오전 7:30:00	5.0
26. 9. 29. 오전 8:00:00	4.7
26. 9. 29. 오전 8:30:00	4.5
26. 9. 29. 오전 9:00:00	4.7
26. 9. 29. 오전 9:30:00	5.1
26. 9. 29. 오전 10:00:00	5.1
26. 9. 29. 오전 10:30:00	5.0
26. 9. 29. 오전 11:00:00	4.7
26. 9. 29. 오전 11:30:00	4.5
26. 9. 29. 오후 12:00:00	4.5
26. 9. 29. 오후 12:30:00	4.8
26. 9. 29. 오후 1:00:00	5.1
26. 9. 29. 오후 1:30:00	5.2
26. 9. 29. 오후 2:00:00	5.1
26. 9. 29. 오후 2:30:00	4.9
26. 9. 29. 오후 3:00:00	4.8
26. 9. 29. 오후 3:30:00	4.8
26. 9. 29. 오후 4:00:00	4.7



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 29. 오후 4:30:00	4.8
26. 9. 29. 오후 5:00:00	5.1
26. 9. 29. 오후 5:30:00	5.2
26. 9. 29. 오후 6:00:00	5.1
26. 9. 29. 오후 6:30:00	4.8
26. 9. 29. 오후 7:00:00	4.5
26. 9. 29. 오후 7:30:00	4.7
26. 9. 29. 오후 8:00:00	5.1
26. 9. 29. 오후 8:30:00	5.1
26. 9. 29. 오후 9:00:00	4.8
26. 9. 29. 오후 9:30:00	5.1
26. 9. 29. 오후 10:00:00	4.8
26. 9. 29. 오후 10:30:00	4.5
26. 9. 29. 오후 11:00:00	4.6
26. 9. 29. 오후 11:30:00	4.9
26. 9. 30. 오전 12:00:00	5.1
26. 9. 30. 오전 12:30:00	4.9
26. 9. 30. 오전 1:00:00	4.7
26. 9. 30. 오전 1:30:00	4.5
26. 9. 30. 오전 2:00:00	4.9
26. 9. 30. 오전 2:30:00	5.2
26. 9. 30. 오전 3:00:00	5.0
26. 9. 30. 오전 3:30:00	4.9
26. 9. 30. 오전 4:00:00	4.6
26. 9. 30. 오전 4:30:00	4.5
26. 9. 30. 오전 5:00:00	5.0
26. 9. 30. 오전 5:30:00	5.1
26. 9. 30. 오전 6:00:00	4.9
26. 9. 30. 오전 6:30:00	4.6
26. 9. 30. 오전 7:00:00	4.6
26. 9. 30. 오전 7:30:00	5.0



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C)_0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 30. 오전 8:00:00	5.1
26. 9. 30. 오전 8:30:00	5.0
26. 9. 30. 오전 9:00:00	4.8
26. 9. 30. 오전 9:30:00	4.6
26. 9. 30. 오전 10:00:00	4.9
26. 9. 30. 오전 10:30:00	5.2
26. 9. 30. 오전 11:00:00	5.1
26. 9. 30. 오전 11:30:00	4.9
26. 9. 30. 오후 12:00:00	4.8
26. 9. 30. 오후 12:30:00	4.6
26. 9. 30. 오후 1:00:00	4.8
26. 9. 30. 오후 1:30:00	5.0
26. 9. 30. 오후 2:00:00	5.2
26. 9. 30. 오후 2:30:00	5.2
26. 9. 30. 오후 3:00:00	5.1
26. 9. 30. 오후 3:30:00	4.6
26. 9. 30. 오후 4:00:00	4.8
26. 9. 30. 오후 4:30:00	4.7
26. 9. 30. 오후 5:00:00	4.5
26. 9. 30. 오후 5:30:00	4.7
26. 9. 30. 오후 6:00:00	5.0
26. 9. 30. 오후 6:30:00	5.2
26. 9. 30. 오후 7:00:00	5.0
26. 9. 30. 오후 7:30:00	4.8
26. 9. 30. 오후 8:00:00	4.6
26. 9. 30. 오후 8:30:00	4.6
26. 9. 30. 오후 9:00:00	5.0
26. 9. 30. 오후 9:30:00	4.9
26. 9. 30. 오후 10:00:00	5.0
26. 9. 30. 오후 10:30:00	4.7
26. 9. 30. 오후 11:00:00	4.5



테스토 사베리스 보고서

kyon410@daum.net
생성됨: 2026년 10월 1일 오전 9시 38분 21초 KST

2026년 9월 10일 오전 9시 0분 0초 KST - 2026년 10월 1일 오후 11시 59분 59초 KST

측정 포인트	동국대학교 일산병원 임상시험센터 > 임상시험용의약품 보관실 > 임상시험용 의약품(냉장고A 2~8°C) 0054857013_CH1
타임 스탬프 [Asia/Seoul]	온도 [°C]
26. 9. 30. 오후 11:30:00	4.7
26. 10. 1. 오전 12:00:00	5.1
26. 10. 1. 오전 12:30:00	5.1
26. 10. 1. 오전 1:00:00	4.8
26. 10. 1. 오전 1:30:00	4.6
26. 10. 1. 오전 2:00:00	4.8
26. 10. 1. 오전 2:30:00	5.2
26. 10. 1. 오전 3:00:00	5.1
26. 10. 1. 오전 3:30:00	5.2
26. 10. 1. 오전 4:00:00	5.2
26. 10. 1. 오전 4:30:00	5.0
26. 10. 1. 오전 5:00:00	4.8
26. 10. 1. 오전 5:30:00	4.6
26. 10. 1. 오전 6:00:00	4.8
26. 10. 1. 오전 6:30:00	5.2
26. 10. 1. 오전 7:00:00	5.1
26. 10. 1. 오전 7:30:00	4.8
26. 10. 1. 오전 8:00:00	4.6
26. 10. 1. 오전 8:30:00	4.7
26. 10. 1. 오전 9:00:00	5.1
26. 10. 1. 오전 9:30:00	5.0